



Product End of Life Instructions

Harmony monolithic pre-assembled and pre-cabled variable composition tower light signaling units



End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)
To be depolluted	1	Electronic card	23.0
To be dismantled	2	Plastic parts	240.1
	3	Metal parts	101.4



Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	To provide optical or audible signaling, in particular in order to indicate the different states or sequences of a machine or installation from a distance and through 360°
Product reference	XVGB4SM
Additional similar product references	XV...followed by letters and numbers
Total representative product mass	Weight in g = 390 ~ 680
Representative product dimensions	H x L x D in mm = 80 x 310 x 80 ~ 80 x 564 x 127
Date of information release	06/2016



Additional information

Legal information	The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.	
Recyclability potential	80%	Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).

EoLI achieved with Schneider-Electric TT03 V7 procedure

Schneider Electric Industries SAS Customer Care Center

35, rue Joseph Monier
CS 30323
F- 92506 Rueil Malmaison Cedex
RCS Nanterre 954 503 439
Capital social 896 313 776 €
www.schneider-electric.com