


Product End of Life Instructions

Enerlin'X IFE Module



 **End of Life Instructions**



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	VEGA - DIGITAL PCBA	39,72	Top PCBA
To be depolluted	2	VEGA - DIN PCBA	14,91	Middle PCBA
To be depolluted	3	VEGA - POWER PCBA	32,34	Bottom PCBA
To be depolluted	4	BATTERY	5,00	Lithium Ion Battery



Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	The Enerlin'X IFE Module packaged assembly is an Ethernet gateway to monitor, control and configure LV range of breakers such as Masterpact, Compact NS and NSX range.
Product reference	LV434002
Total representative product mass	185 g
Representative product dimensions	85.5mm x 71.7mm x 70.6mm
Date of information release	04/2017



Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.	
Recyclability potential	5%	Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).

Schneider Electric Industries SAS
Country Customer Care Center
<http://www.schneider-electric.com/contact>
35, rue Joseph Monier
CS 30323
F- 92506 Rueil Malmaison Cedex
RCS Nanterre 954 503 439
Capital social 896 313 776 €

www.schneider-electric.com

ENVEOLI1703001_V1

Published by Schneider Electric

© 2016 - Schneider Electric – All rights reserved

04/2017