

Easergy Flite

Flite 116-SA

End of Life Instructions

ENVEOLI1803027_V1

06/2018



Introduction

Purpose

This equipment must be disposed according to the legislation of the country where it is situated. This document provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.

Scope

The document provides the user with the basic information needed to dismantle the product in the recycling plant.

It indicates, for the various parts of the product, the recommendations according to the recycling criteria (potential hazards, to be depolluted, to be dismantled).

This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE).


Product description

Manufacturer identification	Schneider Electric
Brand name	Easergy Flite
Product function	Fault Passage Indicator for MV overhead lines
Product reference	EMS58200
Additional similar product references	59938, EMS58201, EMS58202
Total representative product mass	487 g with one Lithium battery of 100 g 387 g without the battery
Representative product dimensions	H x L x D = 152 x 127 x 110 mm
Accessories	none
Date of information release	06/2018

Additional information

In case of special transportation: transportation method	none	
Recyclability potential	71%	

End of Life Instructions




⚠ CAUTION

HAZARD OF ARC FLASH OR FIRE

- Disconnect battery terminals before disassembly

Failure to follow these instructions can result in injury.



Recommendation	Nbr on Drawing	Component / Material	Weight (in g)	Comment
Potential hazards	1	none		
To be depolluted	2	Lithium battery and PCBA including Capacitors, IC's, Resistors, Connectors etc.,	180	
To be dismantled	3	Wires, enclosure with accessories	307	

Schneider Electric

35 rue Joseph Monier
92500 Rueil Malmaison – France
Phone: +33 (0) 1 41 29 70 00
www.schneider-electric.com

As standards, specifications, and designs change from time to time, please ask for confirmation of the information given in this publication.

© 2014-2017 Schneider Electric. All rights reserved.

ENVEOLI1803027_V1



This document has been
printed on recycled paper