



Product End of Life Instructions

U-Series ACR 15/27kV



Potential disassembly risks

This product may have Risk of electric shock due to secondary electrical components assembly.

This product contains external cables with insulation materials which are recommended to be treated separately during the End of Life operations.

There are several steps to process the products at the end of life so as to recover components, materials or energy:
Reuse --> Depollution --> Dismantling --> Shredding

WARNING


HAZARD DUE TO INSUFFICIENT PROTECTION

Implement all safety measures required by the applicable regulations and by the processes used to dismantle/disassemble and the dispose of the product.

Use all necessary personal protective equipment such as gloves and goggles.

Failure to follow these instructions can result in death or serious injury.

End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Electronic Board (Communication) > 10cm ²	596.16	
To be depolluted	2	Cable (high current)	5342.6	External electric cables
To be dismantled	3	Plastics	33621.94	
To be dismantled	4	Metals	92738.84	



Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	The U-Series is primarily an intelligent circuit breaker which has the ability to trip an electrical circuit under fault load after first sensing a current or voltage fault, and to reclose back onto the fault up to 4 times without human intervention in compliance with IEC 62271-111
Product reference	20112000
Additional similar product references	20112000
Total representative product mass	118000 g
Representative product dimensions	873mm x 1040mm x 712mm
Date of information release	02/2021



Additional information

Legal information	The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.	
Recyclability potential	63%	Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).

Schneider Electric Industries SAS
 Country Customer Care Center
<http://www.schneider-electric.com/contact>
 35, rue Joseph Monier
 CS 30323
 F- 92506 Rueil Malmaison Cedex
 RCS Nanterre 954 503 439
 Capital social 896 313 776 €

www.schneider-electric.com

ENVEOLI2012013_V1

Published by Schneider Electric

© 2019 - Schneider Electric – All rights reserved

02/2021