



# Product End of Life Instructions

**EP MVS SD 3200A 65KA 4P EF 220VDC fixed electrical switch disconnecter**



## End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Electronic Board (Communication) > 10cm <sup>2</sup>	53.7	3 x PCBs > 10cm <sup>2</sup>
Potential hazards	2	Plastic parts with brominated FR	854	FR(17) PC parts

## Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	The Easycompact MVSDA1 four pole fixed switch-disconnector is designed to be used in PV2 and BPS system with assigned voltage up to 1500VDC and rated current of 3200A.
Product reference	MVS32DA14F004
Total representative product mass	54000 g
Representative product dimensions	396mm x 537mm x 400mm
Accessories	No
Date of information release	11/2021



## Additional information

<b>Legal information</b>	The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.
<b>In case of special transportation: transportation method</b>	No
<b>Recyclability potential</b>	<b>69%</b> Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).

Schneider Electric Industries SAS  
Country Customer Care Center  
<http://www.schneider-electric.com/contact>  
35, rue Joseph Monier  
CS 30323  
F- 92506 Rueil Malmaison Cedex  
RCS Nanterre 954 503 439  
Capital social 896 313 776 €

[www.schneider-electric.com](http://www.schneider-electric.com)

ENVEOLI2108020\_V1

Published by Schneider Electric

© 2019 - Schneider Electric – All rights reserved

11/2021