

# Product End-of-Life Instructions

Product Range: MCset 4 24 kV  
SF circuit-breaker

Marketing Model/Name: MCset 4 24 kV Withdrawable SF6 circuit-breaker

## Purpose:

The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.

## Note :

This product family not in the scope of EU directive 2002/96/EC, Waste Electrical and Electronic Equipment (WEEE).



## Size:

H x L x D in mm: 2300 x 900 x 1900


## Weight in kg:

Between 850 and 1450 without battery

## Operations recommended for the end of life treatment

There are several steps to process the products at the end of life so as to recover components, materials or energy :  
 Reuse → Separation for special treatment → Other dismantling → Shredding.

**The components of the products that optimize the recycling performances are listed, identified and located hereunder.**



| Recommendation    | Number on drawing | Components          | Weight | Comment  |
|-------------------|-------------------|---------------------|--------|--|
| Special treatment | 1                 | Sepam               | 830 g  | Containing electronic cards<br>EoLI: SEPED306029EN |
|                   | 2                 | Circuit Breaker SF6 |        | EoLI SF6: 03805698ZA                               |

**Schneider Electric SA**  
 43-45, boulevard Franklin Roosevelt  
 F-92500 Rueil-Malmaison Cedex (France)  
 Tel.: +33 (0) 1 41 29 70 00  
 www.schneider-electric.com

The version of the Guide used to create the document: End of Life  
 Instruction Drafting Guide of Schneider Electric version V3

ENVEOLI121207EN

Publication date: 13/12/2012