

Product Environmental Profile

WIFI 600W DIMMER SINGLE POLE WH






General information

Representative product	WIFI 600W DIMMER SINGLE POLE WH - SQR22601WHW
Description of the product	This product is a perfect wireless manual and remote on/off/dim bright control switch, replacement of regular on/off and dimmer switch, controlling incandescent, dimmable LED.
Functional unit	<p>The product can be used for single pole or 3-Way with Rocker Switch, the LED light can be adjusted manually and the switch can be controlled remotely. Air-Gap Switch feature meets UL requirement and disconnect power from load locally, refer to standard 802.11 b/g/n. Its functional units meet the following technical indicators:</p> <ul style="list-style-type: none"> - Voltage: 120VAC, 60HZ - Dimmable LED: 1.25A (150W)



Constituent materials

Reference product mass	213.7 g including the product, its packaging and additional elements and accessories
------------------------	--



Plastics	18.6%
Metals	21.3%
Others	60.0%



Substance assessment

Products of this range are designed in conformity with the requirements of the RoHS directive (European Directive 2011/65/EU of 8 June 2011 and EU 2015/863) and do not contain, or only contain in the authorised proportions, lead, mercury, cadmium, hexavalent chromium, flame retardants (polybrominated biphenyls - PBB, polybrominated diphenyl ethers - PBDE), or phthalates (Bis(2-ethylhexyl) phthalate DEHP, Butyl benzyl phthalate -BBP, Dibutyl phthalate – DBP, Diisobutyl phthalate - DIBP) as mentioned in the Directive

Details of ROHS and REACH substances information are available on the Schneider-Electric Green Premium website

<http://www2.schneider-electric.com/sites/corporate/en/products-services/green-premium/green-premium.page>



Additional environmental information


Manufacturing	Manufactured at a production site complying with the regulations
Distribution	Weight and volume of the packaging optimized, based on the European Union's packaging directive Packaging weight is 75.5 g, consisting of cardboard (45.6%), paper (53.1%), PE (1.3%).
Installation	Reference SQR22601WHW does not require any installation operations. Packaging wastes is considered in the installation.
Use	The product does not require special maintenance operations.
End of life	<p>End of life optimized to decrease the amount of waste and allow recovery of the product components and materials</p> <p>This product contains electronic card (54.1g) that should be separated from the stream of waste so as to optimize end-of-life treatment.</p> <p>The location of these components and other recommendations are given in the End of Life Instruction document which is available on the Schneider-Electric Green Premium website http://www2.schneider-electric.com/sites/corporate/en/products-services/green-premium/green-premium.page</p> <p>Recyclability potential: 35% Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).</p>



Environmental impacts

Reference life time	10 years			
Product category	Other equipments - Active product			
Installation elements	No special installation components need during installation phase, but transport of packaging to disposal, and disposal of packaging accounted for during installation.			
Use scenario	The product is in active mode 30% of the time with a power use of 0.58W and in stand-by mode 70% of the time with a power use of 0.42W, for 10 years.			
Geographical representativeness	US			
Technological representativeness	This product is a perfect wireless manual and remote on/off/dim bright control switch, replacement of regular on/off and dimmer switch, controlling incandescent, dimmable LED.			
Energy model used	Manufacturing	Installation	Use	End of life
	Energy model used: China	Electricity mix; AC; consumption mix, at consumer; 120V; US	Electricity mix; AC; consumption mix, at consumer; 120V; US	Electricity mix; AC; consumption mix, at consumer; 120V; US

Compulsory indicators		WIFI 600W DIMMER SINGLE POLE WH - SQR22601WHW					
Impact indicators	Unit	Total	Manufacturing	Distribution	Installation	Use	End of Life
Contribution to mineral resources depletion	kg Sb eq	5.95E-04	5.95E-04	0*	0*	2.79E-07	0*
Contribution to the soil and water acidification	kg SO ₂ eq	3.78E-02	1.04E-02	1.26E-04	1.72E-05	2.72E-02	6.53E-05
Contribution to water eutrophication	kg PO ₄ ³⁻ eq	9.11E-03	1.88E-03	2.90E-05	4.47E-06	7.16E-03	3.09E-05
Contribution to global warming	kg CO ₂ eq	3.33E+01	4.77E+00	2.76E-02	4.13E-03	2.84E+01	9.47E-02
Contribution to ozone layer depletion	kg CFC11 eq	1.08E-06	5.65E-07	0*	0*	5.15E-07	3.35E-09
Contribution to photochemical oxidation	kg C ₂ H ₄ eq	5.38E-03	1.01E-03	8.98E-06	1.29E-06	4.35E-03	5.54E-06
Resources use	Unit	Total	Manufacturing	Distribution	Installation	Use	End of Life
Net use of freshwater	m3	7.41E-02	2.39E-02	0*	0*	5.02E-02	4.92E-05
Total Primary Energy	MJ	4.42E+02	5.93E+01	3.90E-01	5.38E-02	3.82E+02	2.83E-01



Optional indicators		WIFI 600W DIMMER SINGLE POLE WH - SQR22601WHW					
Impact indicators	Unit	Total	Manufacturing	Distribution	Installation	Use	End of Life
Contribution to fossil resources depletion	MJ	3.89E+02	4.26E+01	3.87E-01	5.33E-02	3.46E+02	2.31E-01
Contribution to air pollution	m³	2.95E+03	5.33E+02	1.17E+00	0*	2.41E+03	2.04E+00
Contribution to water pollution	m³	2.08E+03	6.66E+02	4.53E+00	6.23E-01	1.40E+03	4.21E+00
Resources use	Unit	Total	Manufacturing	Distribution	Installation	Use	End of Life
Use of secondary material	kg	6.57E-02	6.57E-02	0*	0*	0*	0*
Total use of renewable primary energy resources	MJ	2.46E+01	1.64E+00	0*	0*	2.30E+01	0*
Total use of non-renewable primary energy resources	MJ	4.18E+02	5.76E+01	3.89E-01	5.37E-02	3.59E+02	2.82E-01
Use of renewable primary energy excluding renewable primary energy used as raw material	MJ	2.44E+01	1.43E+00	0*	0*	2.30E+01	0*
Use of renewable primary energy resources used as raw material	MJ	2.05E-01	2.05E-01	0*	0*	0*	0*
Use of non renewable primary energy excluding non renewable primary energy used as raw material	MJ	4.16E+02	5.56E+01	3.89E-01	5.37E-02	3.59E+02	2.82E-01
Use of non renewable primary energy resources used as raw material	MJ	1.97E+00	1.97E+00	0*	0*	0*	0*
Use of non renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*
Use of renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*
Waste categories	Unit	Total	Manufacturing	Distribution	Installation	Use	End of Life
Hazardous waste disposed	kg	4.59E+00	3.54E+00	0*	0*	7.59E-01	2.84E-01
Non hazardous waste disposed	kg	6.48E+00	2.14E+00	9.80E-04	1.34E-03	4.34E+00	7.68E-04
Radioactive waste disposed	kg	1.48E-03	1.03E-03	6.98E-07	0*	4.47E-04	1.82E-06
Other environmental information	Unit	Total	Manufacturing	Distribution	Installation	Use	End of Life
Materials for recycling	kg	1.38E-01	1.60E-02	0*	7.44E-02	0*	4.78E-02
Components for reuse	kg	0.00E+00	0*	0*	0*	0*	0*
Materials for energy recovery	kg	2.52E-02	0*	0*	0*	0*	2.52E-02
Exported Energy	MJ	2.35E-04	2.21E-05	0*	2.13E-04	0*	0*

* represents less than 0.01% of the total life cycle of the reference flow

Life cycle assessment performed with EIME version EIME v5.9.1, database version 2016-11 in compliance with ISO14044.

The Manufacturing phase has the greatest impact on Abiotic depletion and Ozone. The Use phase has the greatest impact on Acidification potential of soil and water, Eutrophication, Global warming, high NOx, Net use of freshwater and Total Primary Energy.

Please note that the values given above are only valid within the context specified and cannot be used directly to draw up the environmental assessment of an installation.

Registration number	ENVPEP2011020_V1	Drafting rules	PCR-ed3-EN-2015 04 02
Date of issue	03/2021	Supplemented by	PSR-0005-ed2-EN-2016 03 29
Validity period	5 years	Information and reference documents	www.pep-ecopassport.org
Independent verification of the declaration and data			
Internal	X	External	
The elements of the present PEP cannot be compared with elements from another program.			
Document in compliance with ISO 14021:2016 « Environmental labels and declarations - Self-declared environmental claims (Type II environmental labelling) »			

Schneider Electric Industries SAS
Country Customer Care Center
<http://www.schneider-electric.com/contact>
35, rue Joseph Monier
CS 30323
F- 92506 Rueil Malmaison Cedex
RCS Nanterre 954 503 439
Capital social 896 313 776 €
www.schneider-electric.com

Published by Schneider Electric

ENVPEP2011020_V1

© 2019 - Schneider Electric – All rights reserved

03/2021