
# **Product Environmental Profile**

#### **CEILING ROSE - WHITE**






### General information

Reference product	CEILING ROSE - WHITE - 93-WE						
Description of the product	This product is a fancy type of electrical junction box used to cover the junction between the ceiling and the electrical wiring of the electrical appliances.						
Functional unit	CEILING ROSE is a light fitting that suspends electric cable from a ceiling . The 'rose' is part of a decorative element that encases the cable and its light fitting support. Without the ceiling rose, lighting fittings would never look as neat or tidy.						

## Constituent materials

Reference product mass 82 g including the product, its packaging and additional elements and accessories



 Plastics
 55.2%

 Metals
 23.5%

 Others
 21.3%

#### Substance assessment

Details of ROHS and REACH substances information are available on the Schneider-Electric Green Premium website <a href="https://www.se.com/ww/en/work/support/green-premium/">https://www.se.com/ww/en/work/support/green-premium/</a>

	ि Additional e	Additional environmental information					
End Of Life	Recyclability potential:	29%	Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO'DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0%				

recyclability).



Reference service life time	20 years								
Product category	Other equipments - Passive product - non-continuous operation								
Installation elements	The disposal of the packaging materials are accounted for during the installation phase (including transport to disposal).								
Use scenario	load rate / rated current (In): 30 % of In percentage of utilization time: 30%								
Technological representativeness	The Modules of Technologies such as material production, manufacturing process and transport technology used in this PEP analysis (LCA-EIME in this case) are Similar and representative of the actual type of technologies used to make the product in production.								
Geographical representativeness	Australia & New Zealand								
	[A1 - A3]	[A5]	[B6]	[C1 - C4]					
Energy model used		Low voltage; AUS	Electricity Mix; Production mix; Low voltage; AUS	Electricity Mix; Production mix; Low voltage; AUS					
	Electricity Mix; Production mix; Low voltage; VN	Electricity mix; AC; consumption mix, at consumer; 230V; NZ	Electricity mix; AC; consumption mix, at consumer; 230V; NZ	Electricity mix; AC; consumption mix, at consumer; 230V; NZ					

Detailed results, including all the impact indicators mentioned in PCRed4 are available in the LCA report and on demand in a digital format

- Country Customer Care Center - http://www.schneider-electric.com/contact

Mandatory Indicators		CEILING	ROSE - WHITE - 9	93-WE				
Impact indicators	I I m in	Unit Total	Manufacturing	Distribution	Installation	Use	End of Life	Benefits
impact mulcators	Offic		[A1 - A3]	[A4]	[A5]	[B1 - B7]	[C1 - C4]	[D]
Contribution to climate change	kg CO2 eq	1.04E+00	4.26E-01	2.36E-02	3.29E-02	3.47E-01	2.09E-01	-1.37E-01
Contribution to climate change-fossil	kg CO2 eq	1.03E+00	4.18E-01	2.36E-02	3.15E-02	3.47E-01	2.09E-01	-1.35E-01
Contribution to climate change-biogenic	kg CO2 eq	9.68E-03	8.09E-03	0*	1.46E-03	1.33E-04	0*	-1.61E-03
Contribution to climate change-land use and land use change-	ge kg CO2 eq	2.03E-09	0*	0*	2.03E-09	0*	0*	0.00E+00
Contribution to ozone depletion	kg CFC-11 eq	6.06E-08	3.49E-08	2.09E-08	2.19E-09	2.05E-09	5.85E-10	-3.10E-08
Contribution to acidification	mol H+ eq	7.87E-03	5.34E-03	1.03E-04	1.31E-04	2.06E-03	2.36E-04	-7.10E-04
Contribution to eutrophication, freshwater	kg (PO4) <sup>3-</sup> eq	1.37E-06	1.11E-06	2.77E-09	2.47E-07	3.44E-09	1.11E-08	-7.16E-07
Contribution to eutrophication marine	kg N eq	9.93E-04	6.28E-04	4.72E-05	3.47E-05	2.37E-04	4.64E-05	-1.02E-04
Contribution to eutrophication, terrestrial	mol N eq	1.07E-02	6.73E-03	5.11E-04	2.62E-04	2.67E-03	5.49E-04	-9.99E-04
Contribution to photochemical ozone formation - human health	kg COVNM eq	3.34E-03	2.13E-03	1.68E-04	7.00E-05	8.06E-04	1.73E-04	-3.36E-04
Contribution to resource use, minerals and metals	kg Sb eq	2.38E-05	2.38E-05	0*	0*	7.92E-09	0*	-1.35E-05
Contribution to resource use, fossils	MJ	1.71E+01	7.61E+00	2.87E-01	3.42E-01	4.72E+00	4.18E+00	-1.68E+00
Contribution to water use	m3 eq	1.71E-01	1.07E-01	1.20E-03	1.46E-02	1.29E-02	3.45E-02	-6.69E-02

Inventory flows Indicators			CEILING ROSE - WHITE - 93-WE					
Inventory flows	Unit	Total	Manufact.	Distribution	Installation	Use	End of Life	Benefits
inventory nows			[A1 - A3]	[A4]	[A5]	[B1 - B7]	[C1 - C4]	[D]
Contribution to use of renewable primary energy excluding renewable primary energy used as raw material	MJ	1.25E+00	0*	0*	2.50E-02	1.24E+00	8.37E-04	1.85E-01
Contribution to use of renewable primary energy resources used as raw material	MJ	3.58E-01	3.58E-01	0*	0*	0*	0*	-3.25E-01
Contribution to total use of renewable primary energy resources	MJ	1.60E+00	3.41E-01	0*	2.50E-02	1.24E+00	8.37E-04	-1.39E-01
Contribution to use of non renewable primary energy excluding non renewable primary energy used as raw material	MJ	1.56E+01	6.09E+00	2.87E-01	3.42E-01	4.72E+00	4.18E+00	-1.67E+00
Contribution to use of non renewable primary energy resources used as raw material	MJ	1.52E+00	1.52E+00	0*	0*	0*	0*	-1.73E-02

Contribution to total use of non-renewable primary energy resources	MJ	1.71E+01	7.61E+00	2.87E-01	3.42E-01	4.72E+00	4.18E+00	-1.68E+00
Contribution to use of secondary material	kg	2.55E-03	2.55E-03	0*	0*	0*	0*	0.00E+00
Contribution to use of renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to use of non renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to net use of freshwater	m³	3.97E-03	2.50E-03	2.79E-05	3.39E-04	3.00E-04	8.04E-04	-1.56E-03
Contribution to hazardous waste disposed	kg	1.89E+00	1.81E+00	0*	3.89E-04	8.26E-03	6.69E-02	-9.78E-01
Contribution to non hazardous waste disposed	kg	1.08E+00	8.76E-01	0*	1.07E-01	5.07E-02	5.05E-02	-5.03E-01
Contribution to radioactive waste disposed	kg	2.71E-04	2.45E-04	4.70E-06	1.44E-05	4.84E-06	2.07E-06	-3.96E-05
Contribution to components for reuse	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to materials for recycling	kg	3.79E-02	0*	0*	1.84E-02	0*	1.95E-02	0.00E+00
Contribution to materials for energy recovery	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to exported energy	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to biogenic carbon content of the product	kg de C	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to biogenic carbon content of the associated packaging	kg de C	0.00E+00	0*	0*	0*	0*	0*	0.00E+00

<sup>\*</sup> represents less than 0.01% of the total life cycle of the reference flow

Life cycle assessment performed with EIME version 5.9.4, database version 2022-01 in compliance with ISO14044.

Detailed results, including all the optional indicators mentioned in PCRed4 are available in the LCA report and on demand in a digital format

Prease note that the values given above are only valid within the context specified and cannot be used directly to draw up the environmental assessment of an installation

Registration number:	ENVPEP2308049_V1	Drafting rules	PEP-PCR-ed4-2021 09 06						
Validity period	5 years	Supplemented by	PSR-0005-ed2-2016 03 29						
Date of issue	ate of issue Information and reference documents www.pep-ecopassport.org								
Independent verification of the declaration and data, in compliance with ISO 14021 : 2016									
Internal X	Internal X External								
The PCR review was conducted by a panel of experts chaired by Julie ORGELET (DDemain)									
PEP are compliant with XP C08-100-1 :2016 or EN 50693:2019									
The elements of the present PEP cannot be compared with elements from another program.									
Document in compliance with ISO 14021 : 2016 « Environmental labels and declarations. Type II environmental declarations »									

Schneider Electric Industries SAS

Country Customer Care Center

http://www.schneider-electric.com/contact
35, rue Joseph Monier

CS 30323

F- 92500 Rueil Malmaison Cedex

RCS Nanterre 954 503 439

Capital social 928 298 512 €

www.se.com

Published by Schneider Electric

ENVPEP2308049\_V1 ©2023 - Schneider Electric – All rights reserved

11/2023

<sup>-</sup> Country Customer Care Center - http://www.schneider-electric.com/contact