Product Environmental Profile

Schneider Charge 7,4/11/22KW 1P+N/3P+N 16/32A T2S TIC






General information

| Reference product | Schneider Charge 7,4/11/22KW 1P+N/3P+N 16/32A T2S TIC - EVH5A22N400F | | | | |
|----------------------------|---|--|--|--|--|
| Description of the product | EVH5A22N400F is designed to allow private persons to have a charging point dedicated to their electric vehicle. Charging mode is mode 3. It includes one or two types sockets, one modem and communication module etc. The elements used for connecting the station to the mains grid and to the monitoring and communication network are excluded. | | | | |
| Functional unit | supply 1 kW to one vehicle in accordance with the reference use scenario at the charging point. The reference use scenario includes the charging through AC in private charging points during 10 years. The product being defined in the reference scenarios below: EN61851-1 Ed3.0 EN 61000-6-1 EN 61000-6-3 IEC 61851-21-2 IEC62955 | | | | |

Constituent materials Reference product mass 4780 g including the product, its packaging and additional elements and accessories Stainless steel - 8.2% Copper



Plastics 46.90%
Metals 9.60%
Others 43.50%

Substance assessment

Details of ROHS and REACH substances information are available on the Schneider-Electric Green Premium website https://www.se.com/ww/en/work/support/green-premium/



(19) Additional environmental information

End Of Life

Recyclability potential:

14%

Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO'DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).



Environmental impacts

| Reference service life time | 10 years | | | | | | |
|-------------------------------------|---|--|--|--|--|--|--|
| Installation elements | No | | | | | | |
| Use scenario | The product is in active mode 20% of the time with a power use of 15W and in stand-by mode 80% of the time with a power use of 10W, for 10 years | | | | | | |
| Technological representativeness | The Modules of Technologies such as material production, manufacturing process and transport technology used in this PEP analysis (LCA EIME in this case) are Similar and representative of the actual type of technologies used to make the product in production. | | | | | | |
| Geographical representativeness | Europe | | | | | | |
| | [A1 - A3] | [A5] | [B6] | [C1 - C4] | | | |
| Energy model used | Electricity Mix; Production mix; Low voltage; FR | Electricity Mix; Production mix; Low voltage; FR | Electricity Mix; Production mix; Low voltage; FR | Electricity Mix; Production mix; Low voltage; FR | | | |

Detailed results, including all the optional indicators mentioned in PCRed4, and the split of the Use Phase (B1 to B7), are available in the LCA report and on demand in a digital format - Country Customer Care Center - http://www.schneider-electric.com/contact

All Data above scaled down to 1 KWh

| Mandatory Indicators | Schneider Charge 7,4/11/22KW 1P+N/3P+N 16/32A T2S TIC - EVH5A22N400F | | | | | | | |
|--|--|----------|---------------|--------------|--------------|-----------|-------------|-----------|
| to a disease | Unit | Total | Manufacturing | Distribution | Installation | Use | End of Life | Benefits |
| Impact indicators | Unit | iotai | [A1 - A3] | [A4] | [A5] | [B1 - B7] | [C1 - C4] | [D] |
| Contribution to climate change | kg CO2 eq | 1.75E-01 | 9.59E-02 | 6.00E-04 | 2.56E-03 | 6.68E-02 | 9.15E-03 | -8.22E-03 |
| Contribution to climate change-fossil | kg CO2 eq | 1.75E-01 | 9.57E-02 | 6.00E-04 | 2.45E-03 | 6.66E-02 | 9.13E-03 | -8.10E-03 |
| Contribution to climate change-biogenic | kg CO2 eq | 5.03E-04 | 2.04E-04 | 0* | 1.14E-04 | 1.72E-04 | 1.34E-05 | -1.17E-04 |
| Contribution to climate change-land use and land use change | kg CO2 eq | 8.44E-10 | 6.81E-10 | 0* | 1.72E-12 | 0* | 1.62E-10 | 0.00E+00 |
| Contribution to ozone depletion | kg CFC-11 eq | 9.59E-09 | 8.40E-09 | 0* | 1.69E-10 | 9.83E-10 | 3.67E-11 | -1.65E-09 |
| Contribution to acidification | mol H+ eq | 1.09E-03 | 6.85E-04 | 3.80E-06 | 1.02E-05 | 3.87E-04 | 8.08E-06 | -3.95E-05 |
| Contribution to eutrophication, freshwater | kg (PO4) ³⁻ eq | 3.85E-06 | 3.03E-07 | 0* | 1.85E-08 | 3.18E-06 | 3.46E-07 | -4.71E-08 |
| Contribution to eutrophication marine | kg N eq | 1.51E-04 | 9.20E-05 | 1.78E-06 | 2.69E-06 | 5.32E-05 | 1.65E-06 | -6.60E-06 |
| Contribution to eutrophication, terrestrial | mol N eq | 1.81E-03 | 9.81E-04 | 1.95E-05 | 2.03E-05 | 7.65E-04 | 2.01E-05 | -6.28E-05 |
| Contribution to photochemical ozone formation - human health | kg COVNM eq | 4.81E-04 | 3.07E-04 | 4.93E-06 | 5.42E-06 | 1.58E-04 | 5.57E-06 | -2.01E-05 |
| Contribution to resource use, minerals and metals | kg Sb eq | 3.48E-05 | 3.48E-05 | 0* | 0* | 3.16E-08 | 9.77E-09 | -6.79E-07 |
| Contribution to resource use, fossils | MJ | 1.42E+01 | 1.29E+00 | 8.37E-03 | 2.66E-02 | 1.28E+01 | 9.50E-02 | -9.56E-02 |
| Contribution to water use | m3 eq | 5.55E-02 | 4.82E-02 | 0* | 1.09E-03 | 4.84E-03 | 1.42E-03 | -4.07E-03 |

Additional indicators for the French regulation are available as well

| Inventory flows Indicators | | | Schneider Charge 7,4/11/22KW 1P+N/3P+N 16/32A T2S TIC - EVH5A22N400F | | | | | |
|---|---------|----------|--|--------------|--------------|-----------|-------------|-----------|
| Inventory flows | Unit | Total | Manufact. | Distribution | Installation | Use | End of Life | Benefits |
| | | | [A1 - A3] | [A4] | [A5] | [B1 - B7] | [C1 - C4] | [D] |
| Contribution to use of renewable primary energy excluding renewable primary energy used as raw material | MJ | 1.22E+00 | 1.71E-02 | 0* | 1.91E-03 | 1.19E+00 | 3.36E-04 | 1.53E-02 |
| Contribution to use of renewable primary energy resources used as raw material | MJ | 2.67E-03 | 2.88E-02 | 0* | 0* | 0* | 0* | -2.61E-02 |
| Contribution to total use of renewable primary energy resources | MJ | 1.22E+00 | 4.59E-02 | 0* | 1.91E-03 | 1.19E+00 | 3.36E-04 | -1.09E-02 |
| Contribution to use of non renewable primary energy excluding non renewable primary energy used as raw material | MJ | 1.41E+01 | 1.20E+00 | 8.37E-03 | 2.66E-02 | 1.28E+01 | 9.50E-02 | -9.56E-02 |
| Contribution to use of non renewable primary energy resources used as raw material | MJ | 8.61E-02 | 8.61E-02 | 0* | 0* | 0* | 0* | -1.46E-05 |
| Contribution to total use of non-renewable primary energy resources | MJ | 1.42E+01 | 1.29E+00 | 8.37E-03 | 2.66E-02 | 1.28E+01 | 9.50E-02 | -9.56E-02 |
| Contribution to use of secondary material | kg | 7.79E-05 | 7.78E-05 | 0* | 0* | 0* | 0* | 0.00E+00 |
| Contribution to use of renewable secondary fuels | MJ | 0.00E+00 | 0* | 0* | 0* | 0* | 0* | 0.00E+00 |
| Contribution to use of non renewable secondary fuels | MJ | 0.00E+00 | 0* | 0* | 0* | 0* | 0* | 0.00E+00 |
| Contribution to net use of freshwater | m³ | 1.20E-03 | 1.12E-03 | 0* | 2.55E-05 | 1.13E-04 | 3.31E-05 | -9.49E-05 |
| Contribution to hazardous waste disposed | kg | 4.46E-01 | 4.90E-01 | 0* | 0* | 9.95E-04 | 2.93E-03 | -4.92E-02 |
| Contribution to non hazardous waste disposed | kg | 4.84E-02 | 7.03E-02 | 2.11E-05 | 8.33E-03 | 6.42E-03 | 2.82E-03 | -3.95E-02 |
| Contribution to radioactive waste disposed | kg | 1.62E-05 | 1.49E-05 | 1.50E-08 | 1.12E-06 | 2.70E-06 | 1.38E-07 | -2.75E-06 |
| Contribution to components for reuse | kg | 0.00E+00 | 0* | 0* | 0* | 0* | 0* | 0.00E+00 |
| Contribution to materials for recycling | kg | 1.92E-03 | 0* | 0* | 1.41E-03 | 0* | 5.13E-04 | 0.00E+00 |
| Contribution to materials for energy recovery | kg | 1.18E-10 | 1.18E-10 | 0* | 0* | 0* | 0* | 0.00E+00 |
| Contribution to exported energy | MJ | 0.00E+00 | 0* | 0* | 0* | 0* | 0* | 0.00E+00 |
| Contribution to biogenic carbon content of the product | kg de C | 0.00E+00 | 0* | 0* | 0* | 0* | 0* | 0.00E+00 |
| Contribution to biogenic carbon content of the associated packaging | kg de C | 0.00E+00 | 0* | 0* | 0* | 0* | 0* | 0.00E+00 |

^{*} represents less than 0.01% of the total life cycle of the reference flow

Detailed results, including all the optional indicators mentioned in PCRed4, and the split of the Use Phase (B1 to B7), are available in the LCA report and on demand in a digital format - Country Customer Care Center - http://www.schneider-electric.com/contact

Life cycle assessment performed with EIME version v5.9.4, database version 2022-01 in compliance with ISO14044.

Please note that the values given above are only valid within the context specified and cannot be used directly to draw up the environmental assessment of an installation.

| Registration number : | ENVPEP2310034_V1 | Drafting rules | PEP-PCR-ed4-2021 09 06 | | | |
|--|------------------|---------------------|----------------------------|--|--|--|
| Verifier accreditation N° | | Supplemented by | PSR-0018-ed1-EN-2021 09 13 | | | |
| Date of issue | 2023/12/08 | Information and | www.pep-ecopassport.org | | | |
| Bate of foods | 2020/12/00 | reference documents | WWW.pop coopacoport.org | | | |
| | | Validity period | 5 years | | | |
| Independent varification of the declaration and data in compliance with ISO 14021 : 2016 | | | | | | |

Independent verification of the declaration and data, in compliance with ISO 14021: 2016

Internal X External

The PCR review was conducted by a panel of experts chaired by Julie ORGELET (DDemain)

PEP are compliant with XP C08-100-1 :2016 or EN 50693:2019

The elements of the present PEP cannot be compared with elements from another program.

Document in compliance with ISO 14021: 2016 « Environmental labels and declarations. Type II environmental declarations »

Schneider Electric Industries SAS
Country Customer Care Center
http://www.schneider-electric.com/contact
35, rue Joseph Monier
CS 30323
F- 92500 Rueil Malmaison Cedex

www.se.com

RCS Nanterre 954 503 439 Capital social 896 313 776 €

Published by Schneider Electric

ENVPEP2310034_V1 ©2023 - Schneider Electric - All rights reserved

2023/12/08