
# **Product Environmental Profile**

#### AvatarOn A, 16AX 250V~ 1W SW w Fluo S sized, WE

#### AvatarOn A






## General information

Reference product	AvatarOn A, 16AX 250V~ 1W SW w Fluo S sized, WE - M3T31_1F_WE					
Description of the product	The main purpose of the switch is to break an electrical circuit, diverting the current from the main supply to different electrical appliances.					
Description of the range	The range includes all types of switches.					
	The environmental impacts of this reference product are representative of the impacts of the other products of the range which are developed with a similar technology.					
Functional unit	Establish, support and interrupt for 20 years rated currents in any conditions specified for overload in operation characterized by the current 16AX, for the operating voltage 250V with protection degree IP20,in accordance with GB/T 16915.1.					

## Constituent materials

Reference product mass 22.9 g including the product, its packaging and additional elements and accessories



 Plastics
 71.60%

 Metals
 24.00%

 Others
 4.40%

## E | Substance assessment

Details of ROHS and REACH substances information are available on the Schneider-Electric Green Premium website <a href="https://www.se.com/ww/en/work/support/green-premium/">https://www.se.com/ww/en/work/support/green-premium/</a>

## (19) Additional environmental information

End Of Life

Recyclability potential:

26%

Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO'DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).

## **Environmental impacts**

Reference service life time	20 years						
Product category	Switches						
Installation elements	The disposal of the packaging materials is accounted for during the installation phase (including transport to disposal).						
Use scenario	Load rate: 50% of In Use time rate: 30% of RLT						
Technological representativeness	The Modules of Technologies such as material production, manufacturing process and transport technology used in this PEP analysis (LCA-EIME in this case) are Similar and representative of the actual type of technologies used to make the product in production.						
Geographical representativeness	Vietnam						
Energy model used	[A1 - A3]	[A5]	[B6]	[C1 - C4]			
	Electricity Mix; Production mix; Low voltage; CN	Electricity Mix; Production mix; Low voltage; VN	Electricity Mix; Production mix; Low voltage; VN	Electricity Mix; Production mix; Low voltage; VN			

Detailed results, including all the optional indicators mentioned in PCRed4, and the split of the Use Phase (B1 to B7), are available in the LCA report and on demand in a digital format - Country Customer Care Center - http://www.schneider-electric.com/contact

Mandatory Indicators			AvatarOn A, 16AX 250V~ 1W SW w Fluo S sized, WE - M3T31_1F_WE					
lancas in diamen			Manufacturing	Distribution	Installation	Use	End of Life	Benefits
Impact indicators	Unit	Total	[A1 - A3]	[A4]	[A5]	[B1 - B7]	[C1 - C4]	[D]
Contribution to climate change	kg CO2 eq	9.81E+00	1.33E-01	6.60E-03	2.05E-03	9.61E+00	6.09E-02	-1.84E-02
Contribution to climate change-fossil	kg CO2 eq	9.81E+00	1.32E-01	6.60E-03	1.96E-03	9.61E+00	6.03E-02	-1.77E-02
Contribution to climate change-biogenic	kg CO2 eq	6.53E-03	1.46E-03	0*	8.64E-05	4.36E-03	6.21E-04	-7.30E-04
Contribution to climate change-land use and land use change	kg CO2 eq	1.70E-08	0*	0*	6.63E-09	0*	1.04E-08	0.00E+00
Contribution to ozone depletion	kg CFC-11 eq	6.21E-08	8.63E-09	5.83E-09	1.65E-10	4.70E-08	5.00E-10	-3.57E-09
Contribution to acidification	mol H+ eq	6.35E-02	1.08E-03	2.87E-05	8.49E-06	6.22E-02	1.18E-04	-5.63E-04
Contribution to eutrophication, freshwater	kg (PO4)³ eq	2.24E-05	1.93E-07	0*	4.39E-08	4.75E-08	2.21E-05	-1.05E-07
Contribution to eutrophication marine	kg N eq	7.03E-03	8.99E-05	1.32E-05	2.30E-06	6.91E-03	2.01E-05	-1.43E-05
Contribution to eutrophication, terrestrial	mol N eq	8.08E-02	9.74E-04	1.43E-04	1.88E-05	7.94E-02	2.53E-04	-1.65E-04
Contribution to photochemical ozone formation - human health	kg COVNM eq	2.35E-02	3.84E-04	4.68E-05	5.15E-06	2.30E-02	6.32E-05	-8.75E-05
Contribution to resource use, minerals and metals	kg Sb eq	6.16E-06	5.39E-06	0*	6.39E-10	1.52E-07	6.21E-07	-6.76E-06
Contribution to resource use, fossils	MJ	1.50E+02	2.84E+00	8.02E-02	1.91E-02	1.47E+02	5.70E-01	-4.09E-01
Contribution to water use	m3 eq	4.50E-01	4.01E-02	3.35E-04	2.51E-03	3.84E-01	2.28E-02	-3.05E-02

Inventory flows Indicators			AvatarOn A, 16AX 250V~ 1W SW w Fluo S sized, WE - M3T31_1F_WE					
Inventory flows	Unit	Total	Manufact.	Distribution	Installation	Use	End of Life	Benefits
			[A1 - A3]	[A4]	[A5]	[B1 - B7]	[C1 - C4]	[D]
Contribution to use of renewable primary energy excluding renewable primary energy used as raw material	MJ	2.93E+01	4.65E-02	0*	0*	2.93E+01	1.51E-02	-1.41E-02
Contribution to use of renewable primary energy resources used as raw material	MJ	1.83E-02	1.83E-02	0*	0*	0*	0*	-1.65E-03
Contribution to total use of renewable primary energy resources	МЈ	2.93E+01	6.48E-02	0*	0*	2.93E+01	1.51E-02	-1.57E-02
Contribution to use of non renewable primary energy excluding non renewable primary energy used as raw material	MJ	1.50E+02	2.31E+00	8.02E-02	1.91E-02	1.47E+02	5.70E-01	-3.52E-01
Contribution to use of non renewable primary energy resources used as raw material	MJ	5.38E-01	5.38E-01	0*	0*	0*	0*	-5.64E-02
Contribution to total use of non-renewable primary energy resources	MJ	1.50E+02	2.84E+00	8.02E-02	1.91E-02	1.47E+02	5.70E-01	-4.09E-01
Contribution to use of secondary material	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to use of renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to use of non renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to net use of freshwater	m³	1.05E-02	9.35E-04	7.80E-06	5.84E-05	8.94E-03	5.31E-04	-7.11E-04
Contribution to hazardous waste disposed	kg	7.37E-01	4.75E-01	0*	0*	2.41E-01	2.03E-02	-5.85E-01
Contribution to non hazardous waste disposed	kg	1.71E+00	1.08E-01	0*	5.93E-03	1.58E+00	1.61E-02	-1.00E-02
Contribution to radioactive waste disposed	kg	2.00E-04	4.79E-05	1.31E-06	8.57E-07	1.50E-04	6.52E-07	-3.86E-06
Contribution to components for reuse	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to materials for recycling	kg	7.41E-03	0*	0*	2.16E-03	0*	5.25E-03	0.00E+00
Contribution to materials for energy recovery	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to exported energy	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to biogenic carbon content of the product	kg de C	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to biogenic carbon content of the associated packaging  * represents loss than 0.01% of the total life cycle of the	kg de C	0.00E+00	0*	0*	0*	0*	0*	0.00E+00

<sup>\*</sup> represents less than 0.01% of the total life cycle of the reference flow

Life cycle assessment performed with EIME version v5.9.4, database version 2022-01 in compliance with ISO 14044.

Detailed results, including all the optional indicators mentioned in PCRed4, and the split of the Use Phase (B1 to B7), are available in the LCA report and on demand in a digital format - Country Customer Care Center - http://www.schneider-electric.com/contact

According to this environmental analysis, proportionality rules may be used to evaluate the impacts of other products of this range, ratios to apply can be provided upon

Please note that the values given above are only valid within the context specified and cannot be used directly to draw up the environmental assessment of an installation.

Registration number :	ENVPEP2311032_V1	Drafting rules	PEP-PCR-ed4-2021 09 06				
Verifier accreditation N°		Supplemented by	PSR-0005-ed2-2016 03 29				
Date of issue	2023/11	Information and reference documents	www.pep-ecopassport.org				
		Validity period	5 years				
Independent verification of the declaration and data, in compliance with ISO 14021 : 2016							
Internal X	External						
The PCR review was conducted by a panel of experts chaired by Julie ORGELET (DDemain)							
PEP are compliant with XP C08-100-1 :2016 or EN 50693:2019							
The elements of the present PEP cannot be compared with elements from another program.							

Document in compliance with ISO 14021 : 2016 « Environmental labels and declarations. Type II environmental declarations »

Schneider Electric Industries SAS
Country Customer Care Center
http://www.schneider-electric.com/contact
35, rue Joseph Monier
CS 30323
F- 92500 Rueil Malmaison Cedex
RCS Nanterre 954 503 439

www.se.com

Published by Schneider Electric

ENVPEP2311032\_V1

Capital social 896 313 776 €

©2023 - Schneider Electric - All rights reserved

2023/11