

Life Is On


Schneider
Electric



 Price List

Final Distribution, Wiring Devices and Lighting Control Products

With effect from January 25th, 2022



se.com/in

Acti 9 Distribution System	
> Miniature Circuit Breakers (MCBs).....	8
> Residual Current Devices.....	12
> Auxiliaries and Accessories for MCBs / RCDs.....	14
> Surge Protection Devices.....	16
> Control and Command Products.....	18
> ComReady Control and Command Products.....	20
> Isobar Distribution System.....	22
> Acti 9 Isobar Pan Assembly.....	23
> Acti 9 Distribution Boards.....	24
> Modular Distribution Boards - Metallic.....	28
Kaedra Enclosures	
> Weather Proof.....	34
Pratika	
> Plugs and Sockets - IP44 / IP67.....	36
Electra	
> Metal Clad Plugs & Sockets.....	40
56 Series	
> Plugs and Sockets - IP56 / IP66.....	41
Wiring Devices	
> Wiser Odace™ Lighting.....	46
> LIVIA - Switch to the extra-ordinary.....	47
> Clipsal X - As Stylish As Your World.....	48
> Opale - Switches with Satin Finish.....	50
> Unica Pure - Irresistibly Beautiful.....	53
> ZENcelo India - The Revolutionary Full-Flat Switch.....	57
> ZENcelo BS - The Revolutionary Full-Flat Switch.....	59
> AvatarOn - It's also a Switch.....	61
> NEO - Face the Future.....	69
> ULTI Impress - The Ultimate Switch.....	70
> Kavacha - Weather Protected Series.....	72
> Metal Boxes.....	73
Control System	
> EzInstall 3 - ULTI ZIGBEE.....	74
> Hotel Series.....	75
> Wiser.....	77
> Surface and Flush Mount Occupancy Sensors.....	78
> Dimmable Sensors with Light Regulation.....	78
> Wall Mount Sensors.....	79
> Hotel - ELV Dual Motion Sensor.....	79
> Timers & Time Switches.....	80

Acti 9 | Advanced Communication Technology that Inspires

> Protection devices

- Miniature circuit breakers
- Residual current circuit breakers
- Vigi™ residual current devices
- Surge Protection Devices

> Protection monitoring and supervision

- Indication and tripping auxiliaries
- Remote control auxiliaries
- Automatic reclosure auxiliaries



Innovative
Protection monitoring Total control and
Metering @ DB level



Efficient
Manage loads, reduce operating and project
costs, and accurately plan maintenance

> Control and monitoring

- Contactors
- Impulse relays
- Integrated control circuit breakers
- Light indicators
- Push-buttons and selector switches
- Kilowatt hour meters
- Communicating architecture

> Installation system

- IP20B terminals
- Splitter blocks
- Full range of mounting and wiring accessories



Reliable

Dual certifications for one product, 100 percent MCB and RCD coordination, easy ordering and design, error free fast connections

Acti 9 | Advanced Communication Technology that Inspires.....

> Innovative

- Centralized control system including energy metering
- Large and variable data reading and computing through universal Modbus protocol

> Efficient


- One-click, prefabricated wiring for comprehensive communication between your distribution board or panel and any facility management system

> Reliable

- Error proof connection leading to reduction in downtime
- EMC tested for immunity, radiated and conducted safety

NEW

Email Notification upon Event (Devices Status Change, Alarm threshold reached etc.)



- > Status Monitoring - ON / OFF / TRIP
- > Trip Alarm Indication
- > Load Monitoring - No. of tripping cycles, Running Hours


- > Switching Action - ON / OFF
- > Monitoring - No. of Switching cycles, running hours



Meets the challenge of all your applications

Detailed load control, reduced downtime and accurately planned maintenance

Ready to connect to any facility management solution



Green Premium Products

100% Recyclable and Recoverable
REACH, RoHS, PEP, EOL compliant

AC Miniature Circuit Breakers - xC60



- Breaking Capacity as per IEC 60898 and IS/IEC 60898-1, Icn = 10kA
- Breaking Capacity as per IEC 60947-2, Icn = 15kA, upto 40A
- Can be used for DC application upto 60V per pole
- Higher system performance with optimized cost: Cascading*
- Increased System Continuity: Discrimination*
- Higher Installation Life: Energy Limitation Class 3, Fast Closure Mechanism
- Ease, Speed and Flexibility of installation - Biconnect, Line-Load Reversible
- Field-fittable auxiliaries for advance protection and monitoring
- Positive Contact Indication for assurance of disconnection

[In] Rated Current (A)	1 Pole Reference	Unit MRP [₹]	2 Pole Reference	Unit MRP [₹]	3 Pole Reference	Unit MRP [₹]	4 Pole Reference	Unit MRP [₹]
Module Width**	1 mod		2 mod		3 mod		4 mod	
MOQ	12 Nos.		6 Nos.		4 Nos.		3 Nos.	

B curve

6	A9N1P06B ✓	431	A9N2P06B ✓	1280	A9N3P06B ✓	2124	A9N4P06B	2861
10	A9N1P10B ✓	431	A9N2P10B ✓	1280	A9N3P10B ✓	2124	A9N4P10B ✓	3019
16	A9N1P16B ✓	431	A9N2P16B ✓	1280	A9N3P16B ✓	2124	A9N4P16B ✓	2861
20	A9N1P20B ✓	431	A9N2P20B ✓	1280	A9N3P20B ✓	2124	A9N4P20B ✓	2861
25	A9N1P25B ✓	431	A9N2P25B ✓	1280	A9N3P25B ✓	2124	A9N4P25B ✓	2861
32	A9N1P32B ✓	431	A9N2P32B ✓	1280	A9N3P32B ✓	2124	A9N4P32B ✓	2861
40	A9N1P40B ✓	937	A9N2P40B ✓	2060	A9N3P40B ✓	3235	A9N4P40B ✓	4120
50	A9N1P50B	937	A9N2P50B	2060	A9N3P50B	3235	A9N4P50B	4196
63	A9N1P63B ✓	949	A9N2P63B ✓	2117	A9N3P63B ✓	3262	A9N4P63B ✓	4157

C curve

1	A9N1P01C ✓	661	A9N2P01C ✓	1773	A9N3P01C ✓	2797	A9N4P01C ✓	3521
2	A9N1P02C ✓	661	A9N2P02C ✓	1773	A9N3P02C ✓	2797	A9N4P02C ✓	3521
3	A9N1P03C ✓	661	A9N2P03C ✓	1773	A9N3P03C ✓	2797	A9N4P03C ✓	3521
4	A9N1P04C ✓	661	A9N2P04C ✓	1773	A9N3P04C ✓	2797	A9N4P04C ✓	3521
6	A9N1P06C ✓	399	A9N2P06C ✓	1280	A9N3P06C ✓	2124	A9N4P06C ✓	2861
10	A9N1P10C ✓	399	A9N2P10C ✓	1280	A9N3P10C ✓	2124	A9N4P10C ✓	2861
16	A9N1P16C ✓	399	A9N2P16C ✓	1280	A9N3P16C ✓	2124	A9N4P16C ✓	2861
20	A9N1P20C ✓	399	A9N2P20C ✓	1280	A9N3P20C ✓	2124	A9N4P20C ✓	2861
25	A9N1P25C ✓	399	A9N2P25C ✓	1280	A9N3P25C ✓	2124	A9N4P25C ✓	2861
32	A9N1P32C ✓	399	A9N2P32C ✓	1280	A9N3P32C ✓	2124	A9N4P32C ✓	2861
40	A9N1P40C ✓	937	A9N2P40C ✓	2060	A9N3P40C ✓	3235	A9N4P40C ✓	3941
50	A9N1P50C	937	A9N2P50C	2060	A9N3P50C	3235	A9N4P50C	4157
63	A9N1P63C ✓	949	A9N2P63C ✓	2079	A9N3P63C ✓	3262	A9N4P63C ✓	4228

D curve

1	A9N1P01D ✓	668	A9N2P01D	1791	A9N3P01D ✓	2841	----	----
2	A9N1P02D ✓	668	A9N2P02D ✓	1791	A9N3P02D ✓	2841	A9N4P02D	3707
3	A9N1P03D ✓	668	A9N2P03D ✓	1791	A9N3P03D ✓	2841	A9N4P03D	3808
4	A9N1P04D ✓	668	A9N2P04D ✓	1791	A9N3P04D ✓	2841	A9N4P04D	3808
6	A9N1P06D ✓	563	A9N2P06D ✓	1342	A9N3P06D ✓	2237	A9N4P06D ✓	2968
10	A9N1P10D ✓	563	A9N2P10D ✓	1342	A9N3P10D ✓	2237	A9N4P10D ✓	2968
16	A9N1P16D ✓	563	A9N2P16D ✓	1342	A9N3P16D ✓	2237	A9N4P16D ✓	2968
20	A9N1P20D ✓	563	A9N2P20D ✓	1342	A9N3P20D ✓	2237	A9N4P20D ✓	2968
25	A9N1P25D ✓	563	A9N2P25D ✓	1342	A9N3P25D ✓	2237	A9N4P25D ✓	2968
32	A9N1P32D ✓	563	A9N2P32D ✓	1342	A9N3P32D ✓	2237	A9N4P32D ✓	2968
40	A9N1P40D ✓	1011	A9N2P40D ✓	2178	A9N3P40D ✓	3426	A9N4P40D ✓	4298
50	A9N1P50D	1099	A9N2P50D	2178	A9N3P50D	3426	A9N4P50D	4298
63	A9N1P63D	1023	A9N2P63D ✓	2204	A9N3P63D ✓	3458	A9N4P63D ✓	4341

Note: * Please contact nearest Schneider Electric Sales Office or Customer Care Center for coordination chart
**18mm/module

Please contact Customer Care Center for Stockable and Non stockable status of references.

✓ NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

AC Miniature Circuit Breakers - C120



- Breaking capacity as per IEC 60898, Icn = 10kA/15kA
- Positive Contact Indication for assurance of disconnection
- Degree of pollution: 3 (suitable for industrial environment)
- Operating Temperature: -30 to 70°C
- Terminal connections: Flexible cables up to 35 sq.mm; Rigid cables up to 50 sq.mm

[In] Rated Current (A)	1 Pole Reference	Unit MRP [₹]	2 Pole Reference	Unit MRP [₹]	3 Pole Reference	Unit MRP [₹]	4 Pole Reference	Unit MRP [₹]
Module Width**	1.5 mod		3 mod		4.5 mod		6 mod	
MOQ	12 Nos.		6 Nos.		4 Nos.		3 Nos.	
C120N (10kA)								
80	A9N18357 ✓	3536	A9N18361 ✓	7836	A9N18365 ✓	12310	A9N18372 ✓	16042
100	A9N18358 ✓	3967	A9N18362 ✓	8359	A9N18367 ✓	13120	A9N18374 ✓	16715
125	A9N18359 ✓	4365	A9N18363 ✓	9187	A9N18369 ✓	14552	A9N18376 ✓	18917
C120H (15kA)								
80	A9N18446	4359	A9N18457	9619	A9N18468	14467	A9N18479	20073
100	A9N18447	4899	A9N18458	9861	A9N18469	15761	A9N18480	22255
125	A9N18448	5254	A9N18459	11187	A9N18470	17009	A9N18481	23510

DC Miniature Circuit Breakers - C60H



- Specially designed MCB for enhanced protection in DC installation
- Magnetic Arc Chutes to quick break DC current in event of fault
- Breaking capacity 6kA as per IEC 60947-2
- Voltage Rating: 1P - 250 V DC & 2P - 500 V DC
- Impulse Voltage: 6 kV
- Higher Installation Life: Energy Limiting Class: 3

[In] Rated Current (A)	Module Width 18mm/ module	1 Pole Reference	Unit MRP [₹]	Module Width 18mm/ module	2 Pole Reference	Unit MRP [₹]
MOQ		12 Nos.			6 Nos.	
C60H-DC						
0.5	1	A9N61500	1359	2	A9N61520	3621
1	1	A9N61501 ✓	1203	2	A9N61521 ✓	2483
2	1	A9N61502 ✓	1203	2	A9N61522 ✓	2483
3	1	A9N61503 ✓	1203	2	A9N61523 ✓	2483
4	1	A9N61504 ✓	1203	2	A9N61524 ✓	2483
5	1	A9N61505	1203	2	A9N61525	2483
6	1	A9N61506 ✓	988	2	A9N61526 ✓	2020
10	1	A9N61508 ✓	988	2	A9N61528 ✓	2020
16	1	A9N61511 ✓	988	2	A9N61531 ✓	2020
20	1	A9N61512 ✓	988	2	A9N61532 ✓	2020
25	1	A9N61513 ✓	988	2	A9N61533 ✓	2020
32	1	A9N61515 ✓	1138	2	A9N61535 ✓	2020
40	1	A9N61517 ✓	1354	2	A9N61537 ✓	2980
50	1	A9N61518 ✓	1354	2	A9N61538 ✓	2980
63	1	A9N61519 ✓	1354	2	A9N61539 ✓	2980

Special application MCBs



Solar Application – PV DC

- DC MCB for multi string PV installations
- Operating Voltage: 800V DC
- Current Rating up to 25A
- Complies to IEC / EN 60947-2



Rail Application* (including Rolling Stock)

- Fire & smoke Resistant – Level 2 (NF F 16-101, NF F 16-102)
- Shock & vibration resistant (IEC 61373) – Cat 1, Class B
- Breaking Capacity: up to 25kA
- Complies to IEC / EN 60947-2



UL MCB

- Type: UL1077, UL489
- Breaking Capacity of 10kA
- Complies to IEC 60947-2 / UL1077 / UL489 / CSA

Note:

Please contact nearest Schneider Electric sales office or Customer Care for Reference and prices of Application Specific MCBs

*Rail Application RCDs are also available on demand

**18mm/module

Please contact Customer Care Center for Stockable and Non stockable status of references.

✓ NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

AC Miniature Circuit Breakers - NG125



- Compliance to IEC / EN 60947-2
- High Breaking Capacity MCBs – up to 50kA
- Current Rating up to 125A
- Trip on fault indication on front face of MCB
- Suitability for isolation in the industrial sector to IEC/EN 60947-2
- Available in B, C, D Curves

[In] Rated Current (A)	1 Pole Reference	Unit MRP [₹]	2 Pole Reference	Unit MRP [₹]	3 Pole Reference	Unit MRP [₹]	4 Pole Reference	Unit MRP [₹]
Module Width**	1.5 mod		3 mod		4.5 mod		6 mod	

NG125N – 25kA Breaking Capacity

10	18610	5291	18621	12170	18632	17657	18649	23448
16	18611	5291	18622	9387	18633	18459	18650	22428
20	18612	5298	18623	11641	18634	17657	18651	22422
25	18613	5291	18624	11641	18635	17663	18652	22428
32	18614	5291	18625	11376	18636	17663	18653	23441
40	18615	6823	18626	14423	18637	23107	18654	30398
50	18616	8513	18627	14988	18638	23094	18655	29363
63	18617	6823	18628	15693	18639	25966	18656	32096
80	18618	7196	18629	17631	18640	27296	18658	32317

NG125H – 36kA Breaking Capacity

10	18705	6394	18714	10356	18723	15432	18732	28098
16	18706	6394	18715	10356	18724	15432	18733	28098
20	18707	6388	18716	10356	18725	21091	18734	28098
25	18708	6223	18717	13664	18726	21083	18735	28105
32	18709	6223	18718	13664	18727	22049	18736	28098
40	18710	7621	18719	15793	18728	22453	18737	34148
50	18711	7768	18720	17077	18729	27574	18738	35073
63	18712	7981	18721	18335	18730	23002	18739	38500
80	18713	8780	18722	23941	18731	29758	18740	40604

NG125H – 50kA Breaking Capacity

10	18777	8113	18788	16957	18799	26714	18810	35591
16	18778	7760	18789	16957	18800	26714	18811	35591
20	18779	7760	18790	18282	18801	26714	18812	35591
25	18780	7760	18791	18275	18802	26707	18813	35591
32	18781	7760	18792	18275	18803	27921	18814	37209
40	18782	9418	18793	21749	18804	33382	18815	44174
50	18783	13226	18794	22847	18805	35745	18816	43491
63	18784	9889	18795	24445	18806	37529	18817	48662
80	18785	14569	18796	26860	18807	41608	18818	50269

**18mm/module

Note: Reference provided above are for C Curve MCBs – B and D Curve details available on request

Residual Current Devices (RCDs) - For Human and Fire Protection



**30
mA**

Use of **30mA RCDs** is now **mandatory** for all **domestic intallations** in India {CEA Amendment regulation 2015*}



Schneider Electric provides voltage independent RCDs which work on current sensing technology and provide protection from residual current even at extra low voltages (down to zero volts) and in case of break of neutral.

**SI
Type**

Schneider Electric offers SI RCD built to operate in electrically polluted or installation in aggressive environments:

- Flourescent / Variable lighting with Electronic ballast
- Powerful IT / Telecom equipment / Air conditioning
- Severe Atmosphere - High lighting risk / Swimming pools

* for Measures relating to Safety and Electric supply

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

AC Residual Current Circuit Breakers - xID



Suitable for
ComReady
Auxiliary



- Complies to standards IEC/EN 61008-1 and IS 12640
- AC Class protection
- Selective range available for time based discrimination
- Easy Monitoring: Earth fault indication and Test Button on front face
- Operating temperature up to +70°C
- Mandatory to use OF-S auxiliary to add any indication or tripping auxiliary

[In] Rated Current (A)	Earth-Leakage Sensitivity (mA)	Module Width 18mm/module	2 Pole Reference	Unit MRP [₹]	Module Width 18mm/module	4 Pole Reference	Unit MRP [₹]
25	30	2	A9N16201	4449	4	A9N16251	6245
	100	2	A9N16203	4938	4	A9N16253	6636
	300	2	A9N16202	5088	4	A9N16252	6831
40	30	2	A9N16204	5236	4	A9N16254	6147
	100	2	A9N16205	5646	4	A9N16255	6673
	300	2	A9N16206	5921	4	A9N16256	6931
63	30	2	A9N16208	6305	4	A9N16258	7118
	100	2	A9N16209	6781	4	A9N16259	7884
	300	2	A9N16210	6918	4	A9N16260	7921
80	30	2	A9N16212	10601	4	A9N16261	12556
	100	2	A9N16213	10778	4	A9N16262	12758
	300	2	A9N16214	10979	4	A9N16263	12827

AC Residual Current Circuit Breakers (RCCBs) - ID



- Complies to standards IEC 61008-1 and VDE 0664
- AC Class protection
- Degree of pollution: 3 (suitable for industrial environment)
- Electrical ON/OFF indication by using OFSP auxiliary

Poles Description	[In] Rated Current (A)	Earth-Leakage Sensitivity (mA)	Module Width 18mm/module	Reference	Unit MRP [₹]
4P	100	30	4	**A9R11491	16870
		100	4	**A9R12491	17771
	125	30	4	16905	51640
		100	4	16906	50279
		300	4	16907	50514

Note: **For 100A RCCB Auxiliary kindly contact Customer Care

AC Residual Current Breaker Overload (RCBO) - DPN N Vigi



Suitable for
ComReady
Auxiliary



- Complies to standards IEC/EN 61009
- AC Class Protection; Tripping characteristics - C curve
- Overvoltage category (IEC 60364): IV
- Suitable for indication & tripping auxiliaries

Poles Description	[In] Rated Current (A)	Earth-Leakage Sensitivity (mA)	Module Width 18mm/module	Reference	Unit MRP [₹]
1P+N	6	30	2	A9N19661	7031
		300	2	A9N19681	7141
	10	30	2	A9N19663	7031
		300	2	A9N19683	7141
	16	30	2	A9N19665	7031
		300	2	A9N19685	7141
	20	30	2	A9N19666	7031
		300	2	A9N19686	7141
	25	30	2	A9N19667	7031
		300	2	A9N19687	7141
	32	30	2	A9N19668	7031
		300	2	A9N19688	7497
	40	30	2	A9N19669	8895
		300	2	A9N19689	9050

Note: Application specific RCDs also available with 10mA, 500mA and 1000mA sensitivities | Please contact nearest Schneider Electric Sales Office or Customer Care Center for Reference and Prices

Please contact Customer Care Center for Stockable and Non stockable status of references.

✓ NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

SI Type Residual Current Circuit Breakers (RCCBs) - xID SI



- Complies to standard IEC/EN 61008-1
- SI RCDs offer enhanced immunity against Electrical Disturbances; Polluted and Corrosive environments - Guaranteed performance in harsh operating conditions
- Ensures continuity of supply in networks with:
 - Transient overvoltages
 - Loads generating HF leakage current i.e. harmonics
 - Loads generating continuous leakage current
- Ensures tripping on genuine earth fault in networks with:
 - Pulsating DC components
 - HF applications which "Blinds" (non-tripping) the conventional RCDs

[In] Rated Current (A)	Earth-Leakage Sensitivity (mA)	Module Width 18mm/module	2 Pole Reference	Unit MRP [₹]	Module Width 18mm/module	4 Pole Reference	Unit MRP [₹]
25	30	2	A9N16234	10300	4	A9N16321	11479
40	30	2	A9N16237	10818	4	A9N16324	11841
63	30	2	A9N16240	11129	4	A9N16327	12158
	300	2	A9N16246	11213	4	A9N16334	12649

Vigi Block for xC60 (Add-on RCD Module, 2 & 4 Pole)



- Flexibility to use MCB of any tripping curve to suit applications, ensuring best 3 in 1 protection
- No auxiliary supply required
- AC Class protection
- Degree of pollution: 3 (suitable for industrial environment)
- Immune to nuisance tripping due to transient over voltages

[In] Rated Current (A)	Earth-Leakage Sensitivity (mA)	Module Width 18mm/module	2 Pole Reference	Unit MRP [₹]	Module Width 18mm/module	4 Pole Reference	Unit MRP [₹]
25	30	1.5	A9N26581	7284	3	A9N26595	8747
	100	1.5	A9N26582	9265	3	A9N26596	9433
	300	1.5	A9N26583	9796	3	A9N26597	10151
63	30	2	A9N26611	10184	3.5	A9N26643	10223
	100	2	A9N26612	10785	3.5	A9N26644	10617
	300	2	A9N26613	11297	3.5	A9N26645	11109

Note: Vigi Block for High Rating up to 125A (C120) and High Breaking Capacity (NG125) available on demand

SI Type Residual Current Breaker Overload (RCBO) - DPN N Vigi SI



- Complies to standard IEC/EN 61009
- Ensures continuity of supply in networks with:
 - Transient overvoltages
 - Loads generating HF leakage current i.e. harmonics
 - Loads generating continuous leakage current
- Ensures tripping on genuine earth fault in networks with :
 - Pulsating DC components
 - HF applications which "Blinds" (non-tripping) the conventional RCDs

Poles Description	[In] Rated Current (A)	Earth-Leakage Sensitivity (mA)	Module Width 18mm/module	Reference	Unit MRP [₹]
1P+N	6	30	2	A9N19631	13997
		300	2	A9N19641	13997
	10	30	2	A9N19632	13997
		300	2	A9N19642	13989
	16	30	2	A9N19634	13997
		300	2	A9N19644	13997
	20	30	2	A9N19635	13997
		300	2	A9N19645	13997
	25	30	2	A9N19636	13997
		300	2	A9N19646	13997
	32	30	2	A9N19637	13997
		300	2	A9N19647	16658
	40	30	2	A9N19638	16573
		300	2	A9N19648	18443

*For prices, Please contact nearest Schneider Electric Sales Office or Customer Care Center and prices.


Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

Common Auxiliaries for xC60 / C120 / RCDs Range

- Field-fittable auxiliaries (clip fitted) mounted on left side with maximum width of 54mm
- Order: Tripping Auxiliaries (MN first) followed by Indication Auxiliaries (SD first)



Type	Module Width 18mm/module	Reference	Unit MRP [₹]
Indication Auxiliaries			
OF Auxiliary Switch: for ON/OFF indications	0.5	A9N26924	1372
SD Alarm Switch: for Trip on fault indications	0.5	A9N26927	1612
OF + SD/OF Auxiliary switch	0.5	A9N26929	4279
OF+SD24 auxiliary contact (ComReady)	0.5	A9N26899	3586
Protection Auxiliaries – Trip Indication on front face			
MN Under-voltage Release 220-240V AC	1	A9N26960	5762
MSU Over-voltage Release 275V AC	1	A9N26500	6824
Tripping Auxiliaries – Trip Indication on front face			
MX + OF Shunt Release 110-415V AC: for Remote tripping of Circuit Breaker	1	A9N26946	3749
MX + OF Shunt Release 12-24V AC/DC: for Remote tripping of Circuit Breaker	1	A9N26948	3749
Auxiliary Switch for RCCBs – Mandatory for use of Auxiliaries with RCCBs			
Auxiliary switch for RCCB up to 80A (OF-S)	0.5	A9N26923	1832
Auxiliary switch for RCCBs 125A (OFSP)	0.5	16940	2785

Accessories



Type	Description	Reference	Unit MRP [₹]
Rotary Handle*	Breaker Switching Sub-Assembly	27046	5115
	Extended, Disconnectable handle	27047	3166
Padlock** (bag of 2)		26970	1231
Multicable terminal for 3 copper cables**		19096	9898
Aluminum cable terminal**		27060	752
Spacer		A9N27062	317

* for xC60, C120, DPN N Vigi, C60H-DC, xSW - Multi poles only

**for xC60, xID, DPN N Vigi, C60H-DC, xSW, C60PV-DC

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

Protection Against Lightning Strikes And Switching Surges



For all low voltage switchboards and electrical enclosures:

Comprehensive range

- To ensure the protection of equipment connected to:
- Low voltage networks,
- Telecommunications networks,
- Computer networks.
- Easy to implement and use.
- Compatibility with all earthing systems (TT, TNS, TNC, IT).
- Technical and aesthetic consistency

Continuity of service and certified safety

Schneider Electric certified coordination between the surge arrester and its disconnection circuit breaker.

Compliance with standards: IEC/EN 61643-11.



More and more electrical equipment today is sensitive to overvoltages caused by lightning.



90%

of power outlets supply equipment incorporating electronic devices.



iQuick PRD “built-in” technology surge arresters, a Schneider Electric innovation, incorporate their own disconnection circuit breaker: easy to choose and simple to install for greater effectiveness.



Up to **30%** of installation time saved.

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

Surge Arresters - Type 1+ 2



- Complies to IEC 61643-1 and EN 61643-11
- Withdraw able type: Easy Replacement
- Inbuilt SPD health Indicator: Also available with remote signaling
- For protection against Direct lightning surge, Indirect lightning surge, Switching surge
- Iimp up to 25kA & Imax upto 40kA
- **Always use a Back-up MCB with your SPD**
- Maximum Operating Voltage [Uc]: 350V

Type	Pole Description	Module Width 18mm/module	Reference	Unit MRP [₹]
PRD1 25r	1P	2	16329	18566
	1P + N	4	16330	40841
	3P	6	16331	61246
	3P + N	8	16332	76096

Surge Arresters iPRD- Type 2 (Withdrawable type) (TT, TN-S, TN-C Systems)



- In conformance with standards IEC 61643-11/2011 T2 and EN 61643-11 Type 2
- For protection against Indirect lightning surge and Switching surge
- Inbuilt health Indicator
- Response time < 25ns
- Imax (8/20 s): 65/40/15/8kA
- Maximum Operating Voltage [Uc]: 340V
- Level of protection,Up: 1.0 - 2.0 kV
- Remote indication contact with 8r/20r/40r/65r
- **Always use a Back-up MCB with your SPD**

Type	Rated Voltage (V)	Pole Description	Module Width 18mm/module	Reference	Unit MRP [₹]
iPRD8	230	1P	1	A9L08100	5574
	230	1P+N	2	A9L08500	10423
	230/400	3P	3	A9L08300	14068
	230/400	3P+N	4	A9L08600	21234
iPRD8r	230	1P+N	2	A9L08501	12495
	230/400	3P+N	4	A9L08601	25481
	230	1P	1	A9L20100	6247
iPRD20	230	1P+N	2	A9L20500	13103
	230/400	3P	3	A9L20300	16773
	230/400	3P+N	4	A9L20600	23713
iPRD20r	230	1P+N	2	A9L20501	15582
	230/400	3P+N	4	A9L20601	28995
	230	1P	1	A9L40100	7386
iPRD40	230	1P+N	2	A9L40500	15090
	230/400	3P	3	A9L40300	21661
	230/400	3P+N	4	A9L40600	30205
iPRD40r	230	1P	1	A9L40101	8857
	230	1P+N	2	A9L40501	19454
	230/400	3P	3	A9L40301	29150
iPRD65r	230/400	3P+N	4	A9L40601	36252
	230	1P	1	A9L65101	11841
	230	1P+N	2	A9L65501	24794
	230/400	3P	3	A9L65301	32355
	230/400	3P+N	4	A9L65601	41982

Spare Cartridges for iPRD



- Spare Cartridges for iPRD8r, iPRD20r, iPRD40r and iPRD65r
- End of life indication available on front face
- These Cartridges are not compatible with Old SPD range (A9L16...)**

Type	Spare Cartridges for	Reference	Unit MRP [₹]
iPRD 65-350	iPRD65r	A9L65102	7413
iPRD 40-350	iPRD40, iPRD40r	A9L40102	5703
iPRD 20-350	iPRD20, iPRD20r	A9L20102	4571
iPRD 8-350	iPRD8, iPRD8r	A9L08102	4001
iPRD Neutral	All products (1P+N, 3P+N)	A9L00002	6001

**Spare Cartridges for Old SPD Range (A9L16...) are available on demand - please contact nearest Schneider Electric Sales Office or Customer Care for Reference and prices

Note: Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

iQuick PRD - Type 2 with inbuilt MCB



- Compact SPD with in-built back up MCB - saving on space, MCB selection, wiring time
- Compliance to EN 61643-11
- Withdrawable Type - Cost Efficient - Allows damaged Cartridges to be replaced without having to replace entire SPD
- Inbuilt SPD Health Indicator on front face of device; Remote signaling functionality also available
- Incoming Protection: iQuick PRD 40r (High Risk level) and iQuick PRD 20r (Moderate Risk level)
- Secondary Protection: iQuick PRD 8r is cascade mounted with incoming surge arresters

Type	Pole Description	Module Width 18mm/module	Reference	Unit MRP [₹]
iQuick PRD 8r	1P+N	4	A9L16298	16010
	3P	6.5	A9L16299	22865
	3P+N	7.5	A9L16300	28451
iQuick PRD 20r	1P+N	4	A9L16295	18670
	3P	6.5	A9L16296	27448
	3P+N	7.5	A9L16297	34142
Quick PRD 40r	1P+N	4	A9L16292	21804
	3P	6.5	A9L16293	32666
	3P+N	7.5	A9L16294	40596

Note: Spare / Replacement Cartridges available - For Reference and prices contact nearest sales office or customer care

Photovoltaic surge arresters



- Protection for photovoltaic panels and the DC input to the inverter from overvoltages due to a lightning strike
- Type 2 surge arresters
- Should be installed in switchboard inside the building. If switchboard is located outside, it must be weatherproof
- Withdrawable surge arrester allows damaged Cartridges to be replaced quickly
- Inbuilt SPD Health Indicator on front face of device; Remote signaling functionality also available

Type	U (cqv) Maximum Operating Voltage (V)	Module Width 18mm/module	Reference	Unit MRP [₹]
iPRD 40r	800	3	A9L40271	12416
	1000	3	A9L40281	14190

Note: Spare / Replacement Cartridges available - For Reference and prices contact nearest sales office or customer care

Surge Arresters for Communication Networks



- Analogue telephone line protection: iPRC surge arrester wired in series to the private installation input, protects the telephones, the modems (including ADSL) etc
- Protection for 2 low-current lines without common potential or 4 lines with common reference potential
- iPRI protects measuring instrument and PLC sensor inputs and the DC power supply inputs up to 53 V and AC power supply inputs up to 37 V

Type	[Ue] Operational Voltage (V)	Module Width 18mm/module	Reference	Unit MRP [₹]
PRI	48 V DC	1	A9L16339	22146
PRC	130 V AC	1	A9L16337	13543

Note: For all above Reference MOQ = 1

Isolator - xSW



- Complies to IEC/EN 60947-3
- Switching duty: AC-22
- Impulse voltage: 6kV
- DC application: 48V (110V with 2 poles in series)
- Short circuit withstand 20 In for 1 second
- Upto 80A Bi connect terminals & 100A to 125A with mono connect terminals

Poles Description	[In] Rated Current (A)	Module Width 18mm/module	MOQ	Reference	Unit MRP [₹]
2	40	2	6	A9S2P040	846
	63	2	6	A9S2P063	1118
	80	2	6	A9S2P080	1339
	100	2	6	A9S2P100	1938
	125	2	6	A9S2P125	2130
3	40	3	4	A9S3P040	1478
	63	3	4	A9S3P063	1731
4	40	4	3	A9S4P040	1872
	63	4	3	A9S4P063	2037
	80	4	3	A9S4P080	2702
	100	4	3	A9S4P100	3408
	125	4	3	A9S4P125	3767

Selector Switch - iSSW



- Complies to IEC 60947-5-1 and IEC 60669-1
- Rating 20A, 250V AC
- Electrical life (AC22): 30,000 cycles
- Connection: tunnel terminals cables up to 10 sq. mm

No. of positions	Poles Description	Contacts	Module Width 18mm/module	MOQ	Reference	Unit MRP [₹]
2	1	1 C/O	1	12	A9E18070	1810
	2	2 C/O	2	6	A9E18071	2488
		1NO + 1NC	1	12	A9E18072	1450
3	1	1 C/O	1	12	A9E18073	1744
	2	2 C/O	2	6	A9E18074	3002

iRO Buzzers



- Audible indication in housing and the tertiary sector
- Sound level of 70dBA at a distance of 60cm

Voltage	Module Width 18mm/module	Reference	Unit MRP [₹]
230V AC	1	A9A15322	2247
8..12V AC	1	A9A15323	1224

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

iCT Contactors



- Complies with standards IEC 1095, E N 61095
- 4 operating modes switch on front face :
 - Automatic mode
 - Temporary "ON" mode
 - Permanent "ON" mode
 - Shutdown
- Mechanical contact position Indicator
- Safe installation maintenance: lock the contactor in ON position
- Silent operation (20dB) for entire range

Type	Rating (A)	No. of Contacts	Module Width 18mm/module	Reference	Unit MRP [₹]
1P	25	1NO	1	A9C20731	2667
	16	2NO	1	A9C22712	2745
2P	25	2NO	1	A9C20732	3282
	40	2NO	2	A9C20842	6688
	63	2NO	2	A9C20862	7174
3P	25	3NO	2	A9C20833	4228
	40	3NO	2	A9C20843	9388
	63	3NO	3	A9C20863	10203
4P	25	4NO	2	A9C20834	4428
	40	4NO	2	A9C20844	10934
	63	4NO	3	A9C20864	11536
	63	2NO + 2NC	3	A9C20868	12851

Note: 100A Contactor in 2P / 4P - available on request

iTL Impulse Relays



- Complies with standards IEC/EN 60669-2-2
- Safe maintenance: disconnection of remote control by selector switch
- Manual Controls on front face: 0-I toggle
- Mechanical contact position Indicator
- Maximum 5 operations/min. and 100 switching operations/day
- Degree of pollution: 3 (suitable for industrial environment)

Type	Rating (A)	Control Voltage	No. of Contacts	Module Width	Reference	Unit MRP [₹]
1P	16	230-240 VAC	1NO	1	A9C30811	1729
	32	230-240 VAC	1NO	1	A9C30831	2176
2P	16	230-240 VAC	2NO	1	A9C30812	2835
	32	230-240 VAC	2NO	1	A9C30831 + A9C32836	6,727
3P	16	230-240 VAC	1NO+1NO/NC+1NO	2	A9C30811 + A9C32816	5380
	32	230-240 VAC	1NO+1NO/NC+1NO	2	A9C30831 + 2* x A9C32836	11278
4P	16	230-240 VAC	4NO	2	A9C30814	5871
	32	230-240 VAC	4NO	2	A9C30831 + 3* x A9C32836	15829

iIL Indicator Lights



- Complies with standard IEC 60947-5-1
- Indicator light with LED technology
- Service life 100,000 hours with constant luminous efficiency

Type	Colour	Module Width 18mm/module	Reference	Unit MRP [₹]
Single Indicator light	Red	1	A9E18320	1788
	Green	1	A9E18321	1788
	Blue	1	A9E18323	1788
	Orange	1	A9E18324	1788
3 phase voltage presence light	Red/Red/Red	1	A9E18327	5166
Single Push Button (1 NO+ 1NC)	Grey	1	A9E18033	2408

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

Smartlink



- Compliance to IEC/EN 61131-2
- Protection Monitoring – Device Status and alarm notifications
- Load Control / Switching through Contactors and Impulse Relays
- Energy Monitoring through pulse meters
- Alarm over email and analog sensors (temperature / humidity) with Smartlink Ethernet
- Plug & Play – Pre fabricated cables and in built web pages
- Rated Voltage: 24V DC

Description	Reference	Unit MRP [₹]
Smartlink EL-D	A9XELC10	29980
Wiser Energy Module IP	EER31800	29980

Communication Auxiliaries



Auxiliary for Protection Devices (OF+SD24)

Auxiliary for Contactors (iACT24)

Auxiliary for Impulse Relays (iATL24)

Description	Module Width	Reference	Unit MRP [₹]
OF+SD24	0.5	A9N26899	3586
iACT24	1	A9C15924	17842
iATL24	1	A9C15424	18787

Acti 9

Description	Reference	Pack	Unit MRP [₹]
Distribloc 63A			
Distribution from the top (4 Module)	04040	1	15571
Distribution through the bottom (4 Module)	04041	1	15571

Reflex iC60 - Integrated Control & Overcurrent Protection Device



- All in One Solution: MCB + Contactor + Impulse Relay + Auxiliary
- 10kA Breaking capacity as per IEC/EN 60947-2,
- Ti24 interface: Connection to PLC, Smartlink
- 3 operating modes to cater to a variety of applications
- Safe lock down with Integrated Padlocking
- Simplified maintenance: Front face Indicator allows better reliability

[In] Rated Current (A)	2 Pole Reference	Unit MRP [₹]	3 Pole Reference	Unit MRP [₹]	4 Pole Reference	Unit MRP [₹]
Module Width **	4.5 mod		5.5 mod		6.5 mod	2275
B Curve						
10	A9C61210	49082	A9C61310	51257	A9C61410	54948
16	A9C61216	49076	A9C61316	51257	A9C61416	54948
25	A9C61225	49076	A9C61325	51257	A9C61425	54948
40	A9C61240	50701	A9C61340	54818	A9C61440	58347
63	A9C61263	53926	A9C61363	56954	A9C61463	61661
C Curve						
10	A9C62210	49632	A9C62310	52825	A9C62410	56074
16	A9C62216	49632	A9C62316	52830	A9C62416	56074
25	A9C62225	49626	A9C62325	52825	A9C62425	56074
40	A9C62240	52268	A9C62340	54844	A9C62440	58385
63	A9C62263	55077	A9C62363	56954	A9C62463	61666
D Curve						
10	A9C63210	50752	A9C63310	53898	A9C63410	58327
16	A9C63216	50752	A9C63316	53898	A9C63416	58327
25	A9C63225	50752	A9C63325	53898	A9C63425	58327

Note: **18mm/module


Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

EcoStruxure™ Innovation At Every Level

From sensors to services, our Innovation At Every Level approach improves energy and operational efficiency by tapping the true business value of IoT advancements. We've made mobility, sensing, cloud, analytics, and cyber security technologies meaningful to customers, helping them compete in our IoT economy.



70%
of decision-makers see the business value of IoT*

*Schneider Electric IoT 2020 Business Report

Connected Products:


The Internet of Things starts with the best things. Our IoT-enabled best-in-class connected products include breakers, drives, UPSs, relays, sensors, and more. Devices with embedded intelligence drive better decision-making throughout operations.

Edge Control:

Mission-critical scenarios can be unpredictable, so control of devices at the edge of the IoT network is a must. This essential capability provides real-time solutions that enable local control at the edge, protecting safety and uptime.

Applications, Analytics, and Services:

Interoperability is imperative to supporting the diverse hardware and systems in building, data center, industry, and grid end markets. EcoStruxure™ enables a breadth of agnostic applications, analytics, and services for seamless enterprise integration.



Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

Connectivity built in

Acti9 Isobar harnesses the connectivity of the Acti9 range enabling distribution boards to become smart and connected.



1. **Enable asset management** on all outgoing ways with **PowerTag**



2. **Smartlink SiD** for wireless data concentration



3. **Enable further asset and energy management** through PowerTag for Compact NSX



4. **Monitor and control** your assets with SiB Smartlink



5. See the power and optimise the use of your assets with Facility Expert our **simple on-line services platform**




Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

Acti 9

Isobar Pan Assembly



- Fully type tested conditional short circuit rating of 25kA to BS EN 61439-3
- High performance MCB 10kA BS EN 60898 15kA BS EN 60947-2 in B, C or D curve 1, 2, 3, 4 pole
- 250A busbar rating
- Isobar disconnection to BS EN 60947-3 ensuring unused outgoing ways are isolated
- Option of switching outgoing neutral on all boards using distributed neutral kit
- Range of incomers: switch disconnectors, residual current devices, terminal blocks, mccb
- Single pole RCBO for new or retrofit maintaining device density
- Full range of device accessories and auxiliaries
- Shrouded Neutral
- Convention of any outgoing way into Neutral

Description	Double Door Metal (IP43) Reference	Unit LP [₹]
Acti9 Isobar B - pan assembly - 16 ways TP + earth + neutral	SEA9BN16PEV	*
Acti9 Isobar B - pan assembly - 18 ways TP + earth + neutral	SEA9BN18PEV	*
Acti9 Isobar B - pan assembly - 24 ways TP + earth + neutral	SEA9BN24PEV	*
Acti 9 - 1P blank terminal block (no electrical connection)	SEA9BP	*
Isobar B - neutral bar - 1N - for distribution board - 16 ways	SEA9NB16	*
Isobar B - neutral bar - 1N - for distribution board - 18 ways	SEA9NB18	*
Isobar B - neutral bar - 1N - for distribution board - 24 ways	SEA9NB24	*
Isobar A - neutral bar - 1N - for distribution board - 4 ways SP+N	SEA9NKIT	*
Acti 9 - terminal block - 250A	SEA9NPB250TB	*
Acti 9 Isobar B - MCCB/Interpact connection kit	SEA9BINCKIT	*

* - Price on Request

Please contact Schneider Electric Customer Care Center for Prices

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

Acti 9

Distribution Boards

Spectacular Design

Blends seamlessly with interiors



Unique Rounded Corners | Color - RAL 9003 white | Designer Rotary Knob

Maximized Wiring Space

Convenient and Safe wiring




Side mounted N-bar and E-bar

Removed all injurious sharp corners

15% more wiring area | Reduced U-box Collar | Removable Frame, Centre plate & Gland plate

Adaptable

Total Flexibility for ease of installation and usage



Unique 5 holes mounting with positioning hole

Surface and Flush installation | Field fittable key lock provision | Reversible Door

Inspiring the **S.M.A.R.T.** choice!!!

Robust Architecture

Perfect blend of Strength & Weight




High Strength-to-Weight ratio | RoHS and REACH Compliance – ideal solution for GREEN Buildings

NEW

Base Material used - Galvanized Iron

4X Rust Resistance



1. Powder Coating
- 2. Galvanized Iron**
3. Base Iron

Galvanized Iron | Gives 4X rust resistance
No Rusting | Even if the powder coating is scratched
No Propagation Of Rust | Even If base material is chipped off
No Hassle | of repainting due to rusting

Inspiring the **S.M.A.R.T.** choice!!!

Technically Proven

Safety Guaranteed



Designed and Manufactured as per **IS 8623 - 1 & 3** | IP and IK test by ERDA & CPRI | Glow wire tested

Type Tested as per IEC 61439 - 1 & 3

NEW



IEC 61439 - 3* Fully Compliant


*Tested at **NABL** and **ASTA** accredited testing facility



Salt Spray



IP43



IK09



Reliable Door



Earthing



Temp@
Max Curr

Mechanical Tests

Electrical Tests



Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

Acti 9

Distribution Boards



Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

Metal Enclosures



- Metal Enclosure to mount individual Modular Device feeding directly to the load or final distribution board

Description	Total Module Cutout	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit MRP [₹]
2 way	1 / 2	A9HMES02 <input checked="" type="checkbox"/>	1009	-	-
4 way	3 / 4	A9HMES04 <input checked="" type="checkbox"/>	1009	-	-

SPN DBs



- SPN DB for distribution of Single Phase Neutral supply to respective load MCBs
- Incomer - DP RCCB/RCBO/Isolator/MCB
- Outgoing - SP MCBs

Description	Total Module Cutout (Incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit MRP [₹]
6 way	6	A9HSNS06	1954	A9HSND06 <input checked="" type="checkbox"/>	2808
8 way	8	A9HSNS08 <input checked="" type="checkbox"/>	2317	A9HSND08 <input checked="" type="checkbox"/>	3060
12 way	12	A9HSNS12	2743	A9HSND12 <input checked="" type="checkbox"/>	3680
18 way	18	A9HSNS18	3771	A9HSND18 <input checked="" type="checkbox"/>	4930

TPN DBs



- Standard TPN DBs for distribution of Three Phase and Neutral supply
- Incomer - FP RCCB/RCBO/Isolator/MCB
- Outgoing - SP MCBs
- TPN DBs can be converted to PPI DB using 'PPI Kit' provided on next page

Description	Total Module Cutout (Incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit MRP [₹]
4 way eco	4 + 12	-	-	A9HTND04E <input checked="" type="checkbox"/>	6035
4 way	8 + 12	A9HTNS04	5603	A9HTND04 <input checked="" type="checkbox"/>	6087
6 way	8 + 18	A9HTNS06	*	A9HTND06 <input checked="" type="checkbox"/>	7497
8 way	8 + 24	A9HTNS08	7639	A9HTND08 <input checked="" type="checkbox"/>	9245
12 way	8 + 36	A9HTNS12	11513	A9HTND12 <input checked="" type="checkbox"/>	14115

Flexi Tier DBs



- Flexi DBs give total flexibility to mount any type and size of Modular devices as per load requirement
- Provided with N-Bar and E-Bar
- Flexi Tier DBs can be converted to PPI DB using 'PPI Kit' provided on next page

Description	Total Module Cutout (Incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit MRP [₹]
2 Tier 24 Modules	2 x 12	-	-	A9HFD224	7917
3 Tier 36 Modules	3 x 12	-	-	A9HFD336	9509
4 Tier 40 Modules	4 x 10	-	-	A9HFD440 <input checked="" type="checkbox"/>	10045
4 Tier 56 Modules	4 x 14	-	-	A9HFD456 <input checked="" type="checkbox"/>	10499

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.


NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

Acti 9

Distribution Boards

New Phase Segregated DBs



Key highlights

- 1 New compact design
- 2 Robust architecture
- 3 Type-tested system
- 4 4 piece construction
- 5 Built-in 8th segment
- 6 Split door for all variants
- 7 Clean alignment of doors, centerplates
- 8 Improved door locking
- 9 High rust resistance with GI
- 10 Increased incomer DIN space

Please Contact nearest Schneider Electric Sales Office and Customer Care Center for your reference.

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

Per Phase Isolation DBs

- PPI DBs to mount DP Residual Current Device (RCD) at an individual phase level to isolate the faulty phase in case of earth leakage and ensure continuity of supply to other healthy phases
- Incomer - Modular (FP MCB/Isolator) using PPI Kit / MCCB100A (TP/FP Compact NSX or EasyPact CVS)
- Sub-Incomer - DP RCCB/RCBO
- Outgoing - SP MCBs

Description	Total Module Cutout (Incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit MRP [₹]
12 way	100A MCCB + 6 + 30	-	-	A9HPID12M	20937

PPI Kit (to convert TPN and Flexi Tier DBs to PPI DB)



- Set of accessories to convert TPN DBs and 4 tier Flexi DBs to PPI DB
- Kit is provided with additional required quantity of N-Bar, wire set, Busbars (only for Flexi Tier) and Mounting Kit (only for TPN)

Description	Reference	Unit MRP [₹]
PPI Kit for 6way TPN DB (2+4w PPI DB)	A9HKIT04 <input checked="" type="checkbox"/>	4114
PPI Kit for 8way TPN DB (2+6w PPI DB)	A9HKIT06 <input checked="" type="checkbox"/>	4818
PPI Kit for 12way TPN DB (2+10w PPI DB)	A9HKIT10 <input checked="" type="checkbox"/>	5310
PPI Kit for 4T40M Flexi DB (2+8w PPI DB)	A9HKIT08 <input checked="" type="checkbox"/>	8519
PPI Kit for 4T56M Flx DB (2+12w PPI DB)	A9HKIT12 <input checked="" type="checkbox"/>	9432

Phase Segregated DBs



- Phase Segregated DBs to provide total safety for installer and maintenance personnel, by compartmentalizing each Phase and separating Incomer, Sub-Incomer and Outgoing
- Offers better continuity of supply in case of faults during maintenance at DB level.
- Incomer - Modular (FP MCB/Isolator) / MCCB 100A (TP/FP during maintenance Compact NSX or EasyPact CVS)
- Sub-Incomer - DP RCCB/RCBO
- Outgoing - SP MCBs
- GI sheet ensures improved rust resistance
- Type-tested system conforming IEC 61439-3
- Built-in 8th segment (for modular incomer only)
- Increased incomer DIN space of 12M for 6 ways to 12 ways
- Split door for all variants
- New design ensures clean alignment of doors, centerplates
- 4 piece architecture with removable frame
- Improved, intuitive door lock design with clear indication of lock and unlock positions

Description	Total Module Cutout (Incomer + Sub-incomer + Outgoing)	Single Door (IP30) Reference	Double Door Metal (IP43) Reference	Unit MRP [₹]
4 way	8 + 12 + 12 + 4	-	A9HPSG04	16604
6 way	8 + 12 + 18 + 4	-	A9HPSG06	18539
8 way	8 + 12 + 24 + 4	-	A9HPSG08	23274
12 way	8 + 12 + 36 + 4	-	A9HPSG12	31405
12 way with MCCB I/c	100A MCCB + 12 + 36	-	A9HPSG12M	-

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

VTPN DBs for Modular Incomer



- Ideal solution to distribute power supply to both 3 Phase and 1 Phase loads in the same DB
- Incomer - FP RCCB / RCBO / Isolator / MCB
- Outgoing - SP MCBs / TP MCBs
- 65% more Incomer Wiring Space.
- New Compact Fishbone with better Thermal Performance
- Short Circuit Withstand – 17 kA for 250mS (100 A)/ 25 kA (250 A) for 500mS
- Secure Connections with Fixed Spreader links
- IP 2X protection at Incomer with new shrouds
- Type tested as per IEC 61439 – 3 in NABL accredited Lab
- Knockout size for Incomer increased to 50mm (to accommodate Aluminium Cable)

Description	Total Module Cutout (Incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit MRP [₹]
4 way	12 + 12	-	-	A9HVM04	Coming Soon
8 way	12 + 24	-	-	A9HVM08	
12 way	12 + 36	-	-	A9HVM12	

VTPN DBs for MCCB Incomer



- DBs for higher incoming current distribution up to 250A
- Incomer - TP/FP Compact NSX or EasyPact CVS MCCB up to 250A
- Outgoing - SP MCBs / TP MCBs
- 65% more Incomer Wiring Space.
- New Compact Fishbone with better Thermal Performance
- Short Circuit Withstand – 17 kA for 250mS (100 A)/ 25 kA (250 A) for 500mS
- Secure Connections with Fixed Spreader links
- IP 2X protection at Incomer with new shrouds
- Type tested as per IEC 61439 – 3 in NABL accredited Lab
- Knockout size for Incomer increased to 50mm (to accommodate Aluminium Cable)

Description	Total Module Cutout (Incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit MRP [₹]
4 way	100A MCCB + 12	-	-	A9HVN04L	Coming Soon
8 way	100A MCCB + 24	-	-	A9HVN08L	
12 way	100A MCCB + 36	-	-	A9HVN12L	
4 way	160A MCCB + 12	-	-	A9HVN04M	
8 way	160A MCCB + 24	-	-	A9HVN08M	
12 way	160A MCCB + 36	-	-	A9HVN12M	
8 way	250A MCCB + 24	-	-	A9HVN08H	
12 way	250A MCCB + 36	-	-	A9HVN12H	

ComReady DBs



- Designed to house Acti 9 communication system
- Supplied with Double DIN rail, E-Bar and Wire channel.
- Accessories to convert Flexi Tier DB into ComReady DB available on request

Description	Total Module Cutout (Incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit MRP [₹]
1 Tier 24 Modules	24	-	-	A9HCRD124	11669
2 Tier 48 Modules	48	-	-	A9HCRD248	18038

Please contact Customer Care Center for Stockable and Non stockable status of references.

☑ NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

Metal Clad P&S Units



- Plug & Socket Unit with Electra Plug & Socket and provision to mount modular protection devices to feed the end load directly

Description	Total Module Cutout	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit MRP [₹]
10A 1P+N+E P&S	2	A9HMS210	2568	-	-
20A 1P+N+E P&S	2	A9HMS220	2749	-	-
30A 3P+E P&S	3	A9HMS330	6016	-	-

Industrial P&S Units (provision to mount PratiKa Sockets)



- Plug & Socket Unit with provision to mount PratiKa straight / angled* socket and modular protection devices to feed the end load directly

Description	Total Module Cutout	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit MRP [₹]
16A 3P PK P&S	2	A9HKS316	2374	-	-
32A 3P PK P&S	2	A9HKS332	3921	-	-
32A 5P PK P&S	4	A9HKS532	4645	-	-
63A 5P PK P&S	4	A9HKS563	9380	-	-

Locks for Acti 9 DBs



Key Lock*

Description	Reference	Unit MRP [₹]
New Rotary Lock**	A9HRL901	742

Note: **Use New Rotary lock reference A9HRL901 for:
Acti9 DBs manufactured September 2020 onwards
Acti9 DBs with lock & unlock symbol on door .

*Contact SE Sales for more info on Key Lock

Accessories for Distribution Boards

Description	Reference	Unit MRP [₹]
Busbars		
Fork Busbar 1P 12MOD. 63A	R9XFH112	1004
Fork Busbar 1P 57MOD. 63A	R9XFH157	2234
Fork Busbar 2P 12MOD. 63A	R9XFH212	1157
Fork Busbar 2P 57MOD. 63A	R9XFH257	4285
Fork Busbar 3P 12MOD. 63A	R9XFH312	2612
Fork Busbar 3P 57MOD. 63A	R9XFH357	9348
Fork Busbar 4P 12MOD. 63A	R9XFH412	2409
Fork Busbar 4P 57MOD. 63A	R9XFH457	10061
Busbar Accessories		
Set of 10 End Caps 1P	R9XE110	*
Set of 10 End Caps 2P	R9XE210	*
Set of 10 End Caps 3P	R9XE310	1056
Set of 10 End Caps 4P	R9XE410	*
Set of 4 Connector Fork 63A	R9XFC04	*
Set of 20 Tooth Caps	R9XT20	1294
Blanking Plate	13229B	52

Note: Blanking Plate MOQ = 10, All other MOQ = 1

Customized Distribution Boards to Suit Your Need - Available on Request*

- TV/Telephone DBs
- Pre-Wired DBs
- 8 Segment DBs
- Acrylic Door DBs
- IP54 DBs
- DBs with Phase Indication Lamps

*upto 32A socket only

Note: For all above Reference MOQ = 1

Note: * Please contact nearest Schneider Electric Sales Office or Customer Care Center for coordination chart

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

Kaedra enclosures for PratiKa industrial sockets are part of a complete system of Watertight enclosures from 16A to 125A providing solutions for protection, control and electrical distribution for tertiary and industrial applications



- Degree of protection - IP65
- Impact strength - IK09
- Resistant to chemical and atmospheric agents, UVs etc.
- Self extinguishing class 2 insulating material
- Flame and abnormal heat resistance: 650°C
- Reversible front face for opening of door to left/right
- Combining of enclosures horizontally/vertically while still maintaining IP
- DIN channel can be positioned in 2 depths & 2 heights for cabling purpose

Mini Enclosures for modular devices



Description	Reference	Unit MRP [₹]
4 module	13441 <input checked="" type="checkbox"/>	3783
6 module	13442	4306
8 module	13443	5071
12 module	13444	8147

Enclosures for modular devices (with terminal blocks)



Description	Reference	Unit MRP [₹]
1 row 12 module	13431	8991
1 row 18 module	13432	11850
2 row 24 module	13433	13457
2 row 36 module	13434	17035
3 row 36 module	13435	17763
4 row 72 module	13437	33904

Mini Enclosure (suitable to mount modular devices and PratiKa 16A socket)



Description	Reference	Unit MRP [₹]
4 module 1 vertical opening	13175 <input checked="" type="checkbox"/>	1805
4 module 2 horizontal opening	13176	2226
4 module 3 horizontal opening	13177	2802

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

Enclosure (suitable to mount modular devices and PratiKa 16A / 32A sockets)



Description	Reference	Unit MRP [₹]
5 module 2 opening	13178 <input checked="" type="checkbox"/>	4344
8 module 4 horizontal opening	13179	5929
13 module 3 opening	13180	7835
13 module 6 opening	13181	8613
19 module 8 opening	13182	11100

Functional Plaques



Description	Reference	Unit MRP [₹]
Blank - marked for 1 socket 50x50	13135	562
Blank - marked for 1 socket 65x65 or 75x75	13137	562
Intermediate with 65x85 opening	13136	685
Intermediate with one opening for 65x85 & 90x100	13142	1136

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

Wander Plugs



PKE16M423



PKE16M723



81383

- Conforms to IEC 60309-1 & IEC 60309-2
- PK PratiKa Screw Connect: same orientation of clamp's screws
- External impact strength: IK08
- Glow wire test: 850°C

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
PratiKa Screw				
IP44				
16	200...250	2P + E	PKE16M423 <input checked="" type="checkbox"/>	545
		2P + E	PKX16M423 <input type="checkbox"/>	1102
	380...415	3P + E	PKE16M434 <input checked="" type="checkbox"/>	690
		3P + N + E	PKE16M435 <input checked="" type="checkbox"/>	719
32	200...250	2P + E	PKE32M423 <input checked="" type="checkbox"/>	858
	380...415	3P + E	PKE32M434	995
		3P + N + E	PKE32M435 <input checked="" type="checkbox"/>	981
IP67				
16	200...250	2P + E	PKE16M723 <input checked="" type="checkbox"/>	1191
		2P + E	PKX16M723 <input type="checkbox"/>	1752
	380...415	3P + E	PKE16M734	1345
		3P + N + E	PKE16M735	1438
32	200...250	2P + E	PKE32M723	1685
	380...415	3P + E	PKE32M734 <input checked="" type="checkbox"/>	1818
		3P + N + E	PKE32M735 <input checked="" type="checkbox"/>	1831
PK (63A & 125A available in IP67 only)				
63	200...250	2P + E	81378	4776
	380...415	3P + E	81382 <input checked="" type="checkbox"/>	4554
		3P + N + E	81383 <input checked="" type="checkbox"/>	4560
125	200...250	2P + E	81390	12197
	380...415	3P + E	81394	13929
		3P + N + E	81395	13929

Note: * Fast Connection

Small Wall Mounted Sockets



PKF16W423



PKF16W723



PKF32W735

- Conforms to IEC 60309-1 & IEC 60309-2
- External impact strength: IK08
- Glow wire test: 850°C

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
IP44				
16	200...250	2P + E	PKF16W423	954
	380...415	3P + E	PKF16W434	1107
		3P + N + E	PKF16W435	1209
32	200...250	2P + E	PKF32W423	1247
	380...415	3P + E	PKF32W434	1497
		3P + N + E	PKF32W435	1580
IP67				
16	200...250	2P + E	PKF16W723	1516
	380...415	3P + E	PKF16W734	1904
		3P + N + E	PKF16W735	1969
32	200...250	2P + E	PKF32W723	1896
	380...415	3P + E	PKF32W734	2770
		3P + N + E	PKF32W735	3674

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

Wall Mounted Sockets



- Conforms to IEC 60309-1 & IEC 60309-2
- Rated operational voltage upto 415V
- Rated operational current upto 125A
- External impact strength: IK08
- Glow wire test: 850°C
- Available only in IP67

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
63	200...250	2P + E	81178	5884
	380...415	3P + E	81182 ●	6056
		3P + N + E	81183	6142
125	200...250	2P + E	81190	21029
	380...415	3P + E	81194	21220
		3P + N + E	81195	21324

Wander Sockets



- PK PratiKa Screw Connect: same orientation of clamp's screws.
- PK PratiKa: 16A & 32A; IP44 & IP67
- External impact strength: IK08
- Glow wire test: 850 °C
- Conforms to IEC 60309-1 & IEC 60309-2

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
PratiKa Screw				
IP44				
16	200...250	2P + E	PKF16M423 ✓	755
		2P + E	PKY16M423	832
	380...415	3P + E	PKF16M434	871
		3P + N + E	PKF16M435	950
32	200...250	2P + E	PKF32M423 ✓	1038
	380...415	3P + E	PKF32M434	1259
		3P + N + E	PKF32M435 ✓	1268
IP67				
16	200...250	2P + E	PKF16M723	1397
		2P + E	PKY16M723 ●	1700
	380...415	3P + E	PKF16M734	1752
		3P + N + E	PKF16M735	1831
32	380...415	2P + E	PKF32M723	1922
		3P + E	PKF32M734	2126
	3P + N + E	PKF32M735	2146	
PK (63A & 125A available in IP67 only)				
63	200...250	2P + E	81478	5202
	380...415	3P + E	81482	5248
		3P + N + E	81483	5333
125	200...250	2P + E	81490	19921
	380...415	3P + E	81494	16423
		3P + N + E	81495	16744

Also Available on Request:

- Patented FAST connect Plugs & Sockets - innovative cabling system that enables connection without stripping the conductor and with absolutely no screws required
- Extra Low Voltage Plugs & Sockets down to 50V

Please contact nearest Schneider Electric Sales Office or Customer Care for Reference and Prices

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

✓ NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

Panel Mounted Sockets - Angled



PKF16F423



PKF32F723



81283

- PK PratiKa Screw Connect: same orientation of clamp's screws
- External impact strength: IK08
- Glow wire test: 850°C
- Conforms to IEC 60309-1 & IEC309-2

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
PratiKa Screw				
IP44				
16	200...250	2P + E	PKF16F423 <input checked="" type="checkbox"/>	584
		2P + E	PKY16F423 <input type="checkbox"/>	630
	380...415	3P + E	PKF16F434	871
		3P + N + E	PKF16F435 <input checked="" type="checkbox"/>	928
32	200...250	2P + E	PKF32F423 <input checked="" type="checkbox"/>	1038
	380...415	3P + E	PKF32F434	1204
		3P + N + E	PKF32F435	1199
IP67				
16	200...250	2P + E	PKF16F723 <input checked="" type="checkbox"/>	1100
		2P + E	PKY16F723 <input type="checkbox"/>	1332
	380...415	3P + E	PKF16F734	1253
32	200...250	3P + N + E	PKF16F735 <input checked="" type="checkbox"/>	1268
	380...415	2P + E	PKF32F723	1431
		3P + E	PKF32F734	1673
		3P + N + E	PKF32F735	1700
PK (63A & 125A available in IP67 only)				
63	200...250	2P + E	81278	4697
		3P + E	81282 <input checked="" type="checkbox"/>	4705
	380...415	3P + N + E	81283 <input checked="" type="checkbox"/>	4797
125	200...250	2P + E	81290	15445
		3P + E	81294	15846
	380...415	3P + N + E	81295	15924

Panel Mounted Sockets - Straight



PKF16G423



PKF16G723



81683

- PK PratiKa Screw Connect: same orientation of clamp's screws
- External impact strength: IK08
- Glow wire test: 850°C
- Conforms to IEC 60309-1 & IEC309-2

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
PratiKa Screw				
IP44				
16	200...250	2P + E	PKF16G423	661
		2P + E	PKY16G423	826
	380...415	3P + E	PKF16G434	1154
		3P + N + E	PKF16G435	995
32	200...250	2P + E	PKF32G423	1050
	380...415	3P + E	PKF32G434	1209
		3P + N + E	PKF32G435	1310
IP67				
16	200...250	2P + E	PKF16G723	1107
		2P + E	PKY16G723 <input type="checkbox"/>	1247
	380...415	3P + E	PKF16G734	1522
32	200...250	3P + N + E	PKF16G735	1268
		2P + E	PKF32G723	1411
	380...415	3P + E	PKF32G734	1589
		3P + N + E	PKF32G735	1648
PK (63A & 125A available in IP67 only)				
63	200...250	2P + E	81678	5684
		3P + E	81682	4751
	380...415	3P + N + E	81683	4751
125	200...250	2P + E	81690	15747
		3P + E	81694	15846
	380...415	3P + N + E	81695	15924

*Fast Connection

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

 NORMAL STOCK ITEMSW.E.F. January 25th, 2022

Sockets with Interlock Switches - for guaranteed safety of operation

- Allows closure of main switch only when the plug is fully inserted in socket - when complete mechanical & electrical connection has occurred
- Plug removal is possible only when the switch is in "off" position

Wall Mounted Sockets with Interlock Switch Unika (w/o protection)



- Switch designed for use in AC 22A class applications
- Conforms to IEC 60309-1 & IEC 60309-2
- Rated operational voltage upto 415V
- Rated operational current upto 32A
- External impact strength: IK08
- Available in IP44 / IP65 versions
- Glow wire test: 750°C

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
IP44				
16	200...250	2P + E	83031	7940
	380...415	3P + E	83035	13354
32		3P + N + E	83036	11206
	200...250	2P + E	83042 <input checked="" type="checkbox"/>	10308
	380...415	3P + E	83046	14598
		3P + N + E	83047	12146
IP65				
16	200...250	2P + E	83081	8215
	380...415	3P + E	83085	11312
32		3P + N + E	83086	11542
	200...250	2P + E	83092	10766
	380...415	3P + E	83096	15705
		3P + N + E	83097	12927

Socket with Interlock Switch & DIN Rail Isoblock (4.5 modules)



- Switch designed for use in AC- 22A class applications
- Conforms to IEC 60309-1 & IEC 60309-2
- Provision to DIN mount 4.5 module device
- External impact strength: IK10
- Available in IP65 version
- Glow wire test: 850°C

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
16	200...250	2P + E	82754 <input checked="" type="checkbox"/>	9842
	380...415	3P + E	82758	14565
		3P + N + E	82759	15051
32	200...250	2P + E	83791 <input checked="" type="checkbox"/>	11653
	380...415	3P + E	83795	16758
		3P + N + E	83796	13883

Socket with Interlock Switch & DIN Rail Isoblock (6 modules)



- Switch designed for use in AC- 22A class applications
- Conforms to IEC 60309-1 & IEC 60309-2
- Provision to DIN mount 6 module device
- External impact strength: IK10
- Available in IP65 version
- Glow wire test: 850°C

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
32	200...250	2P + E	82766	15373
	380...415	3P + E	82770	21899
		3P + N + E	82771	18570
63		3P + E	82782	20714
	380...415	3P + N + E	82783	20780

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

ELECTRA Metal Clad Plugs & Sockets are specially designed incorporating the latest safety, quality and user friendly features.

Construction

- The casting is made from non-corroding die-cast aluminum alloy combining exceptional compactness with high strength
- The design/construction eliminates the possibility of mismatch in fitting of plugs in corresponding sockets
- The floating contacts in the sockets are self-aligning and facilitates smooth plugging in without undue pressure (These can be easily removed for wiring)
- A provision for pilot pin facilitates mechanical interlocking in case of 63A ratings

Human Safety

Specially designed shroud to avoid accidental finger contact with plug-pins while inserting/removing the plug
Similarly, the contact tubes in sockets are deeply recessed to avoid human contact

- The earthing pins ensure that earth connection is made first and broken last, being longer than conducting pins
- The visible earth terminals facilitate easy checking of earth connection
- The cable grip to the plug is made very strong by providing a compression gland and by protecting it at the point of entry by a strong rubber guard

Applications

Industrial, Commercial & Domestic portable equipments like Hand/Power Tools, Industrial Ovens, Welding Sets, Mobile Generators, Furnaces, Ships, Office Machines, Refrigerators, Coolers, Air-Conditioners, Overhead Cranes, Chilling Cabinets, Tile Polishers and Sewing Machines

Plug



Rating (A)	Poles Description	Voltage (V)	MOQ	Reference	Unit MRP [₹]
10	2P	250	30	AP10 <input checked="" type="checkbox"/>	262
20	2P	250	30	AP20 <input checked="" type="checkbox"/>	275
20	3P	440	30	BP20 <input checked="" type="checkbox"/>	366
30	3P	440	20	BP30 <input checked="" type="checkbox"/>	667
63	3P+N+E	440	4	CP63 <input checked="" type="checkbox"/>	3015

Socket



Rating (A)	Poles Description	Voltage (V)	MOQ	Reference	Unit MRP [₹]
10	2P	250	30	AS10 <input checked="" type="checkbox"/>	275
20	2P	250	30	AS20 <input checked="" type="checkbox"/>	293
20	3P	440	30	BS20 <input checked="" type="checkbox"/>	411
30	3P	440	20	BS30 <input checked="" type="checkbox"/>	706
63	3P+N+E	440	4	CS63 <input checked="" type="checkbox"/>	3313

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

Complete range of switches & sockets suitable for both indoor & outdoor applications like Kitchens, Swimming Pools, Landscape Gardens, Exterior Walls and Other Environmentally Challenged Locations.



56SW116LE-GY




56SW216LE-GY



56SW332LE-GY

Description	IP Rating	Reference	Unit MRP [₹]
Surface Switches			
Single Pole Switches Less Enclosure			
1 Pole 250V 10A	IP66	56SW110LE-GY	3533
1 Pole 250V 16A	IP66	56SW116LE-GY	3310
1 Pole 250V 20A	IP66	56SW120LE-GY	5013
1 Pole 250V 32A	IP66	56SW132LE-GY	5921
Double Pole Switches Less Enclosure			
2 Pole 500V 16A	IP66	56SW216LE-GY	5721
2 Pole 500V 20A	IP66	56SW220LE-GY	5721
2 Pole 500V 32A	IP66	56SW232LE-GY	6642
2 Pole 500V 50A	IP66	56SW250LE-GY	7082
Triple Pole Switches Less Enclosure			
3 Pole 500V 10A	IP66	56SW310LE-GY	5290
3 Pole 500V 16A	IP66	56SW316LE-GY	5519
3 Pole 500V 20A	IP66	56SW320LE-GY	5810
3 Pole 500V 32A	IP66	56SW332LE-GY	6774
3 Pole 500V 50A	IP66	56SW350LE-GY	7816
3 Pole 500V 63A	IP66	56SW363LE-GY	9073
Four Pole Switches Less Enclosure			
4 Pole 500V 20A	IP66	56SW420LE-GY	7670



66CV563-RG



66P563-EO

Description	IP Rating	Reference	Unit MRP [₹]
IP66 Industrial Combination Switch Sockets with Enclosure			
Single Pole Switches Less Enclosure			
500V, 63A with 4 pole switch and 63A 5 Pin Socket	IP66	66CV563-RG	102828
Plug Top 5 Pin 500V 63A	IP66	66P563-EO	30864

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022



56SO316RP-LE-GY-EX



56SO432LE-GY



56SO532LE-GY

Description	IP Rating	Reference	Unit MRP [₹]
Surface Socket Outlets			
3 Pin Sockets Less Enclosure			
3 Pin 250V 16A Indian Standard	IP66	56SO316RP-LE-GY-EX	3332
3 Pin 250V 20A Round Pin	IP66	56SO320LE-GY	4838
3 Pin 250V 32A Round Pin	IP66	56SO332LE-GY	5338
4 Pin Sockets Less Enclosure			
4 Pin 500V 20A Round Pin	IP66	56SO420LE-GY	7157
4 Pin 500V 32A Round Pin	IP66	56SO432LE-GY	8558
4 Pin 500V 40A Round Pin	IP66	56SO440LE-GY*	9947
4 Pin 500V 50A Round Pin	IP66	56SO450LE-GY	13168
5 Pin Sockets Less Enclosure			
5 Pin 500V 10A Round Pin	IP66	56SO510LE-GY	7734
5 Pin 500V 20A Round Pin	IP66	56SO520LE-GY	7734
5 Pin 500V 32A Round Pin	IP66	56SO532LE-GY	9185
5 Pin 500V 40A Round Pin	IP66	56SO540LE-GY	13251
5 Pin 500V 50A Round Pin	IP66	56SO550LE-GY	13606

*Alternate reference 56SO440-GY (coming soon)



56PA316RP-GY-EX



56PA420-EO



56PA532-EO



56CV-1520-GY

Description	IP Rating	Reference	Unit MRP [₹]
Plugs			
3 Pin Angle Plugs			
3 Pin 250V 16A Indian Standard	IP66	56PA316RP-GY-EX	2506
3 Pin 250V 20A Round Pin	IP66	56PA320-EO	5013
3 Pin 250V 32A Round Pin	IP66	56PA332-EO	5736
4 Pin Angle Plugs			
4 Pin 500V 20A Round Pin	IP66	56PA420-EO	6109
4 Pin 500V 32A Round Pin	IP66	56PA432-EO	6359
4 Pin 500V 40A Round Pin	IP66	56PA440-EO	7475
4 Pin 500V 50A Round Pin	IP66	56PA450-EO	7546
5 Pin Angle Plugs			
5 Pin 500V 10A Round Pin	IP66	56PA510-EO	6005
5 Pin 500V 20A Round Pin	IP66	56PA520-EO	6005
5 Pin 500V 32A Round Pin	IP66	56PA532-EO	6937
5 Pin 500V 40A Round Pin	IP66	56PA540-EO	7337
5 Pin 500V 50A Round Pin	IP66	56PA550-EO	7511
Combination Switch Socket Outlet			
IP66 Interlocked Switch Socket with Enclosure			
4 Pin 500V 20A Round Pin	IP66	56CVI420-GY	18549
5 Pin 500V 20A Round Pin	IP66	56CVI520-GY	22665
5 Pin 500V 32A Round Pin	IP66	56CVI532-GY	22873

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022



56DB2-GY



56DB4-GY



56CB4N-GY

Description	IP Rating	Reference	Unit MRP [₹]
Adaptable Enclosures with Gear Tray			
2 Gangpoints, 198X101X140mm	IP66	56DB2-GY	6254
3 Gangpoints, 294X101X140mm	IP66	56DB3-GY	8331
6 Gangpoints, 294X198X140mm	IP66	56DB6-GY	13766
Junction Boxes			
1 Gangpoint, 107X101X90mm	IP66	56JB1-GY	2850
2 Gangpoints, 204X101X90mm	IP66	56JB2-GY	4582
3 Gangpoints, 300X101X90mm	IP66	56JB3-GY	6873
4 Gangpoints, 204X198X90mm	IP66	56JB4-GY	9218

Description	Module Width	Reference	Unit MRP [₹]
Switchgear Cover Assembly			
For 1,2,3 Pole MCB with 4 Pole RCD (max. 4M Width)	4	56CB4N-GY	5442



56FA2-GY



56E2-GY



56E1-GY-EX



56E3-GY

Description	No. of Gangs	Reference	Unit MRP [₹]
Flush Surrounds			
Flush Surround	1	56FA1-GY	1860
Flush Surround	2	56FA2-GY	2681
Flush Surround	3	56FA3-GY	4221
Mounting Enclosures (Back Boxes)			
101X101X63mm	1	56E1-GY	1247
198X101X63mm	2	56E2-GY	2991
294X101X63mm	3	56E3-GY	4749
198X198X63mm	4	56E4-GY	6109
294X198X63mm	6	56E6-GY	9768
391X198X63mm	8	56E8-GY	12815
294X294X63mm	9	56E9-GY	14252
391X391X63mm	16	56E16-GY	23220

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

SWITCH TO STYLE



Perfect solutions for the perfect you



Unica Pure



Clipsal X



Opale



Anti-Bacterial
Range

LIVIA
Life. Style.



ZENcelo



Avatar On



Neo



Ulti

Switch more than just lights. #Switch The Mood

ON / OFF

DIMMING

ALUMINIUM

ANTHRACITE




MY FAVORITE


WHITE SHADES OR
COLOR CHANGES

Wiser Odace™ LIGHTING. One Light, Many Moods!


White kit
Smart LED



Color kit
Smart LED
colors



Aroma kit
Sensorial
light



Change the mood?
There's also an app for that!

Your mood is now at your fingertips, with the 'Wiser Lighting' app.



Bluetooth connectivity:
Take control of the mood, wirelessly

Schedules: Set a wake-up light or a night light or presence simulator

Unlimited Colour Options:
Choose from up to 16 million colours

Disco mode: Let your lights flash and flicker to music

Aroma diffuser: Soak in the energy of therapeutic scents

Light grouping: Several lights can be group-activated by the same preset



Wiser Odace™ LIGHTING Product	Reference	Unit MRP [₹]
White Kit	S527578W	9932
Colour Kit	S527578C	8269
Aroma Kit	S527578A	10998
White Switch	S520578	7640
Aluminium Switch	S530578	6367
Anthracite Switch	S540578	6367

*Contact Schneider Electric Sales Representative for more details

W.E.F. January 25th, 2022



- **Sleek Design** - 2.7mm thin plate with curved body to minimize dust accumulation
- **Stylish Looks** - Soft white texture with glossy finish
- **Robust & Strong** - Innovative honeycomb designed grid plate for extra rigidity
- **Reliable** - High grade heat-resistant polycarbonate and laser marked wiring diagrams. Tested for 4 Lac clicks
- **Easy to Install** - Snap-In / Snap-Out front loading modules and Bigger terminal holes
- **Green & Eco Friendly** - RoHS compliant range



P1001



P1081



P1002



P1025



P2005



P2106



P3012



P3200



P6005



P5001



P0703



P0704

Description	Reference for White	Unit MRP [₹]	Box Qty	Reference for Pebble Grey	Unit MRP [₹]	Box Qty
Switches						
10AX 1 way switch	P1001	131	20	P1001_DG	183	20
10AX 1 way switch with Indicator lamp	P1081	265	20	P1081_DG	369	20
10AX 2 way switch	P1002	213	20	P1002_DG	265	20
16AX 1 way switch	P1101	230	20	P1101_DG	280	20
16AX 1 way switch with Indicator lamp	P1181	323	20	P1181_DG	373	20
16AX 1 way switch (2M)	P1121	354	10	P1121_DG	468	10
16AX 2 way switch	P1102	310	10	P1102_DG	430	1
20A 1 way switch (1M) with indicator lamp	P11201	286	20	P11201_DG	373	20
20A DP switch with Indicator lamp	P1120	513	20	P1120_DG	720	20
32A DP switch with Indicator lamp	P1132	751	10	P1132_DG	965	20
Motor Starter Switch						
25A Motor Starter switch	P1186MS	1276	1	P1186MS_DG	1730	1
Bell Push						
10A Bell Push switch	P1005	238	20	P1005_DG	328	10
10A Bell Push switch (2M)	P1025	314	10	P1025_DG	437	10
10A bell push switch with Indicator	P1085	283	20	P1085_DG	395	20
10A bell push switch with Indicator (2M)	P1086	366	10	P1086_DG	511	10
Sockets						
6A 3Pin socket Outlet with shutter (BIS)	P2005_NS	254	10	P2005NS_DG	304	10
10A 3pin Socket Outlet with Shutter	P2005	254	10	P2005_DG	304	10
10A/16A 3-pin Socket Outlet with Shutter	P2106	382	10	P2106_DG	455	10
10A/25A 3 Pin Socket Outlet with Shutter	P2207	525	10	P2207_DG	735	10
13A Multi Pin Socket Outlet with Shutter	P2010	421	10	P2010_DG	502	10
Fan Regulators & Dimmers						
Step type fan regulator (1M)	P3100	722	10	P3100_DG	911	10
Step type fan regulator (2M)	P3200	855	6	P3200_DG	1078	10
Dimmer 400W (1M)	P3004	1341	6	P3004_DG	1828	6
Dimmer 1000W (2M)	P3012	1985	6	P3012_DG	2324	6
USB Charger						
USB Charger	P7002	1685	10	P7002_DG	2056	10
Accessories						
RJ 11 Telephone outlet with shutter	P4011	210	20	P4011_DG	299	20
RJ 45 Cat 5e Data outlet with shutter	P4045	716	20	P4045_DG	884	20
RJ 45 Cat6 Data outlet with shutter	P4046	782	20	P4046_DG	996	20
TV socket	P4500	202	20	P4500_DG	286	20
Blank off unit (1M)	P0001	57	40	P0001_DG	74	40
Foot Lamp with LED	P7001	848	1	P7001_DG	1045	1
Cord Outlet	P4550	260	20	P4550_DG	308	20
LED Phase Indicator	P5001	351	20	-	-	-
Hotel Series						
DND Switch	P6002	294	20	P6002_DG	339	20
MMR Switch	P6004	294	20	P6004_DG	339	20
DND & MMR Indicator	P6013	830	20	P6013_DG	1100	20
20A Key Card Switch - Electronic (3M)	P6005	4505	1	P6005_DG	6289	1
Cover Plates						
1-2 M Grid & 1 M Cover Frame	P0701	143	15	P0701_DG	195	15
1-2 M Grid & 2 M Cover Frame	P0702	143	15	P0702_DG	179	15
3 M Grid & 3 M Cover Frame	P0703	182	10	P0703_DG	211	10
4 M Grid & 4 M Cover Frame	P0704	211	8	P0704_DG	260	8
6 M Grid & 6 M Cover Frame	P0706	265	5	P0706_DG	343	5
8 M Grid & 8 M Cover Frame - Horizontal	P0708	349	5	P0708_DG	424	5
8 M Grid & 8 M Cover Frame - Square	P0709	413	5	P0709_DG	580	5
9 M Grid & 9M Cover Frame	P07010	389	5	P07010_DG	527	5
12 M Grid & 12 M Cover Frame	P0712	500	5	P0712_DG	620	5
16 M Grid & 16M Cover Frame	P07016	595	5	P07016_DG	710	5
18 M Grid & 18 M Cover Frame	P0718	720	5	P0718_DG	1010	5

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

Clipsal X - As Stylish As Your World



Xtra STYLE


- Trendy Dual tone colour and finish
- Contemporary sloped design that blends seamlessly with the wall
- Vibrant and youthful colours and textured finishes that can stand out or blend in
- Textured finishes to match most Indian decors – Wood, Slate & Leather

Xtra STRONG

- Made to last for more than 1 Million Clicks
- 10A rated switches to enable Grouping – add as many loads as you want
- UV Stabilized to avoid decoloring

Xtra COMFORT

- Least noise level for unobtrusive switching
- Smooth finish which avoids light reflection off the surface
- Glossy Band making it Easy to Clean
- Large plate overhang to hide wall & paint imperfections



CPX101SW1M_ WE



CPX161SWL1M_ WE



CPX20DP2M_ WE



CPX6BP2M_ WE



CPX6SK3PNS_ WE



CPX13INSK_ WE



CPX5STFAN2M_ WE



CPX21USB1P1M_ WE



CPXRJ11_1M_ WE



CPXTVCOAX1M_ WE



CPXCORD1M_ WE



CPXDNDIN1M_ WE



CPXMMRIN1M_ WE



CPXKEYCARDSW_ WE

Description	Reference for White	Unit MRP (₹)	Pack	Reference for Coke Grey	Unit MRP (₹)	Pack
Switches						
10AX 1 Way Switch	CPX101SW1M_WE	115	20	CPX101SW1M_GY	205	20
10A X1 Way Switch with Indicator	CPX101SWL1M_WE	270	20	CPX101SWL1M_GY	320	1
10AX 2 Way Switch	CPX102SW1M_WE	240	20	CPX102SW1M_GY	290	20
16AX 1 Way Switch	CPX161SW1M_WE	290	1	CPX161SW1M_GY	342	1
16AX 1 Way Switch with Indicator	CPX161SWL1M_WE	381	20	CPX161SWL1M_GY	451	20
16AX 2 Way Switch	CPX162SW1M_WE	368	1	CPX162SW1M_GY	435	20
10AX 1 Way Switch (2M)	CPX101SW2M_WE	304	1	CPX101SW2M_GY	363	10
16AX 1 Way Switch (2M)	CPX161SW2M_WE	390	1	CPX161SW2M_GY	464	10
10AX 1W Switch with Indicator (2M)	CPX101SWL2M_WE	368	1	CPX101SWL2M_GY	440	10
16AX 1W Switch with Indicator (2M)	CPX161SWL2M_WE	449	1	CPX161SWL2M_GY	531	10
20A DP Switch with Indicator (2M)	CPX20DP2M_WE	645	1	CPX20DP2M_GY	753	1
32A DP Switch with Indicator (2M)	CPX32DP2M_WE	939	1	CPX32DP2M_GY*	1421	10
Motor Starter Switch						
25A Motor Starter Switch	CPXMTSTART2M_WE	1064	10	CPXMTSTART2M_GY	1971	10
Bell Press						
6A Bell Push	CPX6BP1M_WE	270	20	CPX6BP1M_GY	309	1
6A Bell Push (2M)	CPX6BP2M_WE	392	10	CPX6BP2M_GY	458	1
6A Bell Push with Indicator	CPX6BPL1M_WE	357	1	CPX6BPL1M_GY	427	20
6A Bell Push with Indicator (2M)	CPX6BPL2M_WE	427	1	CPX6BPL2M_GY	485	10
Sockets						
6A 2/3P Socket with Shutter	CPX6SK3P_WE	293	10	CPX6SK3P_GY	347	10
6A 3P Socket Outlet with Shutter (BIS Std.)	CPX6SK3PNS_WE	293	10	CPX6SK3PNS_GY	347	10
6A Uni Socket with Shutter	CPX6USK3P_WE	363	10	CPX6USK3P_GY	417	10
6A/16A 3P Socket with Shutter	CPX616SK_WE	464	10	CPX616SK_GY	524	10
13A Multi Pin Socket with Shutter	CPX13INSK_WE	440	10	CPX13INSK_GY	526	10
13A BS Socket with Shutter	CPX13FPSK_WE	618	10	CPX13FPSK_GY	741	10
20A 3P Socket with Shutter	CPX20SK3P2M_WE	556	10	CPX20SK3P2M_GY	666	10
25A 3P Socket with Shutter	CPX25SK3P2M_WE	598	10	CPX25SK3P2M_GY	681	10
2 Pin Socket with Shutter	CPX6SK2P1M_WE	237	20	CPX6SK2P1M_GY	274	20
Fan Regulators and Dimmers						
5-Step Fan Regulator (2M)	CPX5STFAN2M_WE	1030	1	CPX5STFAN2M_GY	1233	5
4-Step Fan Regulator (1M), White	CPX4STFAN1M_WE	898	10	CPX4STFAN1M_GY	1076	10
400W Dimmer (1M)	CPXDIM1M_WE	970	1	CPXDIM1M_GY	1108	1
400W Dimmer (2M)	CPXDIM2M_WE	1436	1	CPXDIM2M_GY	1721	1
1200W Dimmer	CPXDIM2M_1200_WE	1848	1	CPXDIM2M_1200_GY	2216	5
USB Chargers						
2.1A USB Charger (1M)	CPX21USB1P1M_WE	1669	1	CPX21USB1P1M_GY	1971	1
2.1A USB Charger (2M)	CPX21USB2P2M_WE	2350	15	CPX21USB2P2M_GY	3231	15
Accessories						
RJ11 Tel Outlet, No Shutter	CPXRJ11NS1M_WE	240	5	CPXRJ11NS1M_GY	290	5
RJ11 Tel Outlet with Shutter	CPXRJ11_1M_WE	243	5	CPXRJ11_1M_GY	290	5
Twin RJ11 Tel Outlets (1M)	CPXRJ11TW1M_WE	361	12	CPXRJ11TW1M_GY	440	12
RJ45 Data Outlet with Shutter	CPXRJ451M_WE	830	12	CPXRJ451M_GY	973	12
TV Socket	CPXTVCOAX1M_WE	227	5	CPXTVCOAX1M_GY	277	5
RJ45 Cover for Keystone Type	CPXRJ45KS1M_WE	272	5	CPXRJ45KS1M_GY	334	5
Grippled Cord Outlet	CPXCORD1M_WE	259	5	CPXCORD1M_GY	297	10
Foot Light with LED	CPXFTLP2M_WE	977	-	CPXFTLP2M_GY	1161	-
Buzzer	CPXBUZZ2M_WE	1064	-	CPXBUZZ2M_GY	1116	2
Blank Off Unit (1M)	CPXBLANK1M_WE	64	-	CPXBLANK1M_GY	85	5
Neon Phase Indicator						
Neon Phase Indicator (Green)	CPXPHASEG1M	381	12	-	-	-
Neon Phase Indicator (Red)	CPXPHASER1M	381	12	-	-	-
Neon Phase Indicator (Red)	CPXPHASEY1M	381	12	-	-	-
Hotel Series						
DND Indicator	CPXDNDIN1M_WE	591	12	-	-	-
DND Switch	CPXDNDSW1M_WE	464	1	CPXDNDSW1M_GY	548	1
MMR Indicator	CPXMMRIN1M_WE	591	12	-	-	-
MMR Switch	CPXMMRSW1M_WE	464	1	CPXMMRSW1M_GY	548	20
16A Electronic Keypad Switch	CPXKEYCARDSW_WE	5153	1	CPXKEYCARDSW_GY	6078	1
Shaver Socket Horizontal	CPXSHAVER_WE	5327	1	CPXSHAVER_GY	6284	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

Clipsal X - As Stylish As Your World



White



Coke Grey



Metallic Copper



Charcoal Black

Description	Reference for White	Unit MRP [₹]	Pack	Reference for Coke Grey	Unit MRP [₹]	Pack	Reference for Metallic Copper	Unit MRP [₹]	Pack	Reference for Charcoal Black	Unit MRP [₹]	Pack
Cover Plates												
1M or 2M Grid & 1M Cover Frame	CPXCP1M_WE	157	1	CPXCP1M_GY	269	10	CPXCP1M_MC	299	10	CPXCP1M_CB	299	10
1M or 2M Grid & 2M Cover Frame	CPXCP2M_WE	170	10	CPXCP2M_GY	290	10	CPXCP2M_MC	324	10	CPXCP2M_CB	324	10
3M Grid & 3M Cover Frame	CPXCP3M_WE	195	10	CPXCP3M_GY	330	10	CPXCP3M_MC	370	10	CPXCP3M_CB	370	10
3M Uni Grid & 3M Cover Frame	CPXCP3MU_WE	222	10	CPXCP3MU_GY	376	10	CPXCP3MU_MC	421	1	CPXCP3MU_CB	421	1
4M Grid & 4M Cover Frame	CPXCP4M_WE	230	1	CPXCP4M_GY	390	10	CPXCP4M_MC	436	10	CPXCP4M_CB	436	10
6M Grid & 6M Cover Frame	CPXCP6M_WE	334	5	CPXCP6M_GY	566	5	CPXCP6M_MC	634	1	CPXCP6M_CB	634	1
8M Grid & 8M Cover Frame, Horizontal	CPXCP8ML_WE	413	1	CPXCP8ML_GY	702	5	CPXCP8ML_MC	785	5	CPXCP8ML_CB	785	5
8M Grid & 8M Cover Frame, Square	CPXCP8MSQ_WE	427	1	CPXCP8MSQ_GY	830	1	CPXCP8MSQ_MC	927	1	CPXCP8MSQ_CB	927	1
9M Cover Frame	CPXCP9M_WE	440	5	CPXCP9M_GY	710	5	-	-	-	-	-	-
9M Grid & 9M Cover Frame	-	-	-	-	-	-	-	-	-	CPXCP9M_CB	1074	5
12M Grid & 12M Cover Frame	CPXCP12M_WE	483	1	CPXCP12M_GY	974	1	CPXCP12M_MC	1090	5	CPXCP12M_CB	1090	5
16M Cover Frame	CPXCP16M_WE	581	5	CPXCP16M_GY	948	5	-	-	-	-	-	-
18M Grid & 18M Cover Frame	CPXCP18M_WE	746	5	-	-	-	-	-	-	-	-	-

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

Clipsal X - As Stylish As Your World



Navy Blue



Butterscotch



Terracota



Blue Sapphire

Description	Reference for Navy Blue	Unit MRP [₹]	Pack	Reference for Butterscotch	Unit MRP [₹]	Pack	Reference for Terracota	Unit MRP [₹]	Pack	Reference for Blue Sapphire	Unit MRP [₹]	Pack
Cover Plates												
1M or 2M Grid & 1M Cover Frame	CPXCP1M_NB	299	10	CPXCP1M_BT	299	10	CPXCP1M_TC	299	10	CPXCP1M_BS	394	10
1M or 2M Grid & 2M Cover Frame	CPXCP2M_NB	324	10	CPXCP2M_BT	324	10	CPXCP2M_TC	324	10	CPXCP2M_BS	427	10
3M Grid & 3M Cover Frame	CPXCP3M_NB	370	10	CPXCP3M_BT	370	10	CPXCP3M_TC	370	10	CPXCP3M_BS	486	10
3M Uni Grid & 3M Cover Frame	CPXCP3MU_NB	421	1	CPXCP3MU_BT	421	1	CPXCP3MU_TC	421	1	CPXCP3MU_BS	554	1
4M Grid & 4M Cover Frame	CPXCP4M_NB	436	10	CPXCP4M_BT	436	10	CPXCP4M_TC	436	10	CPXCP4M_BS	575	10
6M Grid & 6M Cover Frame	CPXCP6M_NB	634	1	CPXCP6M_BT	634	1	CPXCP6M_TC	634	1	CPXCP6M_BS	833	1
8M Grid & 8M Cover Frame, Horizontal	CPXCP8ML_NB	785	5	CPXCP8ML_BT	785	5	CPXCP8ML_TC	785	5	CPXCP8ML_BS	1034	5
8M Grid & 8M Cover Frame, Square	CPXCP8MSQ_NB	927	1	CPXCP8MSQ_BT	927	1	CPXCP8MSQ_TC	927	1	CPXCP8MSQ_BS	1221	1
12M Grid & 12M Cover Frame	CPXCP12M_NB	1090	5	CPXCP12M_BT	1090	5	CPXCP12M_TC	1090	5	CPXCP12M_BS	1434	5



Sheesham



Rich Leather



Slate



Pink Flamingo

Description	Reference for Sheesham	Unit MRP [₹]	Pack	Reference for Metallic Rich Leather	Unit MRP [₹]	Pack	Reference for Slate	Unit MRP [₹]	Pack	Reference for Pink Flamingo	Unit MRP [₹]	Pack
Cover Plates												
1M or 2M Grid & 1M Cover Frame	CPXCP1M_SH	473	10	CPXCP1M_RL	473	10	CPXCP1M_SL	473	10	CPXCP1M_PF	394	10
1M or 2M Grid & 2M Cover Frame	CPXCP2M_SH	512	1	CPXCP2M_RL	512	1	CPXCP2M_SL	512	1	CPXCP2M_PF	427	10
3M Grid & 3M Cover Frame	CPXCP3M_SH	585	10	CPXCP3M_RL	585	10	CPXCP3M_SL	585	10	CPXCP3M_PF	486	10
3M Uni Grid & 3M Cover Frame	CPXCP3MU_SH	664	1	CPXCP3MU_RL	664	1	CPXCP3MU_SL	664	1	CPXCP3MU_PF	554	10
4M Grid & 4M Cover Frame	CPXCP4M_SH	689	1	CPXCP4M_RL	689	1	CPXCP4M_SL	689	1	CPXCP4M_PF	575	10
6M Grid & 6M Cover Frame	CPXCP6M_SH	1000	1	CPXCP6M_RL	1000	1	CPXCP6M_SL	1000	1	CPXCP6M_PF	833	1
8M Grid & 8M Cover Frame, Horizontal	CPXCP8ML_SH	1241	5	CPXCP8ML_RL	1241	5	CPXCP8ML_SL	1241	5	CPXCP8ML_PF	1034	5
8M Grid & 8M Cover Frame, Square	CPXCP8MSQ_SH	1465	1	CPXCP8MSQ_RL	1465	1	CPXCP8MSQ_SL	1465	1	CPXCP8MSQ_PF	1221	1
12M Grid & 12M Cover Frame	CPXCP12M_SH	1721	5	CPXCP12M_RL	1721	5	CPXCP12M_SL	1721	5	CPXCP12M_PF	1434	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

Opale - Switches with Satin Finish



- **Patented Smooth Satin Finish** - Scratch Resistant, Easy to Clean & Prevents light reflection off surface
- **Safe to Use** - High grade flame retardant polycarbonate material & Child Proof sockets with unique shutter design
- **Hassle Free Operation** - 'Soft sound' switches with Gold plated Data Socket contacts for better connection
- **Easy to Install** - Snap-In / Snap-Out front loading modules and terminals with indented screws
- **Green & Eco Friendly** - RoHS compliant range



X1001WH



X1286WH



X1186WH



X1005WH



X1085WH



X2005WH



X2106WH



X2010WH



X3200WH



X3104WH



X4010WH



X7003WH



X5001



X5002

Description	Reference for White	Unit MRP [₹]	Pack	Reference for Coke Grey	Unit MRP [₹]	Pack
Switches						
6AX 1 way switch	X1001WH	223	20	AAKY1001	282	20
6AX 1 way switch with Indicator lamp	X1081WH	384	20	AAKY1081	455	20
6AX 2 way switch	X1002WH	307	20	AAKY1002	413	20
16AX 1 way switch	X1101WH	358	20	AAKY1101	448	20
16AX 1 way switch with Indicator lamp	X1181WH	502	20	AAKY1181	592	20
16AX 2 way switch	X1102WH	482	20	AAKY1102	619	20
6AX 1 way switch (2M)	X1021WH	423	10	AAKY1021	512	10
16AX 1 way switch (2M)	X1121WH	510	10	AAKY1121	658	10
6AX 1 way switch with Indicator (2M)	X1028WH	520	10	AAKY1028	577	10
16AX 1 way switch with Indicator (2M)	X1128WH	637	10	AAKY1128	755	10
20A DP switch with Indicator (2M)	X1286WH	829	10	AAKY1286	1069	10
32A DP switch (2M)	AAKY1232	1234	10	-	-	-
Motor Starter Switch						
25A Motor Starter switch	X1186WH	2158	10	AAKY1186	2808	10
Bell Push						
6A Bell Push	X1005WH	346	20	AAKY1005	460	20
6A Bell Push (2M)	X1025WH	496	10	AAKY1025	653	10
6A Bell Push with Indicator	X1085WH	499	20	AAKY1085	608	20
6A Bell Push with Indicator (2M)	X1086WH	568	10	AAKY1086	688	10
Sockets						
6A 2/3 Pin Socket Outlet with Shutter	X2005WH	376	10	AAKY2005	455	10
6A 3Pin Socket outlet with Shutter (BIS)	X2005WHNS	376	10	AAKY2005NS	455	10
6A "Uni Socket" Outlet with Shutter	X2007WH	467	10	AAKY2007	542	10
6A/16A 3-Pin Socket Outlet with Shutter	X2106WH	576	10	AAKY2106	686	10
13A Multi Pin Socket Outlet with Shutter	X2010WH	568	10	AAKY2010	690	10
16A 3-Pin Socket Outlet with Shutter	X2103WH	648	10	AAKY2103	844	10
13A BS flat Pin Socket Outlet with Shutter	X2403WH	812	10	AAKY2403	1053	10
20A 3 Pin Socket Outlet with Shutter	X2206WH	727	10	AAKY2206	946	10
25A 3 Pin Socket Outlet with Shutter	X2207WH	785	10	AAKY2207	1021	10
Fan Regulators & Dimmers						
Step Fan Regulator (1M)	X3100WH	966	10	AAKY3100	1182	10
Step type fan regulator (2M)	X3200WH	1354	5	AAKY3200	1619	5
Dimmer 400W (1M)	X3104WH	1212	10	AAKY3104	1576	10
Dimmer 400W (2M)	X3004WH	1885	5	AAKY3004	2448	5
Dimmer 1200W	X3012WH	2631	5	AAKY3012	3156	5
USB Chargers						
2 Gang USB Charger - 2.1A (2M)	X7003WH	3564	15	AAKY7003	4247	15
Accessories						
RJ11 Telephone outlet (no shutter)	X4010WH	312	10	AAKY4010	382	10
RJ11 Telephone outlet with shutter	X4011WH	310	10	AAKY4011	413	10
Twin RJ11 Telephone outlets (no shutter) (1M)	X4020WH	473	10	AAKY4020	625	20
RJ45 Data Outlet with shutter	X4045WH	1067	20	AAKY4045	1277	20
TV Socket	X4500WH	290	10	AAKY4500	393	10
RJ45 Cover for Key Stone Type	X4050WH	387	10	AAKY4050	471	10
Gripped Cord Outlet	X4550WH	350	10	AAKY4550	388	10
Buzzer	X3300WH	1326	2	AAKY3300	1585	2
Blank off unit (1M)	X0001WH	82	10	AAKY0001	117	20
Neon Phase Indicator (Red)	X5001	502	20	-	-	-
Neon Phase Indicator (Green)	X5002	543	20	-	-	-
Neon Phase Indicator (Yellow)	X5003	543	20	-	-	-

Please contact Customer Care Center for Stockable and Non stockable status of references.

✓ NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

Opale - Switches with Satin Finish



AAKX6002 + AAKX6004 + X0702



AAKX6006 + X0703



AAKX6005

Description	Reference	Unit MRP [₹]	Pack
Hotel Series*			
DND Panel	AAKX6001	844	20
DND Switch	AAKX6002	658	20
MMR Panel	AAKX6003	797	20
MMR Switch	AAKX6004	658	20
Key Tag Switch (Mechanical Type 20 A)	AAKX6005	1585	1
Shaver Socket	AAKX6006	6997	1

*Available in white colour only



X0733WH



AAKX0744



AAKX0754

Description	Reference for White	Unit MRP [₹]	Pack	Reference for Coke Grey	Unit MRP [₹]	Pack	Reference for Matt Silver	Unit MRP [₹]	Pack	Reference for Matt Gold	Unit MRP [₹]	Pack
Cover Plates												
1-2 M Grid & 1 M Cover Frame	X0701	203	10	AAKY0801	268	10	AAKX0741	520	10	AAKX0751	520	10
1-2 M Grid & 2 M Cover Frame	X0702	215	10	AAKY0802	281	10	AAKX0742	559	10	AAKX0752	559	10
3 M Grid & 3 M Cover Frame	X0703	254	10	AAKY0803	310	10	AAKX0743	668	10	AAKX0753	668	10
3 M Universal Grid & 3 M Cover Frame	X0733WH	365	10	AAKY0833	436	10	AAKX0744	668	10	AAKX0754	668	10
4 M Grid & 4 M Cover Frame	X0704	298	10	AAKY0804	398	10	AAKX0745	797	10	AAKX0755	797	10
6 M Grid & 6 M Cover Frame	X0706	415	5	AAKY0806	492	5	AAKX0746	988	5	AAKX0756	988	5
8 M Grid & 8 M Cover Frame - Horizontal	X0708	540	5	AAKY0808	641	5	AAKX0747	1287	5	AAKX0757	1287	5
8 M Grid & 8 M Cover Frame - Square	X0709	638	5	AAKY0809	828	5	AAKX0748	1287	5	AAKX0758	1287	5
12 M Grid & 12 M Cover Frame	X0712	751	5	AAKY0812	972	5	AAKX0749	1760	5	AAKX0759	1760	5
18 M Grid & 18 M Cover Frame	AAKX0718	978	5	-	-	-	-	-	-	-	-	-

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

Unica Pure - Irresistibly Beautiful



Wood



Glass



Metal Rhodium Black

Irresistibly Beautiful

- Authentic finishes - developed from the high quality natural material
- Ingenious Design - Demarcated dolly depicting clear on/off mode of the switch
- Modish Colors - perfectly gel with neutral, accent wall colors and blends perfectly with any decor

Irresistibly Safe & Sturdy

- Self Piercing Terminal - ensuring completely safe, robust and fast installation
- Facile & Guarded Technology - reduces tension in the switch rocker & increases the longevity of the switch
- Binate & Insulated Gridplate - Robust, rigid & shock proof gridplate,

Irresistibly Easy

- Key Hole Feature - Angular and linear adjustments of the gridplate can be easily achieved
- Revolutionary Ease of Mounting with Indicators & Markings

Irresistibly Sustainable

- Green Premium - Complies to HIGHEST INTERNATIONAL STANDARD of Green
- Certification for manufactured products (RoHS, REACH, PEP, EoLI) and is 100% Recyclable

Irresistibly Innovative

- Future Ready - Features of Voice & Mobile control to fit with smart homes

Irresistibly Versatile

- One Stop Shop - Extensive range covering residential, office, commercial or hospitality



UNS61SW1M_WE



UNS161SWL1M_WE



UNS162MSWL1M_WE



UNS20DP2M_WE



UNS6SK3P2MNS_WE



UNS616SK2M_WE



UNS20SK3P2M_WE



UNS13INTSKMP2M_WE

Description	Reference for Polar White	Unit MRP [₹]	Pack	Reference for Volcanic Grey	Unit MRP [₹]	Pack
6A Switches						
6AX 1 Way Switch	UNS61SW1M_WE	208	20	UNS61SW1M_GY	239	20
6AX 1 Way Switch With Indicator	UNS61SWL1M_WE	339	20	UNS61SWL1M_GY	396	20
6AX 2 Way Switch	UNS62SW1M_WE	290	10	UNS62SW1M_GY	325	10
6A Intermediate Switches						
10AX Intermediate Switch	UNS10SW1M_WE	1238	1	UNS10SW1M_GY	1439	1
16AX Switches						
16AX 1 Way Switch	UNS161SW1M_WE	339	20	UNS161SW1M_GY	396	20
16AX 1 Way Switch With Indicator	UNS161SWL1M_WE	406	20	UNS161SWL1M_GY	472	20
16AX 2 Way Switch, Polar White	UNS162SW1M_WE	429	10	UNS162SW1M_GY	505	10
16A Master Switch, 2 Way, With Locator & Label	UNS162MSWL1M_WE	990	20	UNS162MSWL1M_GY	1169	1
16AX 2 Way 2M Switch	UNS162SW2M_WE	421	10	UNS162SW2M_GY	500	10
Double Pole Switches						
20A Double Pole Switch With Indicator	UNS20DP2M_WE	803	10	UNS20DP2M_GY	945	1
32A Double Pole Switch With Indicator	UNS32DP2M_WE	1228	10	UNS32DP2M_GY	1464	10
Motor Starter Switch						
Motor Starter	UNSMSTART2M_WE	1682	10	UNSMSTART2M_GY	1990	10
Bell Switches						
6A Bellpress, 1M	UNS6BP1M_WE	301	20	UNS6BP1M_GY	352	20
6A Bellpress With Indicator, 1M	UNS6BPL1M_WE	397	20	UNS6BPL1M_GY	472	1
6A Bellpress, 2M, Polar White	UNS6BP2M_WE	394	10	UNS6BP2M_GY	463	1
6A Bellpress With Indicator, 2M	UNS6BPL2M_WE	486	10	UNS6BPL2M_GY	570	1
6A Sockets						
6A 3 Pin Universal Socket	UNS6SK3P2M_WE	409	10	UNS6SK3P2M_GY	472	10
6A 2 Pin Socket	UNS6SK2P1M_WE	389	20	UNS6SK2P1M_GY	448	20
6A 3PIN Sockets outlet with Shutter (BIS)	UNS6SK3P2MNS_WE	409	10	UNS6SK3P2MNS_GY	472	10
6A 5 Pin Socket	UNS6SK5P2M_WE	432	10	UNS6SK5P2M_GY	505	10
6/16A Sockets						
6/16A Socket	UNS616SK2M_WE	502	10	UNS616SK2M_GY	624	10
20A & 25A Sockets						
20A 3 Pin Socket	UNS20SK3P2M_WE	642	10	UNS20SK3P2M_GY	744	1
25A 3 Pin Socket	UNS25SK3P2M_WE	675	10	UNS25SK3P2M_GY	788	1
International Sockets						
13A International Socket with Shutter	UNS13INTSKMP2M_WE	614	10	UNS13INTSKMP2M_GY	714	10

Please contact Customer Care Center for Stockable and Non stockable status of references.

☑ NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

Unica Pure - Irresistibly Beautiful



UNS21USB2P2M_WE



UNS21USB1P1M_WE



UNS5STFAN2M_WE



UNSLEDDIM1M_WE



UNSEMERGENCY2M_WE



UNSHDMI_WE



UNSCPTVDIG1M_WE



UNSSKTLT2M_WE



UNSDM1M



UNSEKCSW_WE



UNSCURTAINSW2M_WE



UNSSHAYER_WE



UNSPIR_WE



UNS1SK1SW3M_WE



UNS4SK1SW9M_WE

Description	Reference for Polar White	Unit MRP [₹]	Pack	Reference for Volcanic Grey	Unit MRP [₹]	Pack
USB Chargers						
2.1A 5V USB Charger, 2 Module	UNS21USB2P2M_WE	2802	10	UNS21USB2P2M_GY	3312	1
2.1A 5V USB Charger, 1 Module	UNS21USB1P1M_WE	2105	20	UNS21USB1P1M_GY	2495	20
Blank Plates						
Single Module Blank Plate	UNSLANK1M_WE	73	20	UNSLANK1M_GY	81	20
Fan Regulators						
4 Steps 360 Deg Fan Regulator, 1M	UNS4STFAN1M_WE	880	20	UNS4STFAN1M_GY	1020	20
5 Steps 360 Deg Fan Regulator, 2M	UNS5STFAN2M_WE	1395	10	UNS5STFAN2M_GY	1574	10
Dimmers						
400W Dimmer for Incandescent, 1M	UNSDIM1M_WE	1231	10	UNSDIM1M_GY	1841	10
100W Dimmer for LED, 1M	UNSLEDDIM1M_WE	4359	1	UNSLEDDIM1M_GY	5022	10
Emergency Light Indicator						
Emergency Light Module*	UNSEMERGENCY2M_WE	9161	1	-	-	-
Network, Connectivity & Media Series						
RJ 11 (WITH Shutter)	UNSRJ11_1M_WE	279	20	UNSRJ11_1M_GY	329	20
RJ 45 (WITH Shutter), Cat 6	UNSRJ45_1M_WE	1020	20	UNSRJ45_1M_GY	1181	20
TV Socket Coaxial	UNSTVCOAX1M_WE	289	20	UNSTVCOAX1M_GY	344	20
Volume Control	UNSVOLCTRL2M_WE	2169	10	UNSVOLCTRL2M_GY	2539	10
HDMI	UNSHDMI_WE	1783	20	UNSHDMI_GY	2085	20
TV Socket Digital (F-Connector)	UNSCPTVDIG1M_WE	306	1	UNSCPTVDIG1M_GY	375	10
Hotel Series*						
Skirt Light with LED, 2M	UNSSKTLT2M_WE	1192	10	UNSSKTLT2M_GY	1395	10
Buzzer	UNSBUZZER1M_WE	1837	10	UNSBUZZER1M_GY	2013	10
Cord Outlet	UNSCORD1M_WE	353	20	UNSCORD1M_GY	393	20
Door Chime	UNSCHIME2M_WE	481	10	-	-	-
DND / MMR Indicator*	UNSDM1M	1349	20	-	-	-
DND/MMR Indicator v.2	UNSDM1M_WE	1488	-	UNSDM1M_GY	1700	-
DND Switch	UNSDNDSW1M_WE	537	10	UNSDNDSW1M_GY	655	10
MMR Switch	UNSMMSW1M_WE	537	10	UNSMMSW1M_GY	655	10
Electronic Keycard Switch, White	UNSEKCSW_WE	6871	5	UNSEKCSW_GY	7943	5
Electronic Keycard Switch, Sandy Beige	UNSEKCSW_CL	7007	5	UNSEKCSW_CD	6913	5
Curtain Control Switch	UNSCURTAINSW2M_WE	829	10	UNSCURTAINSW2M_GY	996	10
Shaver Socket	UNSSHAYER_WE	7124	1	UNSSHAYER_GY	7769	1
PIR Motion Sensor*	UNSPIR_WE	9084	4	-	-	-
4 Sockets + 1 Switch Prewired, 9M	UNS4SK1SW9M_WE	2657	1	-	-	-
1 Socket + 1 Switch Prewired, 3M, Polar White	UNS1SK1SW3M_WE	1679	1	-	-	-
LED Phase Indicator						
LED Phase Indicator, Red	UNSPHASER1M	448	20	-	-	-
LED Phase Indicator, Green	UNSPHASEG1M	448	20	-	-	-
LED Phase Indicator, Yellow	UNSPHASEY1M	448	20	-	-	-

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

Unica Pure - Irresistibly Beautiful



UNPCP3M_GW



UNPCP6M_GW



UNPCP3M_GB



UNPCP6M_GB

Description	Reference for Aqua Glass	Unit MRP [₹]	Pack	Reference for Pearl Black Glass	Unit MRP [₹]	Pack
Cover Plates						
1 Module Glass Surround and Gridplate	UNPCP1M_GW	1400	6	UNPCP1M_GB	1628	6
2 Module Glass Surround and Gridplate	UNPCP2M_GW	1555	6	UNPCP2M_GB	1810	6
3 Module Glass Surround and Gridplate	UNPCP3M_GW	1766	6	UNPCP3M_GB	1990	6
4 Module Glass Surround and Gridplate	UNPCP4M_GW	1866	6	UNPCP4M_GB	2170	6
6 Module Glass Surround and Gridplate	UNPCP6M_GW	3268	3	UNPCP6M_GB	3800	3
8 Module Glass Surround and Gridplate, Linear	UNPCP8ML_GW	3682	3	UNPCP8ML_GB	4281	3
8 Module Glass Surround and Gridplate, Square	UNPCP8MSQ_GW	4668	3	UNPCP8MSQ_GB	5428	6
12 Module Glass Surround and Gridplate	UNPCP12M_GW	5758	6	UNPCP12M_GB	6693	6



UNPCP3M_ML



UNPCP6M_ML



UNPCP3M_MD



UNPCP6M_MD

Description	Reference for Pewter Grey Metal	Unit MRP [₹]	Pack	Reference for Rhodium Black Metal	Unit MRP [₹]	Pack
Cover Plates						
1 Module Metal Surround and Gridplate	UNPCP1M_ML	2363	6	UNPCP1M_MD	2363	6
2 Module Metal Surround and Gridplate	UNPCP2M_ML	2605	6	UNPCP2M_MD	2605	6
3 Module Metal Surround and Gridplate	UNPCP3M_ML	2978	6	UNPCP3M_MD	2978	6
4 Module Metal Surround and Gridplate	UNPCP4M_ML	3150	6	UNPCP4M_MD	3150	6
6 Module Metal Surround and Gridplate	UNPCP6M_ML	5484	3	UNPCP6M_MD	5484	3
8 Module Metal Surround and Gridplate, Linear	UNPCP8ML_ML	6150	3	UNPCP8ML_MD	6150	3
8 Module Metal Surround and Gridplate, Square	UNPCP8MSQ_ML	7815	3	UNPCP8MSQ_MD	7815	3
12 Module Metal Surround and Gridplate	UNPCP12M_ML	9662	6	UNPCP12M_MD	9662	6

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

Unica Pure - Irresistibly Beautiful



UNPCP3M_WD



UNPCP6M_WD

Description	Reference for Oak Wood	Unit MRP [₹]	Pack
Real Material Cover Plates			
1 Module Wood Surround and Gridplate	UNPCP1M_WD	2390	6
2 Module Wood Surround and Gridplate	UNPCP2M_WD	2530	6
3 Module Wood Surround and Gridplate	UNPCP3M_WD	3129	6
4 Module Wood Surround and Gridplate	UNPCP4M_WD	3619	6
6 Module Wood Surround and Gridplate	UNPCP6M_WD	5148	3
8 Module Wood Surround and Gridplate, Linear	UNPCP8ML_WD	6199	3
8 Module Wood Surround and Gridplate, Square	UNPCP8MSQ_WD	7424	6
12 Module Wood Surround and Gridplate	UNPCP12M_WD	9855	6



UNSCP3M_CL




UNSCP6M_CL



UNSCP3M_CD



UNSCP6M_CD



UNSCP3M_WE



UNSCP6M_WE



UNSCP3M_GY



UNSCP6M_GY

Description	Reference for Painted Sandy Biege	Unit MRP [₹]	Pack	Reference for Painted Mocha Brown	Unit MRP [₹]	Pack	Reference for Molded Polar White	Unit MRP [₹]	Pack	Reference for Molded Volcanic Grey	Unit MRP [₹]	Pack
Cover Plates												
1 Module Plastic Surround and Gridplate	UNSCP1M_CL	413	20	UNSCP1M_CD	413	20	UNSCP1M_WE	227	20	UNSCP1M_GY	322	20
2 Module Plastic Surround and Gridplate	UNSCP2M_CL	460	20	UNSCP2M_CD	460	20	UNSCP2M_WE	252	20	UNSCP2M_GY	360	20
3 Module Plastic Surround and Gridplate	UNSCP3M_CL	525	10	UNSCP3M_CD	527	10	UNSCP3M_WE	289	10	UNSCP3M_GY	410	10
4 Module Plastic Surround and Gridplate	UNSCP4M_CL	551	14	UNSCP4M_CD	551	14	UNSCP4M_WE	304	14	UNSCP4M_GY	438	14
6 Module Plastic Surround and Gridplate	UNSCP6M_CL	963	5	UNSCP6M_CD	966	5	UNSCP6M_WE	530	5	UNSCP6M_GY	756	5
8 Module Plastic Surround and Gridplate, Linear	UNSCP8ML_CL	1089	5	UNSCP8ML_CD	1089	5	UNSCP8ML_WE	597	5	UNSCP8ML_GY	845	5
8 Module Plastic Surround and Gridplate, Square	UNSCP8MSQ_CL	1379	10	UNSCP8MSQ_CD	1379	10	UNSCP8MSQ_WE	723	10	UNSCP8MSQ_GY	1077	10
12 Module Plastic Surround and Gridplate	UNSCP12M_CL	1723	5	UNSCP12M_CD	1726	5	UNSCP9M_WE	919	5	UNSCP9M_GY	1436	5
16 Module Plastic Surround and Gridplate	UNSCP16M_CL	2336	5	UNSCP16M_CD	2336	5	UNSCP12M_WE	1019	5	UNSCP12M_GY	1793	5
18 Module Plastic Surround and Gridplate	UNSCP18M_CL	2503	1	UNSCP18M_CD	2503	1	UNSCP16M_WE	1255	5	UNSCP16M_GY	2165	5
							UNSCP18M_WE	1277	1	UNSCP18M_GY	2269	5

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

ZENcelo India - The Revolutionary Full-Flat Switch



- **World's First and only Full-Flat Mechanical Switch**
- **Patented Iso-Motion Technology** - Ensures switch stays in the same position whether On or Off
- **Robust & Strong** - Made of corrosion-resistant, heat-resistant and impact-resistant polycarbonate
- **Safe to Use** - Electric arc encapsulated switches and Data Sockets with patented integrated shutter
- **Designed to Last** - Switches tested to 80,000 times; Sockets tested to 15,000 cycles.
- **Green & Eco Friendly** - RoHS compliant range
- **Dust Proof Cover**



Description	Reference for White	Unit MRP [₹]	Pack	Reference for Dark Grey	Unit MRP [₹]	Pack
Switches						
6AX 1 Way switch	IN8401	373	10	IN8401(BZ)	468	10
6AX 1 Way switch (2M)	IN8421	594	10	IN8421(BZ)	715	10
6AX 2 Way switch	IN8402	468	10	IN8402(BZ)	561	10
6AX 1 Way switch with Neon	IN8481	582	10	IN8481(BZ)	697	10
16AX~20A 1 Way switch	IN8401/16	564	10	IN8401/16(BZ)	687	10
16AX~20A 1 Way switch (2M)	IN8421/16	792	10	IN8421/16(BZ)	935	10
16AX~20A 1 Way switch with Neon	IN8481/16	794	10	IN8481/16(BZ)	942	10
16AX~20A 1 Way switch with Neon (2M)	IN8482/16	935	10	IN8482/16(BZ)	1102	10
16AX~20A 2 Way switch	IN8402/16	787	10	IN8402/16(BZ)	929	10
16AX~20A 2 Way switch (2M)	IN8422/16	942	10	IN8422/16(BZ)	1106	10
16AX~20A 1 Way 2G switch (1M)	IN8444/16	914	10	IN8444/16(BZ)	1102	10
10AX Intermediate switch	IN8430/IM	1319	10	IN8430/IM(BZ)	1491	1
20A DP Switch with Neon (2M)	IN8486/20	1225	5	IN8486/20(BZ)	1446	5
32A DP Switch with Neon (2M)	IN8486/32	1923	5	IN8486/32(BZ)	2289	5
Motor Starter Switch						
25A Motor Starter switch (2M)	IN8425MS	3118	10	IN8425MS(BZ)	3318	10
Bell Push						
6A Bell Push switch	IN8405	530	10	IN8405(BZ)	640	10
6A Bell Push switch (2M)	IN8425	774	10	IN8425(BZ)	916	10
6A Bell Push switch with Neon	IN8485	689	10	IN8485(BZ)	813	10
6A Bell Push switch with Neon (2M)	IN8486	856	10	IN8486(BZ)	1008	10
6A Momentary Switch, WH	IN8487	689	10	IN8487_BZ	813	-
Sockets						
2~3 Pin Universal Socket with Shutter	IN8426U	610	10	IN8426U(BZ)	739	10
6A 3PIN Socket Outlet with Shutter (BIS)	IN8426UNS	610	10	IN8426UNS_BZ	739	10
6A/16A 3 Pin Socket with Shutter	IN8426/16	909	10	IN8426/16(BZ)	1112	10
13A Flat Pin Socket with Shutter	IN84213	1244	10	IN84213(BZ)	1472	10
International Socket with Shutter	IN84213IS	1074	10	IN84213IS(BZ)	1342	10
Universal 2 Pin Socket with Shutter	IN84226U	640	10	IN84226U(BZ)	752	10
20A 3 Pin Socket with Shutter	IN84220	1160	10	IN84220(BZ)	1364	10
25A 3 Pin Socket with Shutter	IN84225	1240	10	IN84225(BZ)	1460	10
Fan Regulators & Dimmers						
Fan Control (5 Speeds)	IN84SFR	2160	5	IN84SFR(BZ)	2592	5
Full Flat 400W Dimmer Module (1 Gang)	IN8404D	1944	10	IN8404D(BZ)	2303	10
USB Chargers						
1 Gang USB Charger - 2.1A (1M)	IN8431USB_WE	3504	10	IN8431USB_BZ	4019	10
2 Gang USB Charger - 2.1A (2M)	IN8432USB_WE	5124	1	IN8432USB_BZ	5896	10
Accessories						
RJ11 Telephone Outlet with shutter (1 Gang)	IN8431RJS4	584	10	IN8431RJS4(BZ)	713	10
RJ45 Cat6 Data Outlet with shutter	IN8431RJ6	2031	10	IN8431RJ6(BZ)	2482	10
Data Outlet Wall Plate (for RJ45 key stone jack)	IN8431RJC	577	10	IN8431RJC(BZ)	679	10
TV Socket	IN8431TV	442	10	IN8431TV(BZ)	534	10
Cord Outlet	IN8445CO	508	10	IN8445CO(BZ)	617	10
Foot Lamp with White LED (2M)	IN8490FLW	4083	10	-	-	-
Foot Lamp with Yellow LED (2M)	IN8490FLY	3981	10	-	-	-
Blank off unit (1M)	IN8430X	136	10	IN8430X(BZ)	168	10
Hotel Series						
Do Not Disturb Panel	INH8451	2823	10	INH8451(BZ)	3344	10
Make My Room Panel	INH8454	2566	10	INH8454(BZ)	3029	10
Do Not Disturb Switch	INH8452	1402	10	INH8452(BZ)	1651	10
Do Not Disturb Switch (2M)	INH8453	1428	10	INH8453(BZ)	1686	10
Make My Room Switch	INH8455	1369	10	INH8455(BZ)	1615	10

Please contact Customer Care Center for Stockable and Non stockable status of references.


NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

ZENcelo India - The Revolutionary Full-Flat Switch



IN8403C



IN8406C



IN8402C(BZ)



IN8404C(SZ)



IN84012C(SA)

Description	Reference for White	Unit MRP [₹]	Pack	Reference for Dark Grey	Unit MRP [₹]	Pack	Reference for Silver Bronze	Unit MRP [₹]	Pack	Reference for Satin Silver	Unit MRP [₹]	Pack
Cover Plates												
1M Grid & 1M Cover Frame	IN8401C	350	10	IN8401C(BZ)	415	10	IN8401C(SZ)	964	10	IN8401C(SA)	964	10
2M Grid & 2M Cover Frame	IN8402C	364	10	IN8402C(BZ)	434	10	IN8402C(SZ)	954	10	IN8402C(SA)	954	10
3M Grid & 3M Cover Frame	IN8403C	429	10	IN8403C(BZ)	512	10	IN8403C(SZ)	1172	10	IN8403C(SA)	1172	10
4M Grid & 4M Cover Frame	IN8404C	467	10	IN8404C(BZ)	602	10	IN8404C(SZ)	1409	10	IN8404C(SA)	1409	10
6M Grid & 6M Cover Frame	IN8406C	712	5	IN8406C(BZ)	847	5	IN8406C(SZ)	1934	5	IN8406C(SA)	1934	5
8M Grid & 8M Cover Frame - Horizontal	IN8408HC	847	5	IN8408HC(BZ)	1012	5	IN8408HC(SZ)	2614	5	IN8408HC(SA)	2614	5
8M Grid & 8M Cover Frame - Square	IN8408SC	1119	5	IN8408SC(BZ)	1409	5	IN8408SC(SZ)	3174	5	IN8408SC(SA)	3174	5
9M Grid & 9M Cover Frame	IN8409C	1390	5	IN8409C(BZ)	1738	5	IN8409C(SZ)	4189	5	IN8409C(SA)	4189	5
12M Grid & 12M Cover Frame	IN84012C	1839	5	IN84012C(BZ)	2263	5	IN84012C(SZ)	5847	5	IN84012C(SA)	5847	5
18M Grid & 18M Cover Frame	IN84018C	2594	5	IN84018C(BZ)	3052	5	IN84018C(SZ)	7740	5	IN84018C(SA)	7740	5

Blister Pack - Dust proof cover

All Zencelo India cover plates comes with free blister pack to prevent from dust during installation



Description	Reference	Unit MRP [₹]	Pack
Additional Blister Pack - Reusable Dust Proof Cover for Zencelo INDIA			
2M RE-USABLE BLISTER DUST / PAINT COVER	IN8402DC	38	15
3M RE-USABLE BLISTER DUST / PAINT COVER	IN8403DC	46	8
4M RE-USABLE BLISTER DUST / PAINT COVER	IN8404DC	52	11
6M RE-USABLE BLISTER DUST / PAINT COVER	IN8406DC	69	5
8ML RE-USABLE BLISTER DUST / PAINT COVER	IN8408HDC	75	5
8MSQ RE-USABLE BLISTER DUST/PAINT COVER	IN8408SDC	78	6
9M RE-USABLE BLISTER DUST / PAINT COVER	IN8409DC	73	4
12M RE-USABLE BLISTER DUST / PAINT COVER	IN84012DC	100	5
18M RE-USABLE BLISTER DUST / PAINT COVER	IN84018DC	160	5

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

ZENcelo BS - The Revolutionary Full-Flat Switch



- **British Standard** - Consistent Plate Size across functions
- World's First and only **Full-Flat Mechanical Switch**
- **Patented Iso-Motion Technology** - Ensures switch stays in the same position whether On or Off
- **Robust & Strong** - Made of corrosion-resistant, heat-resistant and impact-resistant polycarbonate
- **Designed to Last** - Switches tested to 80,000 times; Sockets tested to 15,000 cycles.
- **Green & Eco Friendly** - RoHS compliant range



E8432/1>SZ-OS



E8433/1-OS



E8415_10_WE



E8431D20-OS



E431RJS4-OS

Description	Reference for White	Unit MRP [₹]	Pack	Reference For Silver Brozne	Unit MRP [₹]	Pack
Switches						
16AX/20A 1 Gang 1 Way switch with Ondicator	E8431/1-OS	607	1	E8431/1>SZ-OS	755	1
16AX/20A 2 Gang 1 Way switch with Ondicator	E8432/1-OS	940	1	E8432/1>SZ-OS	1175	1
16AX/20A 3 Gang 1 Way switch with Ondicator	E8433/1-OS	1536	1	E8433/1>SZ-OS	1919	1
16AX/20A 4 Gang 1 Way switch with Ondicator	E8434/1-OS	2215	1	E8434/1>SZ-OS	2768	1
16AX/20A 1 Gang 2 Way switch	E8431/2-OS	650	1	E8431/2>SZ-OS	809	1
16AX/20A 2 Gang 2 Way switch	E8432/2-OS	1140	1	E8432/2>SZ-OS	1422	1
16AX/20A 3 Gang 2 Way switch	E8433/2-OS	1654	1	E8433/2>SZ-OS	2080	1
16AX 1 Gang Intermediate Switch	E8431/I-OS	1804	1	E8431/I>SZ-OS	2255	1
Double Pole Switches						
20A 1 Gang Double Pole switch with Neon	E8431D20-OS	1724	1	E8431D20>SZ-OS	2255	1
32A 1 Gang Double Pole switch with Neon	E8431D32-OS	2288	1	E8431D32>SZ-OS	3011	1
Bell Push						
10A Full-Flat Bell Switch	E8431BP1-OS	661	1	E8431BP1>SZ-OS	815	1
Sockets						
5A 1 Gang 3 Round Pin Switched Socket with Shutter and Ondicator	E8415/5-OS	1199	1	E8415/5>SZ-OS	1494	1
5A 1 Gang 3 Round Pin Switched Socket with Neon and Shutter	E8415/5N-OS	1684	1	E8415/5N>SZ-OS	2113	1
15A 1 Gang 3 Round Pin Switched Socket with Shutter and Ondicator	E8415/15-OS	1416	1	E8415/15>SZ-OS	1770	1
15A 1 Gang 3 Round Pin Switched Socket with Shutter and Neon	E8415/15N-OS	2080	1	E8415/15N>SZ-OS	2574	1
16A 1 Gang International Socket with Shutter	E84426/16IS-OS	1506	1	E84426/16IS>SZ-OS	1878	1
13A 1 Gang Switched Socket with Ondicator	E8415-OS	1770	1	E8415>SZ-OS	2215	1
13A 1 Gang Switched Socket with Neon	E8415N-OS	1494	1	E8415N>SZ-OS	1862	1
10/16A Switched Socket Outlet - Shuttered	E8415_16_10_WE	1578	1	E8415_16_10_SZ	1846	1
10A 2-3 pin Switched Socket Outlet - Shuttered	E8415_10_WE	1254	1	E8415_10_SZ	1565	1
Fan Regulators & Dimmers						
350VA 50Hz 1 Gang Full-Flat Universal Dimmer with LED	E8431EPD4-OS	3917	1	E8431EPD4>SZ-OS	4889	1
Accessories						
1 Gang TV Socket Master	E8431TVM-OS	760	1	E8431TVM>SZ-OS	946	1
1 Gang Telephone Socket on Shuttered Wallplate	E8431RJS4-OS	967	1	E8431RJS4>SZ-OS	1211	1
2 Gang Telephone Socket on Shuttered Wallplate	E8432RJS4-OS	2255	1	E8432RJS4>SZ-OS	2801	1
1 Gang Data Outlet Category 5E with Integrated Shutter	E8431RJ/5-OS	1506	8	E8431RJ/5>SZ-OS	1878	1
1 Gang Data Outlet Category 6 with Integrated Shutter	E8431RJ/6-OS	1804	1	E8431RJ/6>SZ-OS	2255	1
1 Gang Data Outlet Category 5E on Shuttered Wallplate	E8431RJS/5-OS	1878	1	E8431RJS/5>SZ-OS	2357	1
1 Gang Data Outlet Category 6 on Shuttered Wallplate	E8431RJS/6-OS	2255	1	E8431RJS/6>SZ-OS	2810	1
2 Gang Data Outlet Category 5E with Integrated Shutter	E8432RJ/5-OS	2634	1	E8432RJ/5>SZ-OS	3278	1
2 Gang Data Outlet Category 6 with Integrated Shutter	E8432RJ/6-OS	3380	1	E8432RJ/6>SZ-OS	4200	1
2 Gang Data Outlet Category 5E on Shuttered Wallplate	E8432RJS/5-OS	2634	1	E8432RJS/5>SZ-OS	3278	1
2 Gang Data Outlet Category 6 on Shuttered Wallplate	E8432RJS/6-OS	3380	1	E8432RJS/6>SZ-OS	4200	1
2 Gang Telephone + Data Outlet Category 5E with Integrated Shutter	E8432TDRJ/5-OS	2255	1	E8432TDRJ/5>SZ-OS	2810	1
2 Gang Telephone + Data Outlet Category 5E on Shuttered Wallplate	E8432TDRJS/5-OS	2801	1	E8432TDRJS/5>SZ-OS	3497	1
2 Gang Telephone + Data Outlet Category 6 on Shuttered Wallplate	E8432TDRJS/6-OS	3188	1	E8432TDRJS/6>SZ-OS	3976	1
TV + Cat 6 shutter outlet	E8432TVRJ6_WE_G1	2801	1	E8432TVRJ6_SZ_G1	3061	1
25A Connection Unit	E8431TB-OS	1506	1	E8431TB>SZ-OS	1878	1
Blank off unit (1M)	E8430X-OS	403	1	E8430X>SZ-OS	504	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

ZENcelo BS - The Revolutionary Full-Flat Switch



E8431USB_WE



E8431USB_SZ



E8431USB_SA

Description	Reference For White	Unit MRP [₹]	Pack	Reference For Silver Bronze	Unit MRP [₹]	Pack	Reference For Satin Silver	Unit MRP [₹]	Pack
USB Chargers									
1 Gang 2.1A USB Charger	E8431USB_WE	4928	1	E8431USB_SZ	5497	1	E8431USB_SA	6047	1
1 Gang 2.1A USB Charger(ISI)	E8431USB_WE_G8	5678	10	E8431USB_SZ_G8	6335	10	E8431USB_SA_G8	6335	10



E8431EKT-OS



E8432DMS>SZ-OS



E84T727H-OS



E84T727V>SZ-OS

Description	Reference for White	Unit MRP [₹]	Pack	Reference For Silver Bronze	Unit MRP [₹]	Pack
Hotel Series						
Illuminated "Do Not Disturb" & "Please Clean Up" Symbols	E8432DM-OS	4972		E8432DM>SZ-OS	6214	1
Illuminated "Do not Disturb" Symbol	E8431D-OS	1450		E8431D>SZ-OS	1804	1
1 Gang Full-Flat Switch with Illuminated "Do not Disturb" Symbol	E8431DS-OS	781		E8431DS>SZ-OS	973	1
2 Gang Full-Flat Switch with Illuminated "Do not Disturb" & "Please Clean Up" Symbols	E8432DMS-OS	5476		E8432DMS>SZ-OS	6835	1
1 Gang Full-Flat Bell Switch with Illuminated "Do Not Disturb" Symbol	E8431BPD-OS	4168		E8431BPD>SZ-OS	5057	1
1 Gang Full-Flat Bell Switch with Illuminated "Do Not Disturb" &		-		-	-	-
"Please Clean Up" Symbols	E8431BPDM-OS	5317		E8431BPDM>SZ-OS	6634	1
16A Electronic Key Card Time Delay Switch	E8431EKT-OS	10625		E8431EKT>SZ-OS	13283	1
Universal Shaver Unit, Vertical	E84T727V-OS	6011		E84T727V>SZ-OS	7488	1
Universal Shaver Unit, Horizontal	E84T727H-OS	6011		E84T727H>SZ-OS	7488	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

AvatarOn - It's also a Switch



White (WE)



Wine Gold (WG)



Dark Grey (DG)



Dark Wood (WD)



Gold Hairline (GH)



Light Wood (LW)



Award-winning Designs: In 2017, AvatarOn gained international recognition for its innovative design and quality excellence and was awarded the iF Design Award

Ingenious Beauty

- The ground-breaking AvatarOn series is a true marriage of aesthetics and practicality, making it a perfect choice for all home or office designs.

Safe and Reliable

- Our patented "Slim Rocker, Sure Click" SS technology not only gives AvatarOn a greater thinness overall, but also a near-zero contact jitter that reduces sparks, thus ensuring a safe and reliable use.

Customisable Covers for True Adaptability

- AvatarOn switches are available in an array of replaceable covers for full customisation and integration into any home decor. The customised pattern covers of AvatarOn provides you with an extra canvas to showcase your creativity in a subtle yet apparent way.

Modern Look

- The stylish and streamlined design of AvatarOn switch covers are finished in white, soft wood, dark wood and gold hairline materials for a classic look and universal elegance.

Tech-chic Design that Shines

- The AvatarOn soft LED locators merges seamlessly with its sleek giant dolly, creating a stylish and streamlined design and glow with a soft luminescent in the dark, indicating the exact location of each switch at night.

Multifunctional Accessories for Every Day Conveniences

Product Description	Color	Product Ref. No.	Unit MRP [₹]	Pack
16A Switches (Base + Cover Plate)				
16AX 250V 1 Gang 1 Way Switch	White	E8331L1_WE_G8	529	1
	Wine Gold	E8331L1_WG_G8	794	10
	Dark Grey	E8331L1_DG_G8	794	1
	Metal Gold Hairline	E8331L1_GH_G8	794	10
	Light Wood	E8331L1_LW_G8	794	10
	Dark Wood	E8331L1_WD_G8	794	10
16AX 250V 1 Gang 1 Way Switch with LED Indicator	White	E8331L1LED_WE_G8	794	1
	Wine Gold	E8331L1LED_WG_G8	1188	10
	Dark Grey	E8331L1LED_DG_G8	1188	1
	Metal Gold Hairline	E8331L1LED_GH_G8	1188	10
	Light Wood	E8331L1LED_LW_G8	1188	10
	Dark Wood	E8331L1LED_WD_G8	1188	10
16AX 250V 1 Gang 2 Way Switch	White	E8331L2_WE_G8	565	1
	Wine Gold	E8331L2_WG_G8	848	10
	Dark Grey	E8331L2_DG_G8	848	1
	Metal Gold Hairline	E8331L2_GH_G8	848	10
	Light Wood	E8331L2_LW_G8	848	10
	Dark Wood	E8331L2_WD_G8	848	10
16AX 250V 1 Gang 2 Way Switch with LED Indicator	White	E8331L2LED_WE_G8	848	10
	Wine Gold	E8331L2LED_WG_G8	1272	10
	Dark Grey	E8331L2LED_DG_G8	1272	1
	Metal Gold Hairline	E8331L2LED_GH_G8	1272	10
	Light Wood	E8331L2LED_LW_G8	1272	10
	Dark Wood	E8331L2LED_WD_G8	1272	10
16AX 250V 2 Gang 1 Way Switch	White	E8332L1_WE_G8	816	1
	Wine Gold	E8332L1_WG_G8	1226	10
	Dark Grey	E8332L1_DG_G8	1226	1
	Metal Gold Hairline	E8332L1_GH_G8	1226	10
	Light Wood	E8332L1_LW_G8	1226	10
	Dark Wood	E8332L1_WD_G8	1226	10
16AX 250V 2 Gang 1 Way Switch with LED Indicator	White	E8332L1LED_WE_G8	1226	1
	Wine Gold	E8332L1LED_WG_G8	1839	10
	Dark Grey	E8332L1LED_DG_G8	1839	1
	Metal Gold Hairline	E8332L1LED_GH_G8	1839	10
	Light Wood	E8332L1LED_LW_G8	1839	10
	Dark Wood	E8332L1LED_WD_G8	1839	10
16AX 250V 2 Gang 2 Way Switch	White	E8332L2_WE_G8	993	1
	Wine Gold	E8332L2_WG_G8	1490	10
	Dark Grey	E8332L2_DG_G8	1490	1
	Metal Gold Hairline	E8332L2_GH_G8	1490	10
	Light Wood	E8332L2_LW_G8	1490	10
	Dark Wood	E8332L2_WD_G8	1490	10



E8331L1_WE_G8



E8331L1_LW_G8



E8331L1LED_WE_G8



E8331L1LED_WD_G8



E8331L2_WE_G8



E8331L2_WD_G8



E8332L1_WE_G8



E8332L1_WD_G8



E8332L2_WE_G8



E8332L2_WD_G8

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

AvatarOn - It's also a Switch

		Product Description	Color	Product Ref. No.	Unit MRP ₹	Pack
16A Switches (Base + Cover Plate)						
 E8332L2LED_WE_G8	 E8332L2LED_WD_G8	16AX 250V 2 Gang 2 Way Switch with LED Indicator	White	E8332L2LED_WE_G8	1490	10
			Wine Gold	E8332L2LED_WG_G8	2237	10
			Dark Grey	E8332L2LED_DG_G8	2237	1
			Metal Gold Hairline	E8332L2LED_GH_G8	2237	10
			Light Wood	E8332L2LED_LW_G8	2134	10
			Dark Wood	E8332L2LED_WD_G8	2237	10
 E8333L1LED_WE_G8	 E8333L1LED_WD_G8	16AX 250V 3 gang 1 Way Switch	White	E8333L1_WE_G8	1340	1
			Wine Gold	E8333L1_WG_G8	2010	10
			Dark Grey	E8333L1_DG_G8	2010	1
			Metal Gold Hairline	E8333L1_GH_G8	2010	10
			Light Wood	E8333L1_LW_G8	2010	10
			Dark Wood	E8333L1_WD_G8	2010	10
 E8333L2_WE_G8	 E8333L2_WD_G8	16AX 250V 3 gang 1 Way Switch with LED Indicator	White	E8333L1LED_WE_G8	2010	10
			Wine Gold	E8333L1LED_WG_G8	3014	10
			Dark Grey	E8333L1LED_DG_G8	3014	1
			Metal Gold Hairline	E8333L1LED_GH_G8	3014	10
			Light Wood	E8333L1LED_LW_G8	3014	10
			Dark Wood	E8333L1LED_WD_G8	3014	10
 E8333L2LED_WE_G8	 E8333L2LED_WD_G8	16AX 250V 3 gang 2 Way Switch	White	E8333L2_WE_G8	1442	1
			Wine Gold	E8333L2_WG_G8	2165	10
			Dark Grey	E8333L2_DG_G8	2165	1
			Metal Gold Hairline	E8333L2_GH_G8	2165	10
			Light Wood	E8333L2_LW_G8	2165	10
			Dark Wood	E8333L2_WD_G8	2165	10
 E8333L2LED_WE_G8	 E8333L2LED_WD_G8	16AX 250V 3 gang 2 Way Switch with LED Indicator	White	E8333L2LED_WE_G8	2165	10
			Wine Gold	E8333L2LED_WG_G8	3246	10
			Dark Grey	E8333L2LED_DG_G8	3246	1
			Metal Gold Hairline	E8333L2LED_GH_G8	3246	10
			Light Wood	E8333L2LED_LW_G8	3098	10
			Dark Wood	E8333L2LED_WD_G8	3246	10
 E8334L1_WE_G8	 E8334L1_WD_G8	16AX 250V 4 Gang 1 Way Switch	White	E8334L1_WE_G8	1928	1
			Wine Gold	E8334L1_WG_G8	2892	10
			Dark Grey	E8334L1_DG_G8	2892	1
			Metal Gold Hairline	E8334L1_GH_G8	2892	10
			Light Wood	E8334L1_LW_G8	2892	10
			Dark Wood	E8334L1_WD_G8	2892	10
 E8334L1LED_WE_G8	 E8334L1LED_WD_G8	16AX 250V 4 Gang 1 Way Switch with LED Indicator	White	E8334L1LED_WE_G8	2892	10
			Wine Gold	E8334L1LED_WG_G8	4337	10
			Dark Grey	E8334L1LED_DG_G8	4337	1
			Metal Gold Hairline	E8334L1LED_GH_G8	4337	10
			Light Wood	E8334L1LED_LW_G8	4337	10
			Dark Wood	E8334L1LED_WD_G8	4337	10
 E8334L2_WE_G8	 E8334L2_WD_G8	16AX 250V 4 Gang 2 Way Switch	White	E8334L2_WE_G8	2217	1
			Wine Gold	E8334L2_WG_G8	3325	10
			Dark Grey	E8334L2_DG_G8	3325	1
			Metal Gold Hairline	E8334L2_GH_G8	3325	10
			Light Wood	E8334L2_LW_G8	3325	10
			Dark Wood	E8334L2_WD_G8	3325	10
 E8334L2LED_WE_G8	 E8334L2LED_WD_G8	16AX 250V 4 Gang 2 Way Switch with LED Indicator	White	E8334L2LED_WE_G8	3325	10
			Wine Gold	E8334L2LED_WG_G8	4988	10
			Dark Grey	E8334L2LED_DG_G8	4988	1
			Metal Gold Hairline	E8334L2LED_GH_G8	4988	10
			Light Wood	E8334L2LED_LW_G8	4988	10
			Dark Wood	E8334L2LED_WD_G8	4988	10

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

AvatarOn - It's also a Switch

















































		Product Description	Color	Product Ref. No.	Unit MRP ₹	Pack
16A Intermediate Switches						
 E8331M_WE_G8	 E8331M_WD_G8	16AX 250V 1 Gang Intermediate Switch	White	E8331M_WE_G8	1569	1
			Wine Gold	E8331M_WG_G8	2352	1
			Dark Grey	E8331M_DG_G8	2352	1
			Metal Gold Hairline	E8331M_GH_G8	2245	1
			Light Wood	E8331M_LW_G8	2245	1
			Dark Wood	E8331M_WD_G8	2245	1
10A Momentary Switches						
 E8331PRL1_WE_G8	 E8331PRL1_WD_G8	10A 250V 1 Gang Momentary Switch	White	E8331PRL1_WE_G8	576	10
			Wine Gold	E8331PRL1_WG_G8	862	10
			Dark Grey	E8331PRL1_DG_G8	862	1
			Metal Gold Hairline	E8331PRL1_GH_G8	862	10
			Light Wood	E8331PRL1_LW_G8	823	10
			Dark Wood	E8331PRL1_WD_G8	823	10
 E8332PRL1_WE_G8	 E8332PRL1_WD_G8	10A 250V 2 Gang Momentary Switch	White	E8332PRL1_WE_G8	690	10
			Wine Gold	E8332PRL1_WG_G8	1034	10
			Dark Grey	E8332PRL1_DG_G8	1034	1
			Metal Gold Hairline	E8332PRL1_GH_G8	1034	10
			Light Wood	E8332PRL1_LW_G8	1034	10
			Dark Wood	E8332PRL1_WD_G8	1034	10
Double Pole Switches						
 E8331D20N_WE_G8	 E8331D20N_WD_G8	20A 250V 1 Gang Double Pole Switch with LED Indicator	White	E8331D20N_WE_G8	1353	10
			Wine Gold	E8331D20N_WG_G8	2028	10
			Dark Grey	E8331D20N_DG_G8	2028	1
			Metal Gold Hairline	E8331D20N_GH_G8	2028	10
			Light Wood	E8331D20N_LW_G8	1937	10
			Dark Wood	E8331D20N_WD_G8	2028	10
 E8331D32N_WE_G8	 E8332D20N_WD_G8	20A 250V 2 Gang Double Pole Switch with LED Indicator	White	E8332D20N_WE_G8	1723	10
			Wine Gold	E8332D20N_WG_G8	2434	10
			Dark Grey	E8332D20N_DG_G8	2434	1
			Metal Gold Hairline	E8332D20N_GH_G8	2434	10
			Light Wood	E8332D20N_LW_G8	2434	10
			Dark Wood	E8332D20N_WD_G8	2434	10
 E8332D20N_WE_G8	 E8331D32N_WD_G8	32A 250V 1 Gang Double Pole Switch with LED Indicator	White	E8331D32N_WE_G8	1795	10
			Wine Gold	E8331D32N_WG_G8	2692	10
			Dark Grey	E8331D32N_DG_G8	2692	1
			Metal Gold Hairline	E8331D32N_GH_G8	2692	10
			Light Wood	E8331D32N_LW_G8	2692	10
			Dark Wood	E8331D32N_WD_G8	2692	10
 E8331D45N_WE_G8	 E8331D45N_WD_G8	45A 250V 1 Gang Double Pole Switch with LED Indicator	White	E8331D45N_WE_G8	2243	10
			Wine Gold	E8331D45N_WG_G8	3366	10
			Dark Grey	E8331D45N_DG_G8	3366	1
			Metal Gold Hairline	E8331D45N_GH_G8	3366	10
			Light Wood	E8331D45N_LW_G8	3366	10
			Dark Wood	E8331D45N_WD_G8	3212	10

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

AvatarOn - It's also a Switch

Product Description	Color	Product Ref. No.	Unit MRP [₹]	Pack	
Bell Push Switch					
 E8331BPL1_WE_G8  E8331BPL1_WD_G8  E83426TSI_WE  E83426TSI_WG  E8315_16_WE  E8315_16_WD  E8331FR350_WE_G8  E8331FR350_WD_G8	10A 250V Door Bell Push Switch	White	E8331BPL1_WE_G8	576	1
	Wine Gold	E8331BPL1_WG_G8	862	10	
	Dark Grey	E8331BPL1_DG_G8	862	1	
	Metal Gold Hairline	E8331BPL1_GH_G8	862	10	
	Light Wood	E8331BPL1_LW_G8	862	10	
	Dark Wood	E8331BPL1_WD_G8	862	10	
Sockets					
 E8315_16_WE  E8315_16_WG  E8315_16_DG  E8315_16_GH  E8315_16_LW  E8315_16_WD  E8331FR350_WE_G8  E8331FR350_WG_G8  E8331FR350_DG_G8  E8331FR350_GH_G8  E8331FR350_LW_G8  E8331FR350_WD_G8	10A International Socket for India	White	E83426TSI_WE	1541	1
	Wine Gold	E83426TSI_WG	2314	1	
	Dark Grey	E83426TSI_DG	2314	1	
	White	E8315_6_WE	1162	8	
	Wine Gold	E8315_6_WG	1477	8	
	Dark Grey	E8315_6_DG	1477	1	
	Metal Gold Hairline	E8315_6_GH	1477	8	
	Light Wood	E8315_6_LW	1477	8	
	Dark Wood	E8315_6_WD	1477	8	
	White	E8315_16_WE	1458	8	
	Wine Gold	E8315_16_WG	1854	8	
	Dark Grey	E8315_16_DG	1854	1	
Metal Gold Hairline	E8315_16_GH	1854	8		
Light Wood	E8315_16_LW	1854	8		
Dark Wood	E8315_16_WD	1854	8		
Fan Regulators					
 E8331_WE  E8331_WG  E8331KH_WE  E8331KH_WG  E8332_WE  E8332_WG  E8333_WE  E8333_WG  E8333KH_WE  E8333KH_WG  E8333KH_LW  E8333KH_WD	5 Steps 360 Deg Fan Regulator	White	E8331FR350_WE_G8	2769	1
	Wine Gold	E8331FR350_WG_G8	3649	1	
	Dark Grey	E8331FR350_DG_G8	3649	1	
	Metal Gold Hairline	E8331FR350_GH_G8	3649	1	
	Light Wood	E8331FR350_LW_G8	3649	1	
	Dark Wood	E8331FR350_WD_G8	3649	1	
Switch & Socket Covers (Additional)					
 E8331KH_WE  E8331KH_WG  E8332_WE  E8332_WG  E8333_WE  E8333_WG  E8333KH_WE  E8333KH_WG  E8333KH_DG  E8333KH_GH  E8333KH_LW  E8333KH_WD	1 Gang Switch Cover	White	E8331_WE	145	1
	Wine Gold	E8331_WG	363	1	
	Dark Grey	E8331_DG	363	1	
	Metal Gold Hairline	E8331_GH	363	1	
	Light Wood	E8331_LW	347	1	
	Dark Wood	E8331_WD	363	1	
 E8332_WE  E8332_WG  E8333_WE  E8333_WG  E8333KH_WE  E8333KH_WG  E8333KH_LW  E8333KH_WG  E8333KH_DG  E8333KH_GH E8333KH_LW E8333KH_WD	1 Gang Switch Cover with Keyholder	White	E8331KH_WE	271	1
	Wine Gold	E8331KH_WG	489	1	
	Dark Grey	E8331KH_DG	489	1	
	Metal Gold Hairline	E8331KH_GH	467	1	
	Light Wood	E8331KH_LW	467	1	
	Dark Wood	E8331KH_WD	489	1	
 E8332_WE  E8332_WG  E8333_WE  E8333_WG  E8333KH_WE  E8333KH_WG  E8333KH_LW  E8333KH_WG E8333KH_DG E8333KH_GH E8333KH_LW E8333KH_WD	2 Gang Switch Cover	White	E8332_WE	220	1
	Wine Gold	E8332_WG	495	1	
	Dark Grey	E8332_DG	495	1	
	Metal Gold Hairline	E8332_GH	495	1	
	Light Wood	E8332_LW	495	1	
	Dark Wood	E8332_WD	495	1	
 E8333_WE  E8333_WG  E8333KH_WE  E8333KH_WG  E8333KH_LW  E8333KH_WD E8333KH_LW E8333KH_WG E8333KH_DG E8333KH_GH E8333KH_LW E8333KH_WD	3 Gang Switch Cover	White	E8333_WE	340	1
	Wine Gold	E8333_WG	728	1	
	Dark Grey	E8333_DG	728	1	
	Metal Gold Hairline	E8333_GH	728	1	
	Light Wood	E8333_LW	728	1	
	Dark Wood	E8333_WD	728	1	
 E8333KH_WE  E8333KH_WG  E8333KH_DG  E8333KH_GH E8333KH_LW E8333KH_WD	3 Gang Switch Cover with Keyholder	White	E8333KH_WE	443	1
	Wine Gold	E8333KH_WG	853	1	
	Dark Grey	E8333KH_DG	853	1	
	Metal Gold Hairline	E8333KH_GH	815	1	
	Light Wood	E8333KH_LW	815	1	
	Dark Wood	E8333KH_WD	853	1	

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

AvatarOn - It's also a Switch



E8334_WE



E8334_WD



E8315C_6_WE



E8315C_6_WD



E8315C_16_WE



E8315C_16_WD



E8315USB_WE_G8



E8315USB_WD_G8



E8332USB_WE_G8




E8332USB_WD_G8




E8331_26_WE



E8332ACQUSB_WE



E8331_36_WE



E8331_46_WE



E8330TX_WE

Product Description	Color	Product Ref. No.	Unit MRP [₹]	Pack
4G Switch Cover	White	E8334_WE	479	1
	Wine Gold	E8334_WG	993	1
	Dark Grey	E8334_DG	993	1
	Metal Gold Hairline	E8334_GH	993	1
	Light Wood	E8334_LW	993	1
	Dark Wood	E8334_WD	993	1
6A 2/3 Pin Switched Socket Cover	White	E8315C_6_WE	409	12
	Wine Gold	E8315C_6_WG	693	12
	Dark Grey	E8315C_6_DG	693	1
	Metal Gold Hairline	E8315C_6_GH	693	12
	Light Wood	E8315C_6_LW	693	12
	Dark Wood	E8315C_6_WD	693	12
6/16A Switched Socket Cover	White	E8315C_16_WE	441	12
	Wine Gold	E8315C_16_WG	724	12
	Dark Grey	E8315C_16_DG	724	1
	Metal Gold Hairline	E8315C_16_GH	724	12
	Light Wood	E8315C_16_LW	691	12
	Dark Wood	E8315C_16_WD	724	12
USB Chargers				
"13A 250V Switched Socket with 2.1A USB Charger (Compatible with Type G Plugs)"	White	E8315USB_WE_G8	8340	10
	Wine Gold	E8315USB_WG_G8	12509	10
	Dark Grey	E8315USB_DG_G8	12509	1
	Metal Gold Hairline	E8315USB_GH_G8	12509	10
	Light Wood	E8315USB_LW_G8	12509	10
	Dark Wood	E8315USB_WD_G8	12509	10
2 Ports Max 2.1A USB Charger with Mobile Holder	White	E83311USB_WE_G8	5450	1
	Wine Gold	E83311USB_WG_G8	8175	1
	Dark Grey	E83311USB_DG_G8	8175	1
2 x 2.1A USB Charger with Mobile Holder (2.1A with 2 outputs used simultaneously)	White	E8332USB_WE_G8	6813	1
	Wine Gold	E8332USB_WG_G8	10220	1
	Dark Grey	E8332USB_DG_G8	10220	1
	Metal Gold Hairline	E8332USB_GH_G8	10220	1
	Light Wood	E8332USB_LW_G8	10220	1
	Dark Wood	E8332USB_WD_G8	10220	1
21W Type A+C, PD+QC3.0 USB Charger	Metal Gold Hairline	E8332ACQUSB_GH	6230	-
	Light Wood	E8332ACQUSB_LW	6230	-
	Dark Wood	E8332ACQUSB_WD	6230	-
	White	E8332ACQUSB_WE	5036	-
	Wine Gold	E8332ACQUSB_WG	6230	-
Bracket/Frame (to ensure alignment of switches on 2/3/4 Gang metal box)				
2 Gang Bracket/Frame	White	E8331_26_WE	241	1
	Wine Gold	E8331_26_WG	315	1
	Dark Grey	E8331_26_DG	315	1
3 Gang Bracket/Frame	White	E8331_36_WE	265	1
	Wine Gold	E8331_36_WG	371	1
4 Gang Bracket/Frame	Dark Grey	E8331_36_DG	371	1
	White	E8331_46_WE	283	1
	Wine Gold	E8331_46_WG	398	1
	Dark Grey	E8331_46_DG	398	1
Blank Plates				
1 Gang Blank Plate	White	E8330X_WE	349	1
	Wine Gold	E8330X_WG	524	1
	Dark Grey	E8330X_DG	524	1
	Metal Gold Hairline	E8330X_GH	524	1
	Light Wood	E8330X_LW	524	1
	Dark Wood	E8330X_WD	524	1
2 Gang Blank Plate	White	E8330TX_WE	487	10
	Wine Gold	E8330TX_WG	756	10
	Dark Grey	E8330TX_DG	756	1
	Metal Gold Hairline	E8330TX_GH	756	10
	Light Wood	E8330TX_LW	723	10
	Dark Wood	E8330TX_WD	756	10

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

AvatarOn - It's also a Switch



E8331BPDMW_ WE_G8



E8331BPDMW_ WD_G8



E8331KPB_WE



E8331KPB_WD



E8332C_WE_G8



E8332C_WD_G8



E83T727V_WE



E83T727V_WD



E8330FSG_WE



E8330FSG_WD



E8330FSGN_WE



E8330FSGN_WD



E8331TB_WE



E8331TB_WD



E8331RJS4_WE



E8331RJS4_WD

Product Description	Color	Product Ref. No.	Unit MRP	Pack
Hotel Series				
DND, PCU, PW Indicator with Bell Switch (Do Not Disturb, Please Clean Up, Please Wait)	White	E8331BPDMW_WE_G8	4961	1
	Wine Gold	E8331BPDMW_WG_G8	7441	10
	Dark Grey	E8331BPDMW_DG_G8	7441	1
	Metal Gold Hairline	E8331BPDMW_GH_G8	7441	10
	Light Wood	E8331BPDMW_LW_G8	7102	10
16AX 3 Gang Switch with PCU, DND, PW Sym (Do Not Disturb, Please Clean Up, Please Wait)	Dark Wood	E8331BPDMW_WD_G8	7441	10
	White	E8333DMWS_WE_G8	4810	1
	Wine Gold	E8333DMWS_WG_G8	6889	10
	Dark Grey	E8333DMWS_DG_G8	7217	1
	Metal Gold Hairline	E8333DMWS_GH_G8	7217	10
250V 16A Electronic Keycard Switch	Light Wood	E8333DMWS_LW_G8	6889	10
	Dark Wood	E8333DMWS_WD_G8	7217	10
	White	E8331EKT_WE	8667	1
	Wine Gold	E8331EKT_WG	12410	1
	Dark Grey	E8331EKT_DG	13000	1
Panic Button with Key Reset	Light Wood	E8331EKT_LW	13000	8
	Dark Wood	E8331EKT_WD	12410	8
	White	E8331KPB_WE	1188	1
	Wine Gold	E8331KPB_WG	1891	1
	Dark Grey	E8331KPB_DG	1891	1
10A 2 Gang Mechanical Curtain Switch	Metal Gold Hairline	E8331KPB_GH	1891	1
	Light Wood	E8331KPB_LW	1891	1
	Dark Wood	E8331KPB_WD	1891	1
	White	E8332C_WE_G8	1029	1
	Wine Gold	E8332C_WG_G8	1542	10
115/240V 20VA Universal Version Shaver	Dark Grey	E8332C_DG_G8	1542	1
	Metal Gold Hairline	E8332C_GH_G8	1542	10
	Light Wood	E8332C_LW_G8	1472	10
	Dark Wood	E8332C_WD_G8	1542	10
	White	E83T727V_WE	4900	1
13A 250V 1 Gang Fused Connection Unit	Wine Gold	E83T727V_WG	7791	1
	Dark Grey	E83T727V_DG	8163	1
	Metal Gold Hairline	E83T727V_GH	8163	1
	Light Wood	E83T727V_LW	7791	1
	Dark Wood	E83T727V_WD	8163	1
Connection Units				
13A 250V 1 Gang Fused Connection Unit	White	E8330FSG_WE	1297	10
	Wine Gold	E8330FSG_WG	1452	10
	Dark Grey	E8330FSG_DG	1452	1
	Light Wood	E8330FSG_LW	1452	1
	Dark Wood	E8330FSG_WD	1452	10
13A 250V 1 Gang Fused Connection Unit with Neon	White	E8330FSGN_WE	1406	10
	Wine Gold	E8330FSGN_WG	1813	10
	Dark Grey	E8330FSGN_DG	1813	1
	Light Wood	E8330FSGN_LW	1813	1
	Dark Wood	E8330FSGN_WD	1813	10
13A 250V 1 Gang Fused Connection with DP Switch and Neon	White	E8331DFSGN_WE	2539	10
	Wine Gold	E8331DFSGN_WG	4230	10
	Dark Grey	E8331DFSGN_DG	4230	1
	Light Wood	E8331DFSGN_LW	4230	1
	Dark Wood	E8331DFSGN_WD	4230	10
25A 250V 1 Gang Connection Unit	White	E8331TB_WE	1128	10
	Wine Gold	E8331TB_WG	1879	10
	Dark Grey	E8331TB_DG	1969	1
	Metal Gold Hairline Light Wood	E8331TB_GH	1879	10
	Dark Wood	E8331TB_WD	1879	1
Telecom, Network, Connectivity & Media Series				
1 Gang Telephone Socket, Shuttered Wallplate	White	E8331RJS4_WE	756	1
	Wine Gold	E8331RJS4_WG	1261	1
	Dark Grey	E8331RJS4_DG	1261	1
	Metal Gold Hairline	E8331RJS4_GH	1261	1
	Light Wood	E8331RJS4_LW	1261	10
Dark Wood	E8331RJS4_WD	1261	1	

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

AvatarOn - It's also a Switch



E8332RJS4_WE



E8331RJS5_WE



E8332RJS5_WE



E8331RJS6_WE



E8332RJS6_WE



E8331TV_WE



E8331TVSF_WE



E8332TVFMM_WE



E8332TDRJS5_WE



E8332TVRJS5_WE



E8332HDUSB_WE



E8332HDRJS5_WE



E8332HDHD_WE



E8331RCA_S_WE



E8332HD15PH_WE



E8331VC_WE



E8331SC_WE



E8332SC_WE



E8331RJS_WE



E8332RJS_WE

Product Description	Color	Product Ref. No.	Unit MRP	Pack
2G Tel Socket, Shuttered Wallplate	White	E8332RJS4_WE	1772	1
	Wine Gold	E8332RJS4_WG	2660	1
	Dark Grey	E8332RJS4_DG	2660	1
1 Gang RJ45 Data Cat5E, Shuttered	White	E8331RJS5_WE	1183	1
	Wine Gold	E8331RJS5_WG	1969	1
	Dark Grey	E8331RJS5_DG	1969	1
	Metal Gold Hairline Light	E8331RJS5_GH	1969	1
	Wood	E8331RJS5_LW	1969	10
	Dark Wood	E8331RJS5_WD	1969	1
	White	E8332RJS5_WE	2063	1
2 Gang RJ45 Data Cat5E, Shuttered	Wine Gold	E8332RJS5_WG	3441	1
	Dark Grey	E8332RJS5_DG	3441	1
	Metal Gold Hairline Light	E8332RJS5_GH	3441	10
	Wood	E8332RJS5_LW	3441	10
	Dark Wood	E8332RJS5_WD	3441	1
1 Gang RJ45 Data Cat6, Shuttered	White	E8331RJS6_WE	1412	1
	Wine Gold	E8331RJS6_WG	2118	1
2 Gang RJ45 Data Cat6, Shuttered	Dark Grey	E8331RJS6_DG	2118	1
	White	E8332RJS6_WE	2648	1
	Wine Gold	E8332RJS6_WG	3971	1
1 Gang TV Socket, 75Ω, Through-Connect	Dark Grey	E8332RJS6_DG	794	1
	White	E8331TV_WE	596	1
	Wine Gold	E8331TV_WG	993	1
	Dark Grey	E8331TV_DG	993	1
	Metal Gold Hairline Light	E8331TV_GH	993	10
	Wood	E8331TV_LW	947	10
	Dark Wood	E8331TV_WD	993	1
1 Gang TV Socket, Slave 5-1000	White	E8331TVSF_WE	659	10
	Wine Gold	E8331TVSF_WG	993	10
	Dark Grey	E8331TVSF_DG	947	1
2 Gang TV Master/FM Socket	White	E8332TVFMM_WE	2393	10
	Wine Gold	E8332TVFMM_WG	3588	10
	Dark Grey	E8332TVFMM_DG	3588	1
1 Gang Tel + RJ45 Data Cat5E, Shuttered	White	E8332TDRJS5_WE	1772	1
	Wine Gold	E8332TDRJS5_WG	2954	1
	Dark Grey	E8332TDRJS5_DG	2954	1
	Metal Gold Hairline Light	E8332TDRJS5_GH	2954	1
	Wood	E8332TDRJS5_LW	2820	10
	Dark Wood	E8332TDRJS5_WD	2954	1
	White	E8332TVRJS5_WE	2197	1
1 Gang TV+ RJ45 Data Cat5E, Shuttered	Wine Gold	E8332TVRJS5_WG	3666	1
	Dark Grey	E8332TVRJS5_DG	3666	1
	Metal Gold Hairline Light	E8332TVRJS5_GH	3666	1
	Wood	E8332TVRJS5_LW	3499	10
	Dark Wood	E8332TVRJS5_WD	3666	1
1 Gang TV+ RJ45 Data Cat6, Shuttered	White	E8332TVRJS6_WE	2197	1
	Wine Gold	E8332TVRJS6_WG	3666	1
	Dark Grey	E8332TVRJS6_DG	3666	1
HDMI + USB Socket	White	E8332HDUSB_WE	4906	1
	Wine Gold	E8332HDUSB_WG	8175	8
	Dark Grey	E8332HDUSB_DG	7803	1
HDMI + RJ45 Data Cat5E, Shuttered	White	E8332HDRJS5_WE	2986	1
	Wine Gold	E8332HDRJS5_WG	4477	1
	Dark Grey	E8332HDRJS5_DG	4477	1
2 Gang HDMI+HDMI , Keystone on Wallplate	White	E8332HDHD_WE	2690	1
	Wine Gold	E8332HDHD_WG	4484	8
	Dark Grey	E8332HDHD_DG	4484	1
RCA/S-Video Socket	White	E8331RCA_S_WE	1889	1
	Wine Gold	E8331RCA_S_WG	2704	1
	Dark Grey	E8331RCA_S_DG	2704	1
VGA + Mini Audio	White	E8332HD15PH_WE	1889	1
	Wine Gold	E8332HD15PH_WG	2704	1
	Dark Grey	E8332HD15PH_DG	2704	1
Volume control, 5W, 8Ohm	White	E8331VC_WE	2141	1
	Wine Gold	E8331VC_WG	3211	10
	Dark Grey	E8331VC_DG	3211	1
Speaker Connection, One Pair	White	E8331SC_WE	1735	10
	Wine Gold	E8331SC_WG	2728	10
	Dark Grey	E8331SC_DG	2604	1
Speaker Connection, Two Pair	White	E8332SC_WE	2518	1
	Wine Gold	E8332SC_WG	3777	1
	Dark Grey	E8332SC_DG	3606	1
1 Gang S Keystone Wallplate (w/o Mod)	White	E8331RJS_WE	559	10
	Wine Gold	E8331RJS_WG	839	10
	Dark Grey	E8331RJS_DG	839	1
2 Gang S Keystone Wallplate (w/o Mod)	White	E8332RJS_WE	1050	10
	Wine Gold	E8332RJS_WG	1575	10
	Dark Grey	E8332RJS_DG	1575	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

NEO - Face the Future



- **Unique** - Horizontal Switches available for Horizontal Decor
- **Stylish** - Ingenious combination of matt and gloss finish along with a fresh look through use of LED technology
- **Convenient** - Switches with soft, luminiscent “locators” to locate the switch in dark
- **Dual Tone Colours** - Standard colours include Grey and White incorporating Blue and White LED respectively



E3033H1EBGS



E3032H1EWWW



E3032H1FWWW



E3032V1EBGS



E3031V1EWWW



E3032V1FWWW

Description	Horizontal Dolly Reference	Unit MRP [₹]	Pack	Vertical Dolly Reference	Unit MRP [₹]	Pack
Grey Switches with Blue LED Indicator						
10AX 250V 1 Gang 1 Way Switch	E3031H1EBGS	1175	1	E3031V1EBGS	1175	1
10AX 250V 1 Gang 2 Way Switch	E3031H2EBGS	1373	1	E3031V2EBGS	1373	1
10AX 250V 2 Gang 1 Way Switch	E3032H1EBGS	1837	1	E3032V1EBGS	1837	1
10AX 250V 2 Gang 2 Way Switch	E3032H2EBGS	2165	1	E3032V2EBGS	2165	1
10AX 250V 3 Gang 1 Way Switch	E3033H1EBGS	2692	1	E3033V1EBGS	2692	1
10AX 250V 3 Gang 2 Way Switch	E3033H2EBGS	3170	1	E3033V2EBGS	3170	1
10AX 250V 4 Gang 1 Way Switch	E3034H1EBGS	3348	1	-	-	-
10AX 250V 4 Gang 2 Way Switch	E3034H2EBGS	3959	1	-	-	-
White Switches with White LED Indicator						
10AX 250V 1 Gang 1 Way Switch	E3031H1EWWW	1140	1	E3031V1EWWW	1140	1
10AX 250V 1 Gang 2 Way Switch	E3031H2EWWW	1315	1	E3031V2EWWW	1315	1
10AX 250V 2 Gang 1 Way Switch	E3032H1EWWW	1819	1	E3032V1EWWW	1819	1
10AX 250V 2 Gang 2 Way Switch	E3032H2EWWW	2106	1	E3032V2EWWW	2122	1
10AX 250V 3 Gang 1 Way Switch	E3033H1EWWW	2574	1	E3033V1EWWW	2574	1
10AX 250V 3 Gang 2 Way Switch	E3033H2EWWW	2986	1	E3033V2EWWW	2986	1
10AX 250V 4 Gang 1 Way Switch	E3034H1EWWW	3271	1	-	-	-
10AX 250V 4 Gang 2 Way Switch	E3034H2EWWW	3876	1	-	-	-
White Switches with White Fluorescent Indicator						
10AX 250V 1 Gang 1 Way Switch	E3031H1FWWW	1134	1	E3031V1FWWW	1134	1
10AX 250V 1 Gang 2 Way Switch	E3031H2FWWW	1278	1	E3031V2FWWW	1278	1
10AX 250V 2 Gang 1 Way Switch	E3032H1FWWW	1811	1	E3032V1FWWW	1811	1
10AX 250V 2 Gang 2 Way Switch	E3032H2FWWW	2113	1	E3032V2FWWW	2113	5
10AX 250V 3 Gang 1 Way Switch	E3033H1FWWW	2568	1	E3033V1FWWW	2568	5
10AX 250V 3 Gang 2 Way Switch	E3033H2FWWW	3028	5	E3033V2FWWW	3028	5
10AX 250V 4 Gang 1 Way Switch	E3034H1FWWW	3312	1	-	-	-
10AX 250V 4 Gang 2 Way Switch	E3034H2FWWW	3908	1	-	-	-

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

NEO - Face the Future



E3031VBP>GS-OS



E3031VD20>EWWW-OS



E3426/10IS>GS-OS



EH3015/6>GS-OS



E3031TV>GS-OS



E3031RJ5E>WW-OS



E3031USB_GS



E3031USB_WW



E3032HDM>GS-OS



E3031EKTH>WW-OS

Description	Horizontal Dolly Reference	Unit MRP [₹]	Pack	Vertical Dolly Reference	Unit MRP [₹]	Pack
Bell Push						
4A 1 Way Horizontal Bell Push Switch	E3031HBP>GS-OS	2449	1	E3031HBP>WW-OS	2399	1
4A 1 Way Vertical Bell Push Switch	E3031VBP>GS-OS	2407	1	E3031VBP>WW-OS	2365	1
DP Switches						
1 Gang Horizontal 20A DP Switch with Blue LED for Grey Switch and White LED for White Switch	E3031HD20EBGS	2038	1	E3031HD20EWWW	1987	1
1 Gang Vertical 20A DP Switch with Blue LED for Grey Switch and White LED for White Switch	E3031VD20>EBGS-OS	1987	1	E3031VD20>EWWW-OS	1919	1
1 Gang 32A DP Rocker Switch with Blue LED for Grey Switch and White LED for White Switch	E3031DR32EBGS	2986	1	E3031DR32EWWW	2876	1
Intermediate Switch						
16AX Intermediate Switch with Blue LED for Grey Switch and White LED for White Switch	E3031VIA>EBGS-OS	3221	1	E3031VIA>EWWW-OS	3094	1
Socket						
15A 1 Gang Switch Socket Outlet Grey with Blue LED for Grey Socket and White LED for White Socket	E3015/15-EBGS-EX	3497	1	E3015/15-EWWW-EX	3396	1
10A International Socket	E3426/10IS>GS-OS	2734	1	E3426/10IS>WW-OS	2616	1
6A 1 Gang Switch Socket Outlet	EH3015/6>GS-OS	2021	1	EH3015/6>WW-OS	1945	1
6/16A 1 Gang Switch Socket Outlet	EH3015/16/6>GS-OS	2826	1	EH3015/16/6>WW-OS	2759	1
Fan Regulators & Dimmers						
1 Gang Fan Control	E3031FRGS	3271	3	E3031FRWW	2959	3
1 Gang Dimmer with Blue LED for Grey Dimmer and White LED for White Dimmer	E3031HD>EBGS-OS	19597	1	E3031HD>EWWW-OS	19404	1
2 Gang Horizontal Dimmer with Blue LED for Grey Dimmer and White LED for White Dimmer	E3032HD>EBGS-OS	34364	1	E3032HD>EWWW-OS	33408	1
Accessories						
1 Gang TV Socket Outlet	E3031TV>GS-OS	1819	1	E3031TV>WW-OS	1774	1
2 Gang TV Socket Outlet	E3032VTV>GS-OS	3547	1	E3032VTV>WW-OS	1830	1
4 Pin 1 Gang Telephone Outlet (CAT 3)	E3031RJ>GS-OS	2113	1	E3031RJ>WW-OS	2005	1
4 Pin 1 Gang 8 Pin Data Outlet (CAT 5E)	E3031RJ5E>GS-OS	5586	1	E3031RJ5E>WW-OS	5384	1
4 Pin 2 Gang Telephone Outlet (CAT 3)	E3032RJ>GS-OS	3774	1	E3032RJ>WW-OS	3547	1
4 Pin Telephone Outlet (CAT 3) + 8 Pin Data Outlet (CAT 5E)	E3032TD>GS-OS	6884	1	E3032TD>WW-OS	6660	1
25A Connection Unit	E3031TB>GS-OS	1600	1	E3031TB>WW-OS	1534	1
1 Gang Blank Plate	E3030X>GS-OS	1033	1	E3030X>WW-OS	986	1
2 Gang Blank Plate	ET3030X>GS-OS	2306	1	ET3030X>WW-OS	2221	1
USB Charger						
1 x 2.1A USB Charger	E3031USB_GS	7408	1	E3031USB_WW	7088	1
1 x 2.1A USB Charger(ISI)	E3031USB_GS_G8	7762	10	E3031USB_WW_G8	7426	10
Hotel Series						
2 Gang "Do Not Disturb" & "Please Clean Up" Combined (Horizontal)	E3032HDM>GS-OS	10625	1	E3032HDM>WW-OS	10297	1
1 Gang "Do Not Disturb" & "Please Clean Up" Combined (Vertical)	E3030VDM>GS-OS	9896	1	E3030VDM>WW-OS	9359	1
1 Gang Bell Push with "Please Clean Up" Combined (Vertical)	E3031VBPM>GS-OS	8117	1	E3031VBPM>WW-OS	7824	1
1 Gang Bell Push with "Do not Disturb" Combined (Vertical)	E3031VBPD>GS-OS	8117	1	E3031VBPD>WW-OS	7824	1
1 Gang Bell Push with "Do Not Disturb" & "Please Clean Up" Combined (Vertical)	E3031VBPDM>GS-OS	8117	1	E3031VBPDM>WW-OS	7824	1
Electronic Key Card Switch (Horizontal)	E3031EKTH>GS-OS	22506	1	E3031EKTH>WW-OS	21911	1
115/240V Shaver Outlet (Vertical)	ET3727V>GS-OS	11680	1	ET3727V>WW-OS	11455	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

ULTI Impress - The Ultimate Switch



- **Super Stylish** - Single piece face plate with maximized space for plate along with soft radiant blue/amber backlight for switches
- **Multiple Finish Options** - Crystal Glass, Champagne Gold, Brushed Silver, Pearl White
- **Technological Marvel** - Mechanical switch with touch and feel of electronic switch with patented impress mechanism
- **Strength & Durability** - Ionized metal grid for back housing plate
- **Automation Alignment** - Lighting Control & Automation available in same finish



1 Gang Switch with Crystal Glass Plate



2 Gang Switch with Pearl White Plate



4 Gang Switch with Brushed Silver Plate



Bell Push with Champagne Gold Plate



6-16A Switched Socket with Crystal Glass Plate

Description	Colour	Reference	Unit MRP [₹]	Pack
Switches				
1 Gang 250V 16AX 1 Way Switch module with Blue LED	Module	U201SPM/1>B00-OS	6658	1
1 Gang 250V 16AX 2 Way Switch module with Blue LED	Module	U201SPM/2>B00-OS	7211	1
Cover Plate for 1 Gang Switch	Brushed Silver	UC21SW/P>XBS-OS	2002	1
	Champagne Gold	UC21SW/P>XCG-OS	2002	1
	Crystal Glass	UC21SW/P>XGL-OS	8593	1
	Pearl White	UC21SW/P>XPW-OS	2002	1
2 Gang 250V 16AX 1 Way Switch module with Blue LED	Module	U202SPM/1>B00-OS	8878	1
2 Gang 250V 16AX 2 Way Switch module with Blue LED	Module	U202SPM/2>B00-OS	9970	1
Cover Plate for 2 Gang Switch	Brushed Silver	UC22SW/P>XBS-OS	2852	1
	Champagne Gold	UC22SW/P>XCG-OS	2852	1
	Crystal Glass	UC22SW/P>XGL-OS	9832	1
	Pearl White	UC22SW/P>XPW-OS	2852	1
4 Gang 250V 16AX, 1 Way Switch module with Blue LED	Module	U204SPM/1>B00-OS	15091	1
4 Gang 250V 16AX 2 Way Switch module with Blue LED	Module	U204SPM/2>B00-OS	17004	1
Cover Plate for 4 Gang Switch	Brushed Silver	UC24SW/P>XBS-OS	4526	1
	Champagne Gold	UC24SW/P>XCG-OS	4526	1
	Crystal Glass	UC24SW/P>XGL-OS	11920	1
	Pearl White	UC24SW/P>XPW-OS	4526	1
Double Pole Switch				
1 Gang 250V 20A Double Pole Switch module with Blue LED	Module	U201SPM/DP>B00-OS	8878	1
Cover Plate for 1 Gang DP Switch	Brushed Silver	UC21DP/P>XBS-OS	2772	1
	Champagne Gold	UC21DP/P>XCG-OS	2772	1
	Crystal Glass	UC21DP/P>XGL-OS	8324	1
	Pearl White	UC21DP/P>XPW-OS	2772	1
Bell Push				
Bell Push Switch Module with Blue LED	Module	US31BPB00	3400	1
Cover Plate for Bell Press Switch	Brushed Silver	UC31BPXBBS	2714	1
	Champagne Gold	UC31BPXCGB	2714	1
	Crystal Glass	UC31BPXGL	8878	1
	Pearl White	UC31BPXPWB	2714	1
Sockets				
6-16A Switched Socket	Module	US15/616000	7889	1
Cover Plate for 6-16A Switched Socket	Brushed Silver	UC15/616XBS	4249	1
	Champagne Gold	UC15/616XCB	4249	1
	Crystal Glass	UC15/616XGL	11089	1
	Pearl White	UC15/616XPWB	4249	1
6A 2/3 Pin Switched Socket	Module	US15/6U000	6673	1
Cover Plate for 6A 2/3 Pin Switched Socket	Brushed Silver	UC15/6UXBS	3638	1
	Champagne Gold	UC15/6UXCB	3638	1
	Crystal Glass	UC15/6UXGL	9416	1
	Pearl White	UC15/6UXPWB	3638	1
International Socket				
International Socket	Module	US426/16IS000	4039	1
Cover Plate for International Socket	Brushed Silver	UC426/16ISXBS	2838	1
	Champagne Gold	UC426/16ISXCB	2838	1
	Crystal Glass	UC426/16ISXGL	8040	1
	Pearl White	UC426/16ISXPWB	2838	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

ULTI Impress - The Ultimate Switch



Data Socket with Brushed Silver Cover Plate



Twin Data Socket with Crystal Glass Cover Plate



Keycard switch with Brushed Silver Cover Plate



Shaver Socket with Champagne Gold Cover Plate

Description	Colour	Reference	Unit MRP [₹]	Pack
Accessories				
TV Socket Module	Module	US31TV000	3400	1
	Brushed Silver	UC31TVXBS	3260	1
Cover Plate for TV Socket	Champagne Gold	UC31TVXCG	3260	1
	Crystal Glass	UC31TVXGL	10806	1
	Pearl White	UC31TVXPW	3260	1
Data Socket Module	Module	UD31RJ000	4249	1
	Brushed Silver	UDC31RJXBS	3260	1
Cover Plate for Data Socket	Champagne Gold	UDC31RJXCG	3260	1
	Crystal Glass	UDC31RJXGL	10799	1
	Pearl White	UDC31RJXPW	3260	1
Twin Data Socket Module	Module	UD32TD000	6497	1
	Brushed Silver	UDC32TDXBS	3260	1
Cover Plate for Twin Data Socket	Champagne Gold	UDC32TDXCG	3260	1
	Crystal Glass	UDC32TDXGL	10944	1
	Pearl White	UDC32TDXPW	3260	1
Blank Module Module	Module	US31X000	3893	1
	Brushed Silver	UC31XXBS	3545	1
Cover Plate for Blank Module	Champagne Gold	UC31XXCG	3545	1
	Crystal Glass	UC31XXGL	7225	1
	Pearl White	UC31XXPW	3545	1
USB Chargers				
1 Gang 2.1A USB Charger Module	White	US31USB_WE	4984	1
	Grey	US31USB_GY	4984	1
1 Gang 2.1A USB Charger Module(ISI)	White	US31USB_WE_G8	5232	1
	Grey	US31USB_GY_G8	5232	1
Cover Plate for 1 Gang 2.1A USB Charger	Brushed Silver	UC31USB_XBS	3493	1
	Champagne Gold	UC31USB_XCG	3493	1
	Crystal Glass	UC31USB_XGL	10427	1
	Pearl White	UC31USB_XPW	3493	1
Hotel Series				
Keycard Switch with Cover Plate	Brushed Silver	U31EKTHBBS	15376	1
	Champagne Gold	U31EKTHACG	15376	1
	Crystal Glass	U31EKTHBGL	20244	1
	Pearl White	U31EKTHBPW	15376	1
Shaver Socket with Cover Plate	Brushed Silver	US727HXBS	12980	1
	Champagne Gold	US727HXCG	12980	1
	Crystal Glass	US727HXGL	18912	1
	Pearl White	US727HXPW	12980	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

Kavacha - Weather Protected Series



WHT20-GY-EX



CSW110-GY-EX



A3031WBP_WE

- Pleasing looks with **IP56 protection**
- Large press switch
- Co-moulded sealing with no risk of gasket damage
- Chemical resistant & UV stabilised

Description	Reference	Unit MRP [₹]	Pack
Kavacha IP56 Surface Mount Switches			
Switches with Looping Terminal			
10A 1 Gang 2 Way Switch	CSW110-GY-EX	3081	1
20A/16A 1 Gang 2 Way Switch	CSW120-GY-EX	3535	1
10 A 2 Gang 2 Way Switch	CSW110/2-GY-EX	4191	1
20A/16A 1 Gang 2 Way Switch	CSW120/2-GY-EX	3829	1
10A 1 Gang 2 Way Bell Press Return Switch	CSW110BPR-GY-EX	3569	1
Switches with Looping Terminal with Neon			
10 A 1 Gang 2 Way surface switch with Looping Terminal with Neon	CSW110N-GY-EX	2860	1
10A 2 Gang 2 Way with Looping Terminal and Neon	CSW110/2N-GY-EX	3631	1
20A 1 Gang 2 Way with Looping Terminal with Neon	CSW120N-GY-EX	4380	1
20A/16A 2 Gang 2 Way with Looping Terminal with Neon	CSW120/2N-GY-EX	4691	1
Double Pole Switches			
20A 1 Gang Double Pole Switch	CSW220-GY-EX	4839	1
20A 2 Gang Double Pole Switch	CSW220/2-GY-EX	4123	1
Kavacha Heavy Duty Isolator Switches			
20A Double Pole	WHB220-RG	4349	1
20A Triple Pole	WHT20-GY-EX	4810	1
35A Triple Pole	WHT35-GY-EX	5867	1
55A Triple Pole	WHT55-GY-EX	7060	1
63A Triple Pole	WHT63-GY-EX	7556	1
Kavacha IP56 Surface Mount Combined Switched Socket Outlets			
Combination Switch Socket Outlets			
16A Single Pole Switched Socket Outlet	CSC316RP-GY-EX	4152	1
16A Single Pole Switched Socket Outlet with Neon	CSC316RPN-GY-EX	5486	1
Kavacha IP56 Surface Mount Socket Outlets			
16A Socket Outlet	CSO316RP-GY-EX	2666	1
Kavacha Full-Time Weatherproof Cover			
Full-Time Weatherproof Single Gang Socket Cover (Transparent) IP55	E223R_TR	1011	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

Metal Boxes



- **Weld free design** to minimize corrosion and rusting without compromising on strength
- Mounting clip and earth pin designed for **easier installation** and to **avoid loss during transportation**
- Removable side plates and optimized knock outs and for **easier wiring**
- Completely tested & validated as per **IS 14772**

Description	Reference	Unit MRP [₹]	Pack
Metal Boxes for Indian Format Ranges (Livia, Opale Clipsal X, Unica Pure & ZENcelo India) NEW			
0.8 mm thickness			
Metal Box 1 & 2 modules	ME0102	101	20
Metal Box 3 modules	ME0103	130	20
Metal Box 4 modules	ME0104	150	20
1 mm thickness			
Metal Box 1 & 2 modules	MR1102	112	20
Metal Box 3 modules	MR1103	147	20
Metal Box 4 modules	MR1104	170	20
Metal Box 6 modules	MR1106	231	10
Metal Box 8 modules - Horizontal	MR1108	299	10
Metal Box 8 modules - Square	MR1109	299	10
Metal Box 12 module	MR1112	385	5
Metal Box 18 modules	MR1118	456	5

Description	Reference	Unit MRP [₹]	Pack
Metal Boxes for BS Format Ranges (AvatarON, ZENcelo BS, NEO, ULTI) - New & Improved Design NEW			
Use Bracket/Frame to ensure alignment of switches on 2/3/4 Gang Metal Box (refer to Avataron section for references)			
1 mm thickness			
2 GANG GI Metal Boxes	MM1102	280	20
3 GANG GI Metal Boxes	MM1103	397	20
4 GANG GI Metal Boxes	MM1104	513	20

- Special Metal Box with Gang Partition to accommodate BS format ranges
- Single Metal Box can accommodate up to 4 units
- Number of Gangs for Metal Box = Number of units that it can accommodate (Eg. 3 GANG Metal Box can accommodate up to 3 BS format Units)

Please contact Customer Care Center for Stockable and Non stockable status of references.

✔ NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

EzInstall 3 - ULTI ZIGBEE



Crystal Glass



Brushed Silver



Champagne Gold



Pearl White

- 2 wire design, True Retrofit
- Intelligent dimmer with Auto Load Detection feature
- Capability to dim or switch on/off different load types (in case of non dimmable loads connected to dimmer)
- Very high network scalability with Peer to Peer Mesh technology
- Each unit (switch, dimmer) is a repeater – no need for any additional repeater
- Moods created at a touch of a button
- ZigBee protocol is based on the IEEE802.15.4 standard and works on 2.4GHz radio frequency

Description	Catalogue No.	Unit MRP [₹]
1 Gang 2000VA Zigbee Switch	U201SRY2KWZB	29740
1 Gang Switch Coverplate - Brushed Silver	UC21SWXBS	2471
1 Gang Switch Coverplate - Pearl White	UC21SWXPW	2256
1 Gang Switch Coverplate - Champagne Gold	UC21SWXCG	2153
1 Gang Switch Coverplate - Crystal Glass	UC21SWXGL	10448
2 Gang 2X1000VA Zigbee Switch	U202SRY2KWZB	35923
2 Gang Switch Coverplate - Brushed Silver	UC22SWXBS	3435
2 Gang Switch Coverplate - Pearl White	UC22SWXPW	3435
2 Gang Switch Coverplate - Champagne Gold	UC22SWXCG	3280
2 Gang Switch Coverplate - Crystal Glass	UC22SWXGL	11529
1 Gang 550W Zigbee Dimming Switch	U201DST600ZB	30773
1 Gang Dimmer Coverplate - Brushed Silver	UC21DMXBS	3611
1 Gang Dimmer Coverplate - Pearl White	UC21DMXPW	3955
1 Gang Dimmer Coverplate - Champagne Gold	UC21DMXCG	3955
1 Gang Dimmer Coverplate - Crystal Glass	UC21DMXGL	10904
2 Gang 2X300W Zigbee Dimming Switch	U202DST600ZB	37295
2 Gang Dimmer Coverplate - Brushed Silver	UC22DMXBS	3955
2 Gang Dimmer Coverplate - Pearl White	UC22DMXPW	3955
2 Gang Dimmer Coverplate - Champagne Gold	UC22DMXCG	3955
2 Gang Dimmer Coverplate - Crystal Glass	UC22DMXGL	13691
1 Gang 300VA Zigbee Curtain Control Switch	U201SCN300ZB	38967
1 Gang Curtain Coverplate - Brushed Silver	UC21CNXBS	3306
1 Gang Curtain Coverplate - Pearl White	UC21CNXPW	3554
1 Gang Curtain Coverplate - Champagne Gold	UC21CNXCG	3554
Description	Reference	Unit MRP [₹]
1 Gang 16A Zigbee Double Pole	U301SDP16AZB	32877
1 Gang DP Cover Plate – Crystal Glass	UC21DPXGL	11423
1 Gang DP Cover Plate – Pearl White	UC21DPXPW	3537
1 Gang DP Cover Plate – Brushed Silver	UC21DPXBS	3698
1 Gang DP Cover Plate – Champagne Gold	UC21DPXCG	3215

Description	Catalogue No.	Unit MRP [₹]
1 Gang Curtain Coverplate - Crystal Glass	UC21CNXGL	10259
2 Gang 2X300VA Zigbee Curtain Control Switch	U202SCN600ZB	39177
2 Gang Curtain Coverplate - Brushed Silver	UC22CNXBS	3955
2 Gang Curtain Coverplate - Pearl White	UC22CNXPW	3955
2 Gang Curtain Coverplate - Champagne Gold	UC22CNXCG	3955
2 Gang Curtain Coverplate - Crystal Glass	UC22CNXGL	14314
500W ZigBee IND Plug Adaptor Dimmer Wh	U104ND500ZB_WE	28612
Zigbee Handheld Remote Controller	U105RHH001ZB	21904
2Key Zigbee Freelocate Switch, Brushed Silver	U102RWMZB_XBS	13983
2Key Zigbee Freelocate Switch, Champagne Gold	U102RWMZB_XCG	13983
2Key Zigbee Freelocate Switch, Pearl White	U102RWMZB_XPW	13010
6Key Zigbee Freelocate Switch, Brushed Silver	U106RWMZB_XBS	18900
6Key Zigbee Freelocate Switch, Champagne Gold	U106RWMZB_XCG	18900
6Key Zigbee Freelocate Switch, Crystal Glass	U106RWMZB_XGL	26566
6Key Zigbee Freelocate Switch, Pearl White	U106RWMZB_XPW	18865
Zigbee IR Gateway	U301RSDMZB	31140
Zigbee IP Gateway	U301IPGWZB	32204
Zigbee Analog Module	U30010V	17648

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

Hotel Series

ULTI ELV



- ULTI style, state-of-art lighting control and electrical automation scheme for hotel guest room control, offering sophisticated design
- Light touch buttons equipped with LED backlight enable guest to locate switch in a dark environment
- Comparative with Universal Input/ Output module (Room Logic Gateway -RLG) or third party guestroom control system

Description	MOQ	Reference	Unit MRP [₹]
DND/PCU Control Switch	1	US32DMRJ000	6017
Cover Plate for DND/PCU Switch	1	UC32HDMSXCG	4179
Cover Plate for DND/PCU Switch	1	UC32HDMSXBS	3816
Cover Plate for DND/PCU Switch	1	UC32HDMSXGL	7849
Cover Plate for DND/PCU Switch	1	UC32HDMSXPW	3816
DND/PCU Indicator w/Bell Press (Blue)	1	US33DMRJ000	4944
Cover Plate for DND/PCU with bell push switch	1	UC33HBPDMXCG	4179
Cover Plate for DND/PCU with bell push switch	1	UC33HBPDMXBS	4179
Cover Plate for DND/PCU with bell push switch	1	UC33HBPDMXGL	8596
Cardkey Switch (Low Voltage)	1	U31EKTHLVBBS	12650
1 Gang ELV Switch (Blue)	1	U201SPM_RJ_B00	3087
Coverplate for 1 Gang ELV switch	1	UC21SWXCG	2153
Coverplate for 1 Gang ELV switch	1	UC21SWXBS	2471

Description	MOQ	Reference	Unit MRP [₹]
Coverplate for 1 Gang ELV switch	1	UC21SWXGL	10448
Coverplate for 1 Gang ELV switch	1	UC21SWXPW	2256
2 Gang ELV Switch- BLUE	1	U202SPM_RJ_B00	4173
Coverplate for 2 Gang ELV switch	1	UC22SWXCG	3280
Coverplate for 2 Gang ELV switch	1	UC22SWXBS	3435
Coverplate for 2 Gang ELV switch	1	UC22SWXGL	11529
Coverplate for 2 Gang ELV switch	1	UC22SWXPW	3435
4 Gang ELV Switch- BLUE	1	U204SPM_RJ_B00	6127
Coverplate for 4 Gang ELV switch	1	UC24SW_XCG	3329
Coverplate for 4 Gang ELV switch	1	UC24SW_XBS	3179
Coverplate for 4 Gang ELV switch	1	UC24SW_XGL	12307
Coverplate for 4 Gang ELV switch	1	UC24SW_XPW	3329

Colours Available (suffix as in coverplates above)

BS	Brushed Silver
PW	Pearl White
CG	Champagne Gold
GL	Crystal Glass
GL	Crystal Glass

Neo ELV



Description	MOQ	Reference	Unit MRP [₹]
Bell Push with DND and MMR Indicator	1	E3031DMBLVEGGS	6285
DND/MMR Control switch	1	E3032DMLV>EAGS-OS	5636
Key card switch with Amber LED	1	E3031EKTHLVEAGS	9958

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

Hotel Series

Zencelo ELV



Description	MOQ	Reference	Unit MRP [₹]
1 Gang Sw W/ LED Indicator	1	E8431LV	3998
2 Gang Sw W/ LED Indicator, SZ	1	E8432LV_SZ	5768
3 Gang Sw W/ LED Indicator	1	E8433LV	6190
3 Gang Sw W/ LED Indicator, SZ	1	E8433LVSZ	9036
Elv Keycard Switch, SZ	1	E8431EKTLVSZ	9089
1 Gang Sw W/ DND, SZ	1	E8431DSLVSZ	3223
2 Gang Sw W/ DND & PCU, SZ	1	E8432DMSLVSZ	4571
Bell Press W/ DND & PCU Indicator, SZ	1	E8431BDMLVSZ	5448
1 GANG SW W/ LED Indicator, SZ	1	E8431LV_SZ	4967

Colours Available (suffix as above)

SZ	Silver Bronze
No suffix after LV	White Colour

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022



Make your home smart with our Wiser - Smart Homes offering.

- Easy to operate
- Easy to maintain
- Easy to control
- Easy on pocket

A solution which blends with your existing Switches and all this without any change in Wiring.

With the Internet of Things taking over the lives, automation has made lives simpler and homes smarter.

Smart homes are the base to smart cities and a much secure lifestyle. It is a connected home technology that is designed to automate functions and grant you control over the property.

- Set the schedule, and the rest is automated and based on your personal preferences thus providing convenience, control, money savings, and an overall smarter home.
- Alerts about lights still switched on after leaving the house
- Make personalization's to the home using just an app

Once there were smart homes, now there are Wiser™.

Smart homes are about technologies. Wiser Homes evolve around people. It adds a new dimension - being Stylish, Living Well and Eco-friendly Interlinks the electrical, multi-media and telecommunication worlds with a single and user-friendly solution - enabling you to monitor, control and access your home beyond physical boundaries at anytime, anywhere.

Features

- Integrates with any existing switch.
- Interlinks the electrical, multi-media and telecommunications worlds through Wi-Fi, providing
 - True and easy integration for devices from different brands and makes.
- The intuitive graphic user interface with jargon-free language and self-explanatory icons is easy-to-use, while the interface is consistent across different control devices and no need to spend extra time to learn different control interfaces.
- Control and access home anywhere and at any time through the secured wireless connection.
 - With time scheduling, scene control



SE Ref.	Description of reference	Unit MRP
Wiser 4 Channel Automation Relay	IH14000100	12786
Wiser Automation Gateway	IH101ZWIFI	35987
2 Channel Dimmer Controller	IH12000020	15786
Wiser 1 Channel Analog Dimmer + 1 Channel Direct dimmer Controller	IH12001010	15786
Wiser Curtain Controller	IH11000200	14915
Fan Speed Controller	IH1200010F	15786
Smart Doorbell	IH100WVDP	27211
IR Controller	IH101ZW2IR	14786

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

Surface and Flush Mount Occupancy Sensors



PIR, Ultrasonic Sensors & High Frequency sensor suitable for both Surface & Flush Mount

Description	Reference	Unit MRP [₹]
Surface Mount Single-Load 360 degrees PIR	CSS54E_WE	3507
Flush/Surface Mount Single-Load 360 degrees PIR	SAE-UE-MS-CSAWE	4231
ARGUS Presence Dual-Tech PIR & Ultrasonic Sensor - 1ch	CCT551011	17515
ARGUS Presence Dual-Tech - 2ch	CCT551012	15249
ARGUS IR Remote Controller Dual-Tech	CCT556011	11744
ARGUS Presence High Frequency High Bay Sensor - 2ch	CCT551023	17515
ARGUS IR Remote Controller HF	CCT556023	11744
ARGUS Presence Wide Sense - 2ch	CCT551003	14130
ARGUS IR Remote Controller Wide range PIR	SAE-UE-MS-IR-WE	4955



PIR Flush Mount Sensors

Description	Reference	Unit MRP [₹]
ARGUS Standard min 360° False ceiling indoor movement detector	CCT570005	5049
ARGUS Standard 360° False ceiling indoor movement detector - 2ch	CCT570003	7476
Flush Mount Dual load 360 degrees standalone sensor	SAE-UE-MS-CDBWE	8441



Dimmable Sensors with Light Regulation

0-10V Analogue & Dali Dimmable Sensor

Description	Reference	Unit MRP [₹]
Flush/Surface Mount Dual Load 360° PIR, 0-10V Analogue Dimmable Sensor with remote	SAE-UE-MS-CDDWE	10512
ARGUS Presence DALI 230V - 2 zones	CCT552006	18176
ARGUS Presence DALI 230V - Slave	CCT555006	10823
ARGUS IR Remote Controller DALI	CCT556006	12332
ARGUS Presence Master with IR, DALI	MTN5510-1519	19159

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

Wall Mount Sensors



BS Standard & Outdoor IP55 Sensor

Description	Reference	Unit MRP [₹]
Neo C-Metro 200 degrees wall mount sensor, grey colour	E3751MS3C_GS	4853
Neo C-Metro 90 degrees wall mount sensor, grey colour	E3751MS3A_GS	5982
Zencelo 110 degrees wall mount sensor, white colour	E84751MS3B_WE	4789
Zencelo 90 degrees wall mount sensor, white colour	E84751MS3A_WE	4789
Argus 110 Electronic outdoor movement detector, angle of detection 110 degrees, max. range 12 mtrs, IP55 protection	MTN565119	7504
Argus 220 Electronic movement detector for outdoor ceiling mounting angle of detection 220 degrees, max. range 12 mtrs, IP55 protection	MTN565219	11578
Accessories		
Mounting bracket for Argus 110 and Argus 220 Sensors	MTN565291	1300

Hotel - ELV Dual Motion Sensor

Description	Reference	Unit MRP [₹]
ELV DUAL TECH MOTION SENSOR	SAE_UE_MS_CULV_WE	12143

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

Timers & Time Switches

Analog Time Switches



- 24H, 7D Programmable switch Voltage Rating: 230V AC +10%, -15%
- Memory: Upto 56 Switching Operations
- Back up of program: Operating reserve for 100, 200 Hours
- Overall dimensions: 5 modules
- Minimum time between two switching operations: 15, 30 min
- Accuracy: $\leq \pm 1$ s/day at +20°C

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
IH 24H 16 A 15 mts interval 1 channel	1	15336	5317
IH 24H 16 A 30 mts interval 1 channel	1	CCT15365	5799
IH 24H + 7 day 10 A 1 channel- Max 16 On, 16 Off and 7 On + 7 Off cycles	3	15366	8924
IH 7 day 16 A 1 channel- Max 21 On and 21 Off cycles	3	CCT15367	8302
IH 24H 16 A 30 mts 1 channel without reserve	3	CCT16364	4711

Digital Time Switches



- 7D, 24H Programmable switch .Voltage Rating: 230V AC +10%, -15%
- Consumption: 1 channel - max. 4VA; 2 channels - max. 7VA
- Memory: Upto 56 Switching Operations
- Back up of program & time by lithium battery: Operating reserve: 6 Years
- Overall dimensions: 5 modules
- Cable length: 100m
- Minimum time between two switching operations: 1 min

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
IHP 1C w (24h/7d) programmable time switch	2.5	CCT15441	11427
IHP+ 1C (24h/7d) SMARTw programmable time switch	2.5	CCT15551	14098
IHP 2C w (24h/7d) programmable time switch	2.5	CCT15443	14741
IHP DCF (24h/7d) SMART programmable time switch	2.5	CCT15858	24366
IHP+ 2C (24h/7d) SMARTw programmable time switch	2.5	CCT15553	16310

Timers



- Switching capacity 16 A, max
- Delay range from 30 sec to 20 min
- Capacity for lighted pushbutton 150 mA
- Electric distribution busbar compatibility
- Output power capacity CCT15232-2300W
- Output power capacity CCT15223-3600W

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
MINs - electronic timer - 0.5 to 20 min	1	CCT15232	6455
MINs - electronic timer - 0.5 to 20 min with switch Off Warning	1	CCT15233	8289
MINs - electronic timer - 0.5 to 20 min with switch Off Warning and Impulse relay function	1	CCT15234	8345

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

Twilight switch



- Includes wall mounted cell
- Adjustable brightness threshold 2 to 2000 Lux
- 2 LEDs to signal the sensor status and the output status
- Test button: To check the product and load cabling
- Switching capacity: 16Amp
- Screwless Terminals compatible with rigid and flexible wires
- Consumption 6 VA
- Size 45mm

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
IC2000 outdoor (2 - 2000 lux) twilight switch	1	CCT15369	13615
Analogue indoor light sensor cell	-	CCT15262	6852
Wall mounted Analogue outdoor light sensor cell	-	CCT15263	10413
IC100 (2 - 100 lux) twilight switch	1	CCT15482	11453
IC2000 indoor (2 - 2000 lux) twilight switch	1	CCT15285	10206
IC2000p+ (2 - 2000 lux) programmable twilight switch	2.5	CCT15483	24839
IC100kp+ 1C (1 - 99000 lux) SMART programmable twilight switch	2.5	CCT15494	29184
IC100kp+ 2C (1 - 99000 lux) SMART programmable twilight switch	2.5	CCT15495	35928
IC Astro 2C SMART programmable twilight switch	2.5	CCT15245	25965
IC Astro 1C SMART programmable twilight switch	2.5	CCT15225	20808

Time switch accessories

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
Programming kit for IHP / IC	1	CCT15860	11657

Thermostat

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
THP1+ 1C (24h/7d) programmable thermostat	2.5	CCT15834	26516

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. January 25th, 2022

Life Is On

Schneider
Electric

Schneider Electric India Pvt. Ltd.

Corporate Office: 9th Floor, DLF Building No. 10, Tower C, DLF Cyber City, Phase II, Gurugram 122002 Haryana
Tel.: ++91 124 6899000 Fax: ++91 124 4222036/037

Ahmedabad

Schneider Electric India (P) Ltd.
1506-1507, 15th Floor Shapth-5
Opp.Karnavati Club, SG Highway,
Ahmedabad, Gujarat - 380015
Tel.: 079-66826701

Bengaluru

Schneider Electric India (P) Ltd.
No. 3/1, JP Techno Park
Mezzanine Floor, Millers Tank Bund
Road, Vasanth Nagar
Bengaluru - 560052
Tel.: 080-71481351

Bhubaneswar

Schneider Electric India (P) Ltd.
Workloop Co-Working in the property
Office No. 316, Esplanade One Mall
Rasulgarh, Bhubaneswar - 751010

Chennai

Schneider Electric India (P) Ltd.
No: 29, 2nd Floor,
Bannari Amman Towers, B-Block
Dr. Radhakrishnan Road, Mylapore
Chennai - 600 004
Tel.:044-71912000

Cochin

Schneider Electric India (P) Ltd.
Alapatt Properties Private Limited
(Trade Name : Centre A)
Main Door Number : 66/4971
(Old Door Number: 40/6584-H)
7th Floor Alapatt Heritage Building
MG Road Kochi - 682035

Coimbatore

Schneider Electric India (P) Ltd.
Hanudev Info Tech Park, 6th Floor
Unit No. Block-C, SF No. 558/2
Udalyampalayam Road, Nava India
Coimbatore - 641028

Hyderabad

Schneider Electric India (P) Ltd.
D.No. 1-8-271, # 401, Ashoka
Bhoopal Chambers, SP Road
Secunderabad - 500003
Tel.: 040-67219500

Indore

Schneider Electric India (P) Ltd.
219, Dhan Trident Building
Vijay Nagar, A.B.Road
Indore - 452001

Jaipur

Schneider Electric India (P) Ltd.
Jaipur Business Centre 309
3rd Floor, Sangam Tower 190
Church Road, Jaipur - 302001
Tel.: 0141-2374810

Kolkata

Schneider Electric (I)Pvt.Ltd,
BP-4, Sector-V, Technopolis
3rd Floor, Salt Lake City
Kolkata - 700 091
Tel.: 033-66576400

Lucknow

Schneider Electric India (P) Ltd.
Summit, Plot No. TCG 3/3
6th Floor, 604A/B/C, Vibhuti Khand
Gomti Nagar, Lucknow
Uttar Pradesh - 226010
Tel.: 0522-3500334

Ludhiana

Schneider Electric India (P) Ltd.
SCO 23, 2nd Floor,
Chandigarh Road, Sector 32
Ludhiana, Punjab -141010
Tel.: 0161- 5203011

Mohali

Schneider Electric India (P) Ltd.
2nd Floor, Tower-A
Bestech Business Tower
Mega Information & Technology Park
Industrial Plot No.1, Phase IX
(Expansion), Mohali - 160059
Tel.: 0172-7198200

Mumbai

Schneider Electric India (P)(Ltd)
Marwah House, 2nd Floor
Krishanlal Marwah Marg
Andheri (East), Mumbai - 400072
Tel.: 022-62280000

Nagpur

Schneider Electric India (P) Ltd.
6, Vasant Vihar Complex
W.H.C Road, Shankar Nagar
Nagpur - 440010
Tel.: 0712-2558581

Nashik

Schneider Electric India (P) Ltd.
401, 4th Floor, Rishi Raj Towers
Jehan Circle, Gangapur Road
Nashik - 422013
Tel.: 0253-2344333

New Delhi

Schneider Electric India (P) Ltd.
C-56, Mayapuri Industrial Area, Phase-2
New Delhi - 110064
Tel.: 011-61317400

Pune

Schneider Electric India (P) Ltd.
Amar Caliber, CTS No 911, BMCC Road,
OFF F.C. Road, Deccan Gymkhana,
Shivaji Nagar, Pune - 411007
Tel.: 020-67492500

Vadodara

Schneider Electric India (P) Ltd.
Notus IT Park, 10th Floor, Block-D
Sarabhai Campus, Vadiwadi
Vadodara, Gujarat - 390017

Vishakhapatnam

Schneider Electric India (P) Ltd.
D.N.10-1-43, 1st Floor
Ratnam's Business Centre,
Siripuram Fort, C.B.M.Compound
Visakhapatnam - 530016
Tel.: 0891-6675500

Customer Care Centre

Monday-Saturday, 9 a.m. to 8 p.m.

Toll-free numbers: 1800 419 4272, 1800 103 0011

Email: customercare.in@schneider-electric.com

For more information, visit our website at: www.se.com/in

- All Prices are in Indian Rupees.
- Prices are subject to change without prior notice.
- Product evolution is a continuous process and Schneider Electric reserves the right to modify/withdraw any product at any time without prior notice.
- Prices charged will be as prevailing on the date of dispatch.
- Invoice Amount = (MRP – less Applicable discount) + Applicable GST %
- Tax incidence on invoices is basis applicable GST rates.
- Invoice amount not to exceed MRP.
- Product pictures shown are for illustration purpose only, actual product may vary.

Distributor