



Main

| | |
|------------------------------|---|
| Range of product | Stago |
| Product or component type | Reinforced cable tray |
| Cable support type | Reinforced bottom |
| Environmental characteristic | Partly outdoor environment with low exposure to corrosion ware-houses and parking garages |

Complementary

| | |
|----------------------------------|--|
| Product destination | KB284 cable tray |
| Fixing mode | Screwless |
| Material | Steel pre-galvanized |
| Atmospheric-corrosivity category | C2 |
| Thickness | 1 Mm |
| Perforation location | Bottom perforation Side perforation |
| Nominal cross section | 36000 Mm ² |
| Height | 60 Mm |
| Width | 600 Mm |
| Length | 3000 Mm |
| Net weight | 5.084 Kg / 100 m |

Offer Sustainability

| | |
|----------------------------|--|
| REACH Regulation | REACH Declaration |
| REACH free of SVHC | Yes |
| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration |
| Toxic heavy metal free | Yes |
| Mercury free | Yes |
| RoHS exemption information | Yes |
| China RoHS Regulation | China RoHS Declaration |
| Circularity Profile | No need of specific recycling operations |

Product Life Status : **Commercialised**

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.