

FH360201021

FA/LA MOLDED CASE CIRCUIT BREAKER 600V, 20A, 3P, SHUNT TRIP



by Schneider Electric



Product availability: Non-Stock - Not normally stocked in distribution facility

Price*: 2641.20 USD

Commercial status

This Product is Obsolete :

This Product is Obsolete

Main

Product or component type	Circuit breaker
Range of product	I-Line
Trip unit technology	Thermal-magnetic
Breaking capacity code	H
Accessory / separate part type	Shunt trip 120/208/240 V AC

Complementary

Line Rated Current	20 A
Poles description	3P
Breaking capacity	65 kA at 240 V AC 18 kA at 600 V AC 10 kA at 250 V DC 25 kA at 480 V AC
System Voltage	250 V DC 600 V AC
Mounting mode	I-Line
Electrical connection	I-Line connection line Lugs load
AWG gauge	AWG 14...AWG 4 (copper) 1 cable(s) AWG 12...AWG 4 (aluminium) 1 cable(s)
Terminal identifier	AL50FA
Magnetic hold current	275 A
Magnetic tripping current	600 A
Phase connection	ABC
Height	6.4 in
Width	4.5 in
Depth	4.13 in

Environment


Product certifications	CSA UL listed
------------------------	------------------

Ordering and shipping details

Category	01010 - FA/FH 600V
Discount Schedule	DE2
GTIN	00785901076032
Nbr. of units in pkg.	1
Package weight(Lbs)	6.4800000000000004

Returnability	N
Country of origin	MX

Offer Sustainability

Sustainable offer status	Green Premium product
RoHS (date code: YYWW)	Compliant - since 1304 - Schneider Electric declaration of conformity  Schneider-Electric declaration of conformity
REACH	Reference not containing SVHC above the threshold
Product environmental profile	Available
Product end of life instructions	Need no specific recycling operations
California proposition 65	WARNING: This product can expose you to chemicals including:
----- Substance 1	DINP, which is known to the State of California to cause cancer, and
----- Substance 2	DIDP, which is known to the State of California to cause Birth Defects or other reproductive harm.
----- More information	For more information go to www.p65warnings.ca.gov

Contractual warranty

Warranty period	18 months
-----------------	-----------

Product Life Status :	End of commercialisation
-----------------------	---------------------------------