



### Main

Range	New Unica
Product or component type	Central plate
Accessory / separate part category	Fixing accessory
Product destination	RJ45 connectors
Device presentation	Central plate
Socket number	4
Provided equipment	Protective flap Label holder
Colour tint	White (RAL 9003)

### Complementary

Installation direction	Straight
Cover type	Shutter
Number of modules	4 modules
Type of footprint	S-One
Material	Thermoplastic ABS-UV stabilised: central plate
Surface finish	Glossy
Device mounting	Flush
Fixing mode	Clip-in
Depth	27 Mm
Width	45 Mm
Height	90 Mm

### Environment

IP degree of protection	IP20
IK degree of protection	IK01
Environmental characteristic	Bleach UV resistant Oil Petrol Window-cleaning fluid Liquid soap Acetone Alcohol Ammonia
Environmental health and issues	Halogen free

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.

## Offer Sustainability

EU RoHS Directive	Compliant <a href="#">EU RoHS Declaration</a>
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	<a href="#">Yes</a>
China RoHS Regulation	<a href="#">China RoHS Declaration</a>
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
Circularity Profile	No need of specific recycling operations
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Product Life Status : **Commercialised**