Product End-of-Life Instructions

Product Range: Multi 9

Marketing Model/Name: (List of multiple models if applicable)

VIGI C60 TETRA - VIGI C60 TRI - VIGI C60 BI

Purpose:

The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.

Note:

This product family is not in the scope of EU directive 2002/96/EC, Waste Electrical and Electronic Equipment (WEEE).



Size (in mm): 87 x 63 x 76

Weight (in g):

Between 107 g and 253 g





Operations recommended for the end of life treatment

There are several steps to process the products at the end of life so as to recover components, materials or energy: Reuse \rightarrow Separation for special treament \rightarrow Other dismantling \rightarrow Shredding.

The components of the products that optimize the recycling performances are listed, identified and located hereunder.


Component which must be cleared of pollution:






Page 2 of 4

Dismantle process:



Remove the Clips on each side of the product



Recomm	endation	Number on drawing	Components	Weight (g)	Comment
		1	Cover	21 g	Brominates flame retardants
		2	Base	43 g	Brominates flame retardants

Schneider Electric SA

43-45, boulevard Franklin Roosevelt F-92500 Rueil-Malmaison Cedex (France) Tel.: +33 (0) 1 41 29 70 00 www.schneider-electric.com

The version of the Guide used to create the document: End of Life Instruction Drafting Guide of Schneider Electric version V $\it 1$

ENVEOLI110904EN Publication date: 03/10/2011