

Product End of Life Instructions


M171 Opt. Display 14I/O Modbus 100-240Vac

Modicon M171 Optimized logic controllers and Remote displays





End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Electronic Board (Communication) > 10cm ²	94	PCBA
To be depolluted	2	Electronic Board (Communication) > 10cm ²	11	PCBA
To be depolluted	3	Electronic Board (Communication) > 10cm ²	20	PCBA
To be depolluted	4	Electronic Board (Communication) > 10cm ²	21	PCBA + LCD Display
Other		Top Case & Bottom Case	30	Plastic Parts



Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	The Modicon M171 Optimized Logic Controller, TM172ODM14R, is a programmable controller with LCD display. The main application of this module is HVAC/R and pumping solutions.
Product reference	TM171ODM14R
Additional similar product references	TM171ODM14R TM171VEVA2 TM171VEVD4 TM171VEVM4 TM171OBM14R TM171OB22R TM171OBM22R TM171OD14R TM171OD22R TM171ODM22R TM171ODM22S TM171EO14R TM171EO15R TM171EO22R TM171EP14R TM171EP14RCC1 TM171OD14RC01 ST54121411301 SE63020310401 SD650235A1401 SC65023511400 SC65023512400 SC650235A1401 SD64123511400 SD65023511400 SD65023512400 SD650235W2400 SE63020310400 SE64123510400 SE65023510400 SE65023510402 SE650235F0401
Total representative product mass	176 g
Representative product dimensions	87mm x 70,2mm x 61,7mm
Accessories	No
Date of information release	11-2025



Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.
In case of special transportation: transportation method	No
Recyclability potential	0,1% The recyclability rate was calculated from the recycling rates of each material making up the product based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the EIME database and the related PSR was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS

Country Customer Care Center

<http://www.se.com/contact>

35, rue Joseph Monier

CS 30323

F- 92500 Rueil Malmaison Cedex

RCS Nanterre 954 503 439

Capital social 928 298 512 €

www.se.com

Published by Schneider Electric

ENVEOLI1710004_V2

© 2023 - Schneider Electric – All rights reserved

11-2025