

Product End of Life Instructions


M172 Display Color TouchScreen, Flush Mounting, Grey

M172 Remote displays





End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Electronic Board (Communication) > 10cm ²	44	PCBA
To be depolluted	2	TFT-LCD Display 3,5"	40	LCD Display
Other		Top Case & Bottom Case	94	Plastic Parts
Other		Screws	26	Metal Parts



Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	TM172DCLFG is an HMI touchscreen keyboard suitable to control temperature, pressure, ventilation unit, heat pumps and many other loads in installations for the HVAC sector, in conjunction with the Modicon M172 programmable controllers and/or any other device connected through ModBus serial communication. The TM172DCLFG touchscreen has its own logic, which is also useful for managing a master slave systems.
Product reference	TM172DCLFG
Additional similar product references	TM172DCLFG TM172DCLWT TM172DCLWTH TM172DCLWTHP TM172DCLFW AVP11000W0500 AVP12000W0500 AVP13000W0500 AVP100G0P0500 AVP100W0P0500 AVP100G0P0501 AVP100G0P0502
Total representative product mass	204 g
Representative product dimensions	96mm x 134mm x 35mm
Accessories	No
Date of information release	12-2025



Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.
In case of special transportation: transportation method	No
Recyclability potential	14% The recyclability rate was calculated from the recycling rates of each material making up the product based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the EIME database and the related PSR was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS

Country Customer Care Center
<http://www.se.com/contact>

35, rue Joseph Monier

CS 30323

F- 92500 Rueil Malmaison Cedex

RCS Nanterre 954 503 439

Capital social 928 298 512 €

www.se.com

Published by Schneider Electric

ENVEOLI1803026_V2

© 2023 - Schneider Electric – All rights reserved

12-2025